

DESIGNED, ENGINEERED & BUILT IN AMERICA



Security Door Controls

PL21.3 Jul 2022
Price Reference Guide

Division 8 & 28
Access Control Hardware

TABLE OF CONTENTS

LOCKING DEVICES

Electromagnetic Locks

1510 Series EMLock® 1650lb Locks	8
1570 Series EMLock® 1200lb Locks	11
1580 Series EMLock® 650lb Locks.....	14
E1200 Value Excel™ Architectural 1200lb Locks	17
E600 Value Excel™ Architectural 600lb Locks	17
350 Series Narrow Locks	
1590 Series Sliding Door Locks	17
1575 / 1576 Gate Locks	17
E6200 Value Industrial Locks	17
E300 Value Cabinet Locks	17

Electromagnetic Shear Locks

1560 Series HiShear® Concealed Locks	18
1562SC Series HiShear® Semi-Concealed Locks	20
1561S Series HiShear® Surface Mount Locks.....	22
1561TJ Series HiShear® Surface Top Jamb Locks	24

Delayed Egress Locks

1511S Series ExitCheck® Single Integrated Locks	26
1511T Series ExitCheck® Tandem Integrated Locks.....	29
1581S Series Mini Integrated Locks.....	32
101-DE Series ExitCheck® Controllers.....	34
S6000-101 Series All-In-One Exit Devices.....	37
S6300-101 Series All-In-One Mortise Exit Devices.....	40
S6000-DES Series Slave Exit Devices.....	43
S6300-DES Series Slave Mortise Exit Devices.....	46

Electric Strikes

55 Series UniFLEX™ ¾" Latchbolt Strikes	48
45 Series UniFLEX™ ⅝" Latchbolt Strikes	50
30 Series ¾" Pullman Latchbolt Strikes.....	52
25 Value Series ½" Latchbolt Strikes	52
15 Value Series ⅝" Latchbolt Strikes	52

Electrified Locksets

7200 Series Electra™ Solenoid Controlled Cylindrical Locks	53
7500 Series HiTower® Frame Actuator Controlled Mortise Locks	55
7600 Series Motorized Latch Retraction Controlled Mortise Locks	61
7700 Series Motorized Latch Retraction & Solenoid Controlled Mortise Locks	63
7800 Pro Series Selectric® Solenoid Controlled Mortise Locks	65
7800 Mod Series Selectric® Mortise Lock Modifications	68
SK Series Schlage L Mortise Lock Field Electrification & REX Kits ...	70

Exit Devices & Retrofit ELR Kits

S4000 Series Electrified Industrial Devices	71
S5000 Series Electrified Storefront Devices	74
S6000 Series Spectra™ Electrified Architectural Devices	76
S6300 Series Spectra™ Electrified Architectural Mortise Devices	79
LR100 Series QuietDuo™ Retrofit ELR Kits.....	82
IP100 Series QuietDuo™ Retrofit ELR Kits	85

Electric Bolt Locks

1091 / 1291 Series Spacesaver® Right Angle Locks	86
1190 / 1290 Series Spacesaver® Heavy Duty Right Angle Locks....	88
1490 / 2490 Series Spacesaver® Narrow Right Angle Locks.....	90
FS23M Series Spacesaver® Dual Failsafe Right Angle Locks.....	92
100 / 200 Series Conventional Direct Throw Locks.....	94
GL Series GateLok™ Locks	94
PD2090 Series PanicLok™ Panic Device Top Latch Release Locks	94
290 Series Micro Cabinet Locks.....	94

ACCESS CONTROLS

IP-Based Controllers

IPD Series IPPro® IP-Based Access Controllers.....	95
--	----

Keypads & Readers

IPRW Series Weigand Readers	96
918 Series EntryCheck™ Indoor Keypads	96
920 Series EntryCheck™ Indoor/Outdoor Keypads.....	96
923 Series EntryCheck™ Narrow Indoor/Outdoor Keypads.....	96
926 Series Outdoor Keypads.....	96

Standalone Locksets

E75 Series EntryCheck™ Cylindrical Lockset	97
E76 Series EntryCheck™ Mortise Lockset	101
E77 Series EntryCheck™ Mortise Exit Device Lockset.....	103
295 Series Programmable Cabinet Locks.....	105

Key Switches

700 Series Switches	106
800AL Series Vandal Resistant Switches	109

EGRESS CONTROLS

Egress Devices

PSB560 Series SureExit® Pressure Sense Bars	111
MSB550 Series Mechanical Switch Bars.....	113
00500 Series Retrofit Switch Kits.....	115

Exit Switches & Sensors

410 Series Narrow Push Button Switches.....	116
420 Series Push Button Switches.....	118
430 Series Small Mushroom Button Switches.....	120
440 Series Large Mushroom Button Switches.....	122
450 Series Vandal Push Button Switches.....	124
460 Series Capacitive Touch Sensors.....	125
470 Series No Touch Sensors.....	126
MD-31D Series Request-to-Exit PIR Motion Sensors.....	127

Emergency Door Releases

490 Series Emergency Release Stations.....	128
APB1000A Emergency Access Panels.....	128

ADA CONTROLS

Low Energy Operators

AUTO Series EntryControl™ Low Energy Swing Door Operators....	129
---	-----

Push Plates & Panels

480 Series Push Plates.....	131
480V Series Vestibule Push Plates.....	132
480AA Series Push Panels.....	132

Bollards

BP Series Square Bollard Posts.....	133
CBC Series Square High-Low CBC Compliant Bollard Posts.....	133

POWER TRANSFER DEVICES

PTH Series Electrified Hinges.....	134
PT Series Loops.....	134
PTM Series Electrified Mortise Devices.....	134
WPT Wireless Devices.....	134
7000-DGK Laser Guided Wire Raceway Drill Fixture Kits.....	134

POWER SUPPLY & DOOR CONTROLS

Power Controllers

602 Series 1 Amp Power Controllers.....	135
631 Series 1.5 Amp Power Controllers.....	137
632 Series 2 Amp Power Controllers.....	139
634 Series 4 Amp Power Controllers.....	141
636 Series 6 Amp Power Controllers.....	143
RB12V Backup Batteries For Power Controllers.....	145
TR Series DC Power Transformers.....	145

Door Controllers

UR Series Universal Microprocessor-Based Controllers.....	145
CR4 Four Station Control Relays.....	145
ACM-1 Six Input Control Relays.....	145
EMC Dual Channel Exit Devices Sequencers.....	145
FB4 Four Output Power Distribution Modules.....	145
12VR Voltage Power Converters.....	145

REMOTE CONTROLS & ANNUNCIATORS

Remote Control Consoles

DT Series Mini Desktop Control Consoles.....	146
D15 Series Concealed Desk Switches.....	152

Door Prop Alarms & Annunciators

EA Series Door Prop Alarms.....	153
EA100 ExitAnnunciator® Multi-Mode Visual Annunciators.....	153
400-L Series Visual LED Monitoring Stations.....	153
400-SN Series Siren Alarm Stations.....	153
400-RMB Series Buzzer Alarm Stations.....	153

ACCESSORIES & MISC

EH Series Electromagnetic Door Holder & Releasing Devices.....	154
DPS Series Electromechanical Ball Door Position Sensors.....	156
MC Series Magnetic Contact Door Position Sensors.....	156
MS Series Latch & Deadbolt Monitoring Strikes.....	156
CB Series Communicating Bathroom Control Switches.....	156
WRC Series Two Channel Wireless Transmitters & Receivers.....	156

HAZARDOUS & EXPLOSION PROOF

EP17624 Series Explosion Proof Magnetic Locks.....	157
EP499 Series Explosion Proof Exit Switches.....	157
EP493 Series Explosion Proof Pull Stations.....	157

PRODUCT SPECIFICATIONS: Complete product specifications in the form of datasheets, installation instructions, and 3 part specs are available for download on all product pages in the SDC website: www.sdcsecurity.com. For the most current pricing, always download specific product pricesheets available on all product pages in the SDC website: www.sdcsecurity.com

LIMITED WARRANTY

Security Door Controls (SDC) warrants that all new products sold by us are free from defects in material and workmanship, and fit for the purpose intended by SDC when properly installed in accordance with the appropriate factory instructions and template for a period, from the date of shipment as follows:

Lifetime: EMLock® electromagnetic locks and ExitCheck® delayed egress electromagnetic locks – excluding ExitCheck® delayed egress PC board assemblies purchased after December 31, 2005 – are warranted for the life of the product.

1 Year: 1575 / 1576 electromagnetic gate locks

3 Years: Auto EntryControl™ low energy swing door operators

5 Years: All other SDC products, including ExitCheck® electronic PC board assemblies are warranted for 5 years.

The extent of our liability for breach of warranty – when such is shown to our satisfaction – shall be limited to a functionally equivalent replacement, repair of such product, or part thereof, at SDC's sole discretion. Product shall be returned to SDC with freight prepaid. We shall not, except to the extent this limitation may be precluded by law, be liable for inconvenience, labor costs, lost profit, damages to other property, injury or any other consequential or punitive damages resulting directly or indirectly from any product defect or breach of this warranty.

This warranty is limited to the original purchaser, is not transferable and shall not apply to changes of oil rubbed bronze (613/US10B) finish (which is a living finish designed to change appearance through daily use), lamps, LED's, maintenance, wear and tear caused by normal use, altered product, abuse or negligence.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES OF FITNESS AND MERCHANTABILITY.

CUSTOM SYSTEM DESIGN

Security, life safety and access control consumers demand the best planning, products and operation. Let SDC provide a complete product package. Our engineers will prepare a custom engineered design package, detailed to your needs, whether you have one entrance or a complex multi-entrance system.

Every professional in the field knows all too well the usual problems. When wiring specs and wiring diagrams don't match up, or components are incomplete or missing, projects slow down and costs start escalating.

Let SDC assist you with a complete system design plan which will eliminate problems with component compatibility, system operation or wiring installation. We will provide specifics for your particular job including electrical drafts, instructions and data. This offers a great advantage which

allows you to save time with a faster, easier, better-quality job than the competition.

SDC will provide the job name, supplier, reference and drawing numbers for easy reference when technical support is needed, a detailed system operation outline, a full list of components with individual instructions for each, conduit layout indicating quantity and gauge of wires, as well as point-to-point wire diagrams of all component connections.

All necessary data is a matter of record. Whatever your job requires from equipment to technical understanding and assistance – at the office or in the field – will be detailed in your SDC system design plan.

*SDC fees vary according to requirements.

ENGINEERING POLICY

Engineering services are available for special system design and documentation.

All requests must be submitted in writing, preferably via e-mail, with all requirements detailed before final quotation will be provided. Any alterations or omissions must also be submitted in writing and may be subject to additional costs.

SDC assumes no responsibility for information exchanged via phone conversations regarding estimates or product suitability.

A non-cancellable purchase order for engineering services is required before work will begin.



Security Dealers, Integrators, Installers & Distributors

300+ SDC products are available for shipment within 3 - 5 business days. Keep your copy of the shipQUICK inventory readily available so you know firsthand which products your SDC distributor can expedite for you.

www.sdcsecurity.com/shipquick

SALES POLICY

TERMS: A minimum purchase of \$5,000.00 annually is required to maintain an open account with Security Door Controls.

RETURNED GOODS: Any defects or errors for which SDC is responsible will be rectified. Approval for return of merchandise must be requested and, once approved, the return material authorization number (RMA #) must be displayed on all packages returned to SDC. Material found suitable for resale without reconditioning will be credited to customer's account as a product credit only (no cash refunds), less a handling and restocking fee equal to 35% of the net material value. Further charges may be assessed if material requires reconditioning to return it to a saleable condition. *Obsolete products will not be accepted for return.*

Custom products, such as non-standard finishes, sizes and options or pre-assembly configurations are considered special build items and are not returnable for credit. Customer is responsible for freight charges to return product to SDC. Where applicable, credits for returned material will have 2% deducted to cover the cash discount allowance on the original invoice. *Products that have been installed may not be returned for credit.*

PAYMENT TERMS: 2% - ten (10) days, net thirty (30) days from date of invoice. Interest at 1½% per month will be charged on unpaid balances beyond thirty (30) days.

It is understood that customers may use their own purchase order format when placing orders. However, any such forms shall be used for customer convenience only. Any terms or provisions which may be contained therein, which are inconsistent with, or in addition to, those contained in SDC's current sales order acknowledgment form or any other terms and/or provisions contained therein shall have no force or effect whatsoever.

Custom material or wiring diagrams require a 50% deposit. At SDC's discretion, orders in excess of \$1,500 net will be acknowledged by product category and department. They will ship on a "when ready" basis unless customer purchase order specifically states a "Do not ship before" date, and/or "No partial shipments."

CREDIT HOLDS: Orders received from customers with past due balances of 60+ days will not be entered and will be held until account is current.

PRICES: Prices are subject to change without notice. No prices are guaranteed. All shipments will be made at prices prevailing at time of shipment. Errors or omissions in pricing are subject to correction.

PRICING POLICY: Shipments must be accepted within sixty (60) days after receipt of the order. Contracts extending beyond this period are subject to prices in effect at the time of shipment.

MINIMUM ORDER: SDC has a minimum net order policy of \$250 for domestic orders and \$1,500 for international orders before applicable taxes and shipping fees.

ACCEPTANCE: SDC reserves the right to decline an order, in whole or in part, when the price, quantity or assortment of goods is not satisfactory to SDC.

FREIGHT: All goods are invoiced EXW (EXWorks) SECURITY DOOR CONTROLS. When delivered to the transportation company the shipments become the property of the purchaser, who assumes the risk of loss or damage in transit. All ground shipments will be made by United Parcel Service (UPS), unless otherwise instructed by customer.

BACK CHARGES: SDC is not responsible for, does not authorize, and will not accept any charges for the cost of any labor or material incurred by anyone other than Security Door Controls for any installation, repair, service or replacement unless agreed upon with prior written consent.

PRODUCT CHANGES: SDC reserves the right to modify, change or discontinue any components at its sole discretion.

SHORTAGES/ DISCREPANCIES: Claims must be made within ten (10) days after receipt of material. (The original invoice number will be required)

TEMPLATES: It shall be the customer's responsibility to check all templates requested from SDC for suitability for proper door and frame preparation. Direct requests from the door and frame supplier will not release this customer of this responsibility.

ARBITRATION AND GOVERNING LAW: In the event of a dispute or controversy, or differences which may arise between parties, shall be settled by arbitration. The arbitration shall take place in California under the rules of the American Arbitration Association. The validity, interpretation, and performance of this agreement shall be controlled by and construed under the laws of the state of California, United States of America.

MINIMUM ADVERTISED PRICE POLICY (MAP): All products listed in this price book are considered "covered products" offered by SDC for resale in the United States of America. The MAP applied to these covered products shall be 50% off the list price identified for each complete product contained within this price book.

NOTE: SDC complete sales policy as stated in our Price Reference Guide prevails at all times.

Some products in this price book are protected by one or more of the following U.S. Patents. Foreign Patents are not shown: 7,540,542; 7,614,669; 7,698,918; 7,246,827; 7,963,574; 8,851,530; 9,797,165; 8,851,532; 10,697,532

P.O. Box 3670, Camarillo, CA, 93011-3670
801 Avenida Acaso, Camarillo, CA 93012

DoorSnap

Security Door Controls Retrofits Made Easy!

Use the **Free SDC App** to send a picture with your contact information. SDC will recommend a **cost effective solution with product information links** to retrofit the opening for access control locking hardware.

www.sdsecurity.com/doorsnap




COMPLETE COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & egress control components at your fingertips, you can assemble turnkey solutions to address both market-specific and application-specific requirements for almost any door opening imagined – while addressing a variety of factors, including:

- Level of Security
- Budget Restrictions
- Type of Door or Frame
- Life Safety Codes
- Aesthetics
- Retrofit or New Construction

BASIC COMPONENT CONSIDERATIONS FOR CONTROLLED DOOR SYSTEMS

- 1 LOCKING DEVICES
- 2 ACCESS CONTROLS
- 3 EGRESS CONTROLS
- 4 ADA CONTROLS
- 5 POWER TRANSFER DEVICES
- 6 POWER SUPPLY & DOOR CONTROLS
- 7 REMOTE CONTROLS & ANNUNCIATORS
- 8 ACCESSORIES & MISC



Components not to scale

1 LOCKING DEVICES




Electromagnetic Locks



Electromagnetic Shear Locks



Delayed Egress Locks



Electric Strikes



Electrified Locksets



Exit Devices & Retrofit ELR Kits



Electric Bolt Locks

2 ACCESS CONTROLS



IP-Based Controllers



Keypads & Readers



Standalone Locksets




Key Switches

3 EGRESS CONTROLS



Egress Devices



Exit Switches & Sensors



Emergency Door Releases

4 ADA CONTROLS



Low Energy Operators



Push Plates & Panels



Bollards

5 POWER TRANSFER DEVICES



Hinges



Loops



Mortise Transfer



Wireless Transfer

6 POWER SUPPLY & DOOR CONTROLS



Power Controllers



Door Controllers

7 REMOTE CONTROLS & ANNUNCIATORS



Remote Control Consoles



Door Prop Alarms & Annunciators

8 ACCESSORIES & MISC



Electromagnetic Door Holders



Door Position Monitoring



Latch & Deadbolt Monitoring Strikes



Wireless Transmitters & Receivers



Communicating Bathroom Controls



1510 Series

1650lb Holding Force EMLocks

SDC's electromagnetic locks are suited for interior doors, perimeter exit doors and entrances that require failsafe emergency release capability.

The patented EMLock® design represents the pinnacle of magnetic lock evolution with modular assembly that makes them easy to stock, install, upgrade, and maintain.

The housing design provides a superior appearance with a plated or anodized finish on all sides. The interlocking EZ mount assembly leaves hands free for wiring and securing of mounting screws. EMLocks® are UL listed and ANSI grade 1 compliant.

- Uniform design and installation
- Wire access chamber with terminal block
- Interlocking quick mount assembly
- Auto-sensing dual voltage
- Voltage and current spike protection
- Instant release anti-residual magnetism circuitry
- Captive lock mounting screws
- Self-drilling and tapping sheet metal screws
- 1/2" machine screws included
- Field upgradeable without removing from the frame*

*See related products for EZ field upgrade kits.

ORDERING GUIDE

	FINISH	
	V	
	Y	
	C	
	X	
	Q	
	P	
1511	V	DB
1511		D
1512		B
		A
		T
		L
		OPTIONS

NOT REQUIRED

EXAMPLES

1511V	Single EMLock, 1650lbs, 628	529.00
1511VD	Single EMLock, 1650lbs, 628, DPS	577.00
1511VDB	Single EMLock, 1650lbs, 628, DPS, BAS	648.00
1512V	Double EMLock, 1650lbs	1,053.00
1512VD	Double EMLock, 1650lbs, DPS	1,149.00

1510 CONFIGURATION 1 of 1



1511



1512



Filler Plate



Angle Bracket



Top Jump Kit



Glass Door Kit



Spacer Bracket



Header Bracket



Armature Mounting Plate



Door Coordinator Bracket



Heavy Duty Drill Fixture

MODEL		● ○ ○	LIST \$
1511	Single EMLock, 1650lbs		529.00
1512	Double EMLock, 1650lbs		1,053.00

FINISH		○ ● ○	ADD TO LIST	
			SINGLE	DOUBLE
V	628 Dull Aluminum <small>Standard</small>		N/C	N/C
Y	335 Dull Black		94.00	141.00
C	605 Bright Brass		94.00	141.00
X	710 Dark Bronze		94.00	141.00
Q	626 Dull Chrome		222.00	257.00
P	625 Bright Chrome		222.00	257.00

OPTIONS		○ ○ ●	ADD TO LIST	
			SINGLE	DOUBLE
D	Door Position Status (DPS)		48.00	96.00
B	Bond Alert Status (BAS)		71.00	142.00
A	Anti-Tamper Status (ATS)		59.00	59.00
T	Relock Time Delay (RTD)		76.00	76.00
L*	Visual Status Indicator (LED)		20.00	20.00

* Requires field installation and additional wiring.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

FP11V	Filler Plate, 1/8" x 1 1/4" x 11"	40.00
FP12V	Filler Plate, 1/4" x 1 1/4" x 11"	41.00
FP13V	Filler Plate, 3/8" x 1 1/4" x 11"	41.00
FP14V	Filler Plate, 1/2" x 1 1/4" x 11"	46.00
FP15V	Filler Plate, 5/8" x 1 1/4" x 11"	48.00
FP21V	Filler Plate, 1/8" x 1 1/4" x 22"	46.00
FP22V	Filler Plate, 1/4" x 1 1/4" x 22"	48.00
FP23V	Filler Plate, 3/8" x 1 1/4" x 22"	50.00
FP24V	Filler Plate, 1/2" x 1 1/4" x 22"	52.00
FP25V	Filler Plate, 5/8" x 1 1/4" x 22"	55.00
AB11V	Angle Bracket, 1" x 1" x 11"	48.00
AB12V	Angle Bracket, 1" x 1 1/2" x 11"	50.00
AB13V	Angle Bracket, 1 1/2" x 1 1/2" x 11"	52.00

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Egress Devices
Pages 111-115



Exit Switches & Sensors
Pages 116-127



Emergency Door Releases
Page 128



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

AB14V	Angle Bracket, 2" x 1½" x 11"	55.00
AB21V	Angle Bracket, 1" x 1" x 22"	59.00
AB22V	Angle Bracket, 1" x 1½" x 22"	63.00
AB23V	Angle Bracket, 1½" x 1½" x 22"	69.00
AB24V	Angle Bracket, 2" x 1½" x 22"	73.00
TJ1V	Top Jamb Mounting Kit, Single	141.00
TJ2V	Top Jamb Mounting Kit, Double	229.00
HDB1V	Glass Door Mounting Kit, 2½" x 1½" x 8½"	210.00
HDB2V	Glass Door Mounting Kit, 2½" x 1½" x 8½", Qty 2	420.00
UF11V	Spacer Bracket, ½" x 1½" x 11"	105.00
UF12V	Spacer Bracket, ½" x 1½" x 22"	131.00
UB11V	Header Bracket, 1" x 1" x 11"	76.00
UB12V	Header Bracket, 1" x 1" x 22"	150.00
AR11Y	Armature Mounting Plate, ⅝" x 3" x 8½"	71.00
AR11YD	Armature Mounting Plate, ⅝" x 3" x 8½", DPS	118.00
DC-1	Door Coordinator Bracket, 1½" x 3" x 11"	141.00
DC-2	Door Coordinator Bracket, 1½" x 3" x 22"	257.00
1511-DF	Heavy Duty Drill Fixture for 1511, 1571 EMLock Installations	176.00
1512VV82*	Vertical Housing EMLock Package, 84" Openings, 3300lbs, 628	1,885.00
EZ-D-10**	Field Upgrade Kit, Door Position Status (DPS)	48.00
EZ-A	Field Upgrade Kit, Anti-Tamper Status (ATS)	59.00
EZ-T-10	Field Upgrade Kit, Relock Time Delay (RTD)	76.00

* Consult factory for special finishes, lengths or monitoring options.

** Order two for double EMLock applications.



1570 Series

1200lb Holding Force EMLocks

SDC's electromagnetic locks are suited for interior doors, perimeter exit doors and entrances that require failsafe emergency release capability.

The patented EMLock® design represents the pinnacle of magnetic lock evolution with modular assembly that makes them easy to stock, install, upgrade, and maintain.

The housing design provides a superior appearance with a plated or anodized finish on all sides. The interlocking EZ mount assembly leaves hands free for wiring and securing of mounting screws. EMLocks® are UL listed and ANSI grade 1 compliant.

- Uniform design and installation
- Wire access chamber with terminal block
- Interlocking quick mount assembly
- Auto-sensing dual voltage
- Voltage and current spike protection
- Instant release anti-residual magnetism circuitry
- Captive lock mounting screws
- Self-drilling and tapping sheet metal screws
- 1/32" machine screws included
- Field upgradeable without removing from the frame*

*See related products for EZ field upgrade kits.

ORDERING GUIDE

	FINISH	
	V	
	Y	
	C	
	X	
	Q	
	P	
1571	V	D B
1571		D
1572		B
		A
		T
		L
MODEL		OPTIONS

NOT REQUIRED 

EXAMPLES

1571V	Single EMLock, 1200lbs, 628	485.00
1571VD	Single EMLock, 1200lbs, 628, DPS	533.00
1571VDB	Single EMLock, 1200lbs, 628, DPS, BAS	604.00
1572V	Double EMLock, 1200lbs	977.00
1572VD	Double EMLock, 1200lbs, DPS	1,073.00

1570 CONFIGURATION 1 of 1



1571



1572



Filler Plate



Angle Bracket



Top Jamb Kit



Glass Door Kit



Spacer Bracket



Header Bracket



Armature Mounting Plate



Door Coordinator Bracket



Heavy Duty Drill Fixture

MODEL		● ○ ○	LIST \$
1571	Single EMLock, 1200lbs		485.00
1572	Double EMLock, 1200lbs		977.00

FINISH		○ ● ○	ADD TO LIST	
			SINGLE	DOUBLE
V	628 Dull Aluminum <small>Standard</small>		N/C	N/C
Y	335 Dull Black		94.00	141.00
C	605 Bright Brass		94.00	141.00
X	710 Dark Bronze		94.00	141.00
Q	626 Dull Chrome		222.00	257.00
P	625 Bright Chrome		222.00	257.00

OPTIONS		○ ○ ●	ADD TO LIST	
			SINGLE	DOUBLE
D	Door Position Status (DPS)		48.00	96.00
B	Bond Alert Status (BAS)		71.00	142.00
A	Anti-Tamper Status (ATS)		59.00	59.00
T	Relock Time Delay (RTD)		76.00	76.00
L*	Visual Status Indicator (LED)		20.00	20.00

*Requires field installation and additional wiring.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

FP11V	Filler Plate, 1/8" x 1 1/4" x 11"	40.00
FP12V	Filler Plate, 1/4" x 1 1/4" x 11"	41.00
FP13V	Filler Plate, 3/8" x 1 1/4" x 11"	41.00
FP14V	Filler Plate, 1/2" x 1 1/4" x 11"	46.00
FP15V	Filler Plate, 5/8" x 1 1/4" x 11"	48.00
FP21V	Filler Plate, 1/8" x 1 1/4" x 22"	46.00
FP22V	Filler Plate, 1/4" x 1 1/4" x 22"	48.00
FP23V	Filler Plate, 3/8" x 1 1/4" x 22"	50.00
FP24V	Filler Plate, 1/2" x 1 1/4" x 22"	52.00
FP25V	Filler Plate, 5/8" x 1 1/4" x 22"	55.00
AB11V	Angle Bracket, 1" x 1" x 11"	48.00
AB12V	Angle Bracket, 1" x 1 1/2" x 11"	50.00

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Egress Devices
Pages 111-115



Exit Switches & Sensors
Pages 116-127



Emergency Door Releases
Page 128



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

AB13V	Angle Bracket, 1½" x 1½" x 11"	52.00
AB14V	Angle Bracket, 2" x 1½" x 11"	55.00
AB21V	Angle Bracket, 1" x 1" x 22"	59.00
AB22V	Angle Bracket, 1" x 1½" x 22"	63.00
AB23V	Angle Bracket, 1½" x 1½" x 22"	69.00
AB24V	Angle Bracket, 2" x 1½" x 22"	73.00
TJ1V	Top Jamb Mounting Kit, Single	141.00
TJ2V	Top Jamb Mounting Kit, Double	229.00
HDB1V	Glass Door Mounting Kit, 2½" x 1½" x 8½"	210.00
HDB2V	Glass Door Mounting Kit, 2½" x 1½" x 8½", Qty 2	420.00
UF11V	Spacer Bracket, ½" x 1½" x 11"	105.00
UF12V	Spacer Bracket, ½" x 1½" x 22"	131.00
UB11V	Header Bracket, 1" x 1" x 11"	76.00
UB12V	Header Bracket, 1" x 1" x 22"	150.00
AR11Y	Armature Mounting Plate, ⅝" x 3" x 8½"	71.00
AR11YD	Armature Mounting Plate, ⅝" x 3" x 8½", DPS	118.00
DC-1	Door Coordinator Bracket, 1½" x 3" x 11"	141.00
DC-2	Door Coordinator Bracket, 1½" x 3" x 22"	257.00
1511-DF	Heavy Duty Drill Fixture for 1511, 1571 EMLock Installations	176.00
1572VV82*	Vertical Housing EMLock Package, 84" Openings, 2400lbs, 628	1,809.00
EZ-D-10**	Field Upgrade Kit, Door Position Status (DPS)	48.00
EZ-A	Field Upgrade Kit, Anti-Tamper Status (ATS)	59.00
EZ-T-10	Field Upgrade Kit, Relock Time Delay (RTD)	76.00

* Consult factory for special finishes, lengths or monitoring options.

** Order two for double EMLock applications



1580 Series

650lb Holding Force EMLocks

SDC's electromagnetic locks are suited for interior doors, perimeter exit doors and entrances that require failsafe emergency release capability.

The patented EMLock® design represents the pinnacle of magnetic lock evolution with modular assembly that makes them easy to stock, install, upgrade, and maintain.

The housing design provides a superior appearance with a plated or anodized finish on all sides. The interlocking EZ mount assembly leaves hands free for wiring and securing of mounting screws. EMLocks® are UL listed and ANSI grade 1 compliant.

- Uniform design and installation
- Wire access chamber with terminal block
- Interlocking quick mount assembly
- Auto-sensing dual voltage
- Voltage and current spike protection
- Instant release anti-residual magnetism circuitry
- Captive lock mounting screws
- Self-drilling and tapping sheet metal screws
- 1/32" machine screws included

ORDERING GUIDE

	FINISH	
	V	
	Y	
	C	
	X	
	Q	
	P	
1581	V	D B
1581		D
1582		B
		A
		L
MODEL		OPTIONS

NOT REQUIRED

EXAMPLES

1581V	Single EMLock, 650lbs, 628	401.00
1581VD	Single EMLock, 650lbs, 628, DPS	449.00
1581VDB	Single EMLock, 650lbs, 628, DPS, BAS	520.00
1582V	Double EMLock, 650lbs	789.00
1582VD	Double EMLock, 650lbs, DPS	885.00

1580 CONFIGURATION 1 of 1



1581



1582



Filler Plate



Angle Bracket



Top Jamb Kit



Glass Door Kit



Spacer Bracket



Heavy Duty Drill Fixture

MODEL		● ○ ○	LIST \$
1581	Single EMLock, 650lbs		401.00
1582	Double EMLock, 650lbs		789.00

FINISH		○ ● ○	ADD TO LIST	
			SINGLE	DOUBLE
V	628 Dull Aluminum <small>Standard</small>		N/C	N/C
Y	335 Dull Black		94.00	141.00
C	605 Bright Brass		94.00	141.00
X	710 Dark Bronze		94.00	141.00
Q	626 Dull Chrome		222.00	257.00
P	625 Bright Chrome		222.00	257.00

OPTIONS		○ ○ ●	ADD TO LIST	
			SINGLE	DOUBLE
D	Door Position Status (DPS)		48.00	96.00
B	Bond Alert Status (BAS)		71.00	142.00
A	Anti-Tamper Status (ATS)		59.00	59.00
L*	Visual Status Indicator (LED)		20.00	20.00

* Requires field installation and additional wiring.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

FP01V	Filler Plate, 1/8" x 1 1/4" x 8 3/4"	36.00
FP02V	Filler Plate, 1/4" x 1 1/4" x 8 3/4"	39.00
FP03V	Filler Plate, 3/8" x 1 1/4" x 8 3/4"	41.00
FP04V	Filler Plate, 1/2" x 1 1/4" x 8 3/4"	44.00
FP05V	Filler Plate, 5/8" x 1 1/4" x 8 3/4"	44.00
FP30V	Filler Plate, 1/8" x 1 1/4" x 17 1/2"	46.00
FP31V	Filler Plate, 1/4" x 1 1/4" x 17 1/2"	48.00
FP32V	Filler Plate, 3/8" x 1 1/4" x 17 1/2"	50.00
FP33V	Filler Plate, 1/2" x 1 1/4" x 17 1/2"	52.00
FP34V	Filler Plate, 5/8" x 1 1/4" x 17 1/2"	55.00
AB01V	Angle Bracket, 1" x 1" x 8 3/4"	46.00
AB02V	Angle Bracket, 1" x 1 1/2" x 8 3/4"	48.00
AB03V	Angle Bracket, 1 1/2" x 1 1/2" x 8 3/4"	50.00
AB04V	Angle Bracket, 2" x 1 1/2" x 8 3/4"	52.00
AB30V	Angle Bracket, 1" x 1" x 17 1/2"	59.00

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Egress Devices
Pages 111-115



Exit Switches & Sensors
Pages 116-127



Emergency Door Releases
Page 128



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

AB31V	Angle Bracket, 1" x 1 1/2" x 17 1/2"	63.00
AB32V	Angle Bracket, 1 1/2" x 1 1/2" x 17 1/2"	69.00
AB33V	Angle Bracket, 2" x 1 1/2" x 17 1/2"	73.00
TJ81V	Top Jamb Mounting Kit, Single	141.00
TJ82V	Top Jamb Mounting Kit, Double	229.00
HDB1V	Glass Door Mounting Kit, 2 1/2" x 1 1/2" x 8 1/2"	210.00
HDB2V	Glass Door Mounting Kit, 2 1/2" x 1 1/2" x 8 1/2", Qty 2	420.00
UF81V	Spacer Bracket, 1/2" x 1 1/2" x 8 3/4"	86.00
UF82V	Spacer Bracket, 1/2" x 1 1/2" x 17 1/2"	118.00
1581-DF	Heavy Duty Drill Fixture for 1581 EMLock Installations	176.00

Value & Specialty Electromagnetic Locks

**E1200****E6200****350****1591****1575****E300**

MODEL		LIST \$
E1200	Value Single Magnetic Lock, 1200lbs, 628, DPS, BAS, LED	298.00
E600	Value Single Magnetic Lock, 600lbs, 628, DPS, BAS, LED	247.00
E6200	Industrial Single Magnetic Lock, 1200lbs, Weatherized, 630, DPS, BAS	487.00
350V	Narrow Single Magnetic Lock, 1200lbs, 628, DPS, BAS, LED	430.00
352V	Narrow Double Magnetic Lock, 1200lbs, 628, DPS, BAS, LED	858.00
1591U	Sliding Door Single Magnetic Lock, 850lbs, 630	408.00
1591UDPS	Sliding Door Single Magnetic Lock, 850lbs, 630, DPS	473.00
1575U	Gate Single Magnetic Lock, 1200lbs, Weatherized, 630, DPS, BAS	498.00
1576U	Gate Single Magnetic Lock, Face-Drilled, 1200lbs, Weatherized, 630, DPS, BAS	498.00
E300	Cabinet Single Magnetic Lock, 300lbs, 628, BAS	195.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

E12F01*	E1200 Filler Plate, 5/8" x 3/4" x 10 1/2"	25.00
E12F02*	E1200 Filler Plate, 3/4" x 3/4" x 10 1/2"	25.00
E12L*	E1200 Angle Bracket, 1 1/2" x 3/4" x 10 1/2"	30.00
E12Z	E1200 Top Jamb Mounting Kit	99.00
E12U	E1200 Glass Door Mounting Kit, 2 1/2" x 1 1/2" x 8 1/2"	141.00
E1200-DF	E1200 Heavy Duty Drill Fixture	176.00
E6Z	E600 Top Jamb Mounting Kit	99.00
E6U	E600 Glass Door Mounting Kit, 2 1/2" x 1 1/4" x 7 1/4"	141.00
TJ62	E6200 Top Jamb Mounting Kit	141.00
TJ350	350V Top Jamb Mounting Kit	153.00
TJ352	352V Top Jamb Mounting Kit	269.00
HDB350V	350V Glass Door Mounting Kit, 2 1/2" x 1 1/2" x 9 7/8"	200.00
HDB352V	352V Glass Door Mounting Kit, 2 1/2" x 1 1/2" x 9 7/8", Qty 2	420.00
LAB	1591U Sliding Door Angle Bracket, 2" x 2" x 8"	65.00
AMP	1591U Sliding Door Armature Mounting Plate, 1 1/2" x 5/16" x 6 5/16"	53.00
1575-BK	1575 Angle Bracket, 2" x 2 3/8" x 8 1 1/16"	118.00
1576-AB	1576 Armature Mounting Bracket, 2 3/4" x 3 1/4" x 10 7/8"	94.00
1576-BK	1576 Angle Bracket, 1 3/16" x 2 3/4" x 8 1 1/16"	94.00
1576-MP	1576 Lock Body Mounting Plate, 1/4" x 2 1/2" x 8 1 1/16"	65.00
1576-ZBV**	1576 Z Bracket, 5 1/16" x 3 3/8" x 10 7/8"	186.00

* May be field cut for use with E600.

** Includes 1576-MP mounting plate.



1560 Series

Concealed Electromagnetic Shear Locks

SDC's HiShear® electromagnetic shear locks are designed, engineered and built in America for openings that require an architecturally superior appearance. Long recognized as a cut above alternatives on the market, SDC shear locks provide high security with a failsafe locking mechanism to meet a variety of door opening applications.

The innovative 1560 series concealed electromagnetic shear locks are available with 2000lbs and 2700lbs holding force for standard 1¾" to 2" frames with internal electronics, as well as narrow 1¼" to 1½" frames with external electronics.

- Fully concealed mortise design
- Floating armature assembly
- Special alloy steel shear tabs
- Auto-sensing dual voltage
- Door alignment relock sensor
- Adjustable lateral and vertical alignment
- Noise dampeners

ORDERING GUIDE

	ARMATURE KIT	
	ITC	
	FTC	
	HTC	
	HTR	
1561	ITC	D B
1561		D
1562		B
1565		L
1566		
		OPTIONS
MODEL		

NOT REQUIRED

EXAMPLES

1561ITC	Concealed Shear, Integrated Electronics, 2000lbs, 7/8" to 1 1/8" Inverted Top Channel	874.00
1562ITC	Concealed Shear, External Electronics, 2000lbs, 7/8" to 1 1/8" Inverted Top Channel	874.00
1565ITC	Concealed Shear, Integrated Electronics, 2700lbs, 7/8" to 1 1/8" Inverted Top Channel	949.00
1566ITC	Concealed Shear, External Electronics, 2700lbs, 7/8" to 1 1/8" Inverted Top Channel	949.00
1561HTC	Concealed Shear, Integrated Electronics, 2000lbs, Herculite Deep 1 1/16" Channel	874.00

1560 CONFIGURATION 1 of 1



1561, 1565



1562, 1566

MODEL		● ○ ○	LIST \$
1561	Concealed Shear Lock, Integrated Electronics, 2000lbs		874.00
1562	Concealed Shear Lock, External Electronics, 2000lbs		874.00
1565	Concealed Shear Lock, Integrated Electronics, 2700lbs		949.00
1566	Concealed Shear Lock, External Electronics, 2700lbs		949.00

ARMATURE KIT		○ ● ○	ADD TO LIST
ITC	7/8" to 1 1/8" Inverted Top Channel		N/C
FTC	Flush Top Channel		N/C
HTC	Herculite Deep 1 5/16" Channel		N/C
HTR	Herculite Top Rail Adjustment Bracket		396.00

OPTIONS		○ ○ ●	ADD TO LIST
D	Door Position Status (DPS)		59.00
B*	Bond Alert Status (BAS)		129.00
L**	Visual Status Indicator (LED)		20.00

* Not available for 1562 and 1566 models.

** Mounts separately through the frame and may be used to indicate lock is energized or wired to monitoring contacts.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

WDRBM*	Wood Door Reinforcement Box, 1" x 1 1/2" x 8 1/2"	60.00
WDRB**	Wood Door Reinforcement Box, 1" x 1 1/2" x 11"	60.00

* For 1561 and 1562 models only.

** For 1565 and 1566 models only.



1562SC Series

Semi-Concealed Electromagnetic Shear Locks

SDC's HiShear® electromagnetic shear locks are designed, engineered and built in America for openings that require an architecturally superior appearance. Long recognized as a cut above alternatives on the market, SDC shear locks provide high security with a failsafe locking mechanism to meet a variety of door opening applications.

SDC's 1562SC series semi-concealed configuration incorporates the innovative HiShear® concealed electromagnetic lock with a surface mounted armature assembly. The semi-concealed design also provides the advantage of mounting the HiShear® on the secure side of the door opening, eliminating potential for tampering.

- Concealed mortise lock and surface mount armature design
- Floating armature assembly
- Special alloy steel shear tabs
- Auto-sensing dual voltage
- Door alignment relock sensor
- Adjustable lateral and vertical alignment
- Noise dampeners

ORDERING GUIDE

	FINISH	
	V	
	Y	
	C	
	X	
	Q	
	P	
1562SCHDB	V	D L
1562SC		D
1562SCHDB		L
1562SCHDB3/4		
MODEL		OPTIONS

NOT REQUIRED

EXAMPLES

1562SCV	Semi-Concealed Shear, External Electronics, 2000lbs, 628	1,028.00
1562SCVD	Semi-Concealed Shear, External Electronics, 2000lbs, 628, DPS	1,087.00
1562SCVDL	Semi-Concealed Shear, External Electronics, 2000lbs, 628, DPS, BAS	1,107.00
1562SCHDBV	Semi-Concealed 1/2" Glass Door Shear, External Electronics, 2000lbs, 628	1,275.00
1562SCHDB3/4V	Semi-Concealed 3/4" Glass Door Shear, External Electronics, 2000lbs, 628	1,275.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Egress Devices
Pages 111-115



Exit Switches & Sensors
Pages 116-127



Emergency Door Releases
Page 128



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

1562SC CONFIGURATION 1 of 1

MODEL		● ○ ○	LIST \$
1562SC	Semi-Concealed Shear Lock, External Electronics, 2000lbs		1,028.00
1562SCHDB	Semi-Concealed 1/2" Glass Door Shear Lock, External Electronics, 2000lbs		1,275.00
1562SCHDB3/4	Semi-Concealed 3/4" Glass Door Shear Lock, External Electronics, 2000lbs		1,275.00

FINISH		○ ● ○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>		N/C
Y	335 Dull Black		71.00
C	605 Bright Brass		71.00
X	710 Dark Bronze		94.00
Q	626 Dull Chrome		222.00
P	625 Bright Chrome		222.00

OPTIONS		○ ○ ●	ADD TO LIST
D	Door Position Status (DPS)		59.00
L*	Visual Status Indicator (LED)		20.00

*Mounts separately through the frame and may be used to indicate lock is enegized or wired to monitoring contacts.



1561S Series

Surface Electromagnetic Shear Locks

SDC's HiShear® electromagnetic shear locks are designed, engineered and built in America for openings that require an architecturally superior appearance. Long recognized as a cut above alternatives on the market, SDC shear locks provide high security with a failsafe locking mechanism to meet a variety of door opening applications.

1561S models are surface mounted to the push side of an out-swing door.

- Surface mount design
- Floating armature assembly
- Special alloy steel shear tabs
- Auto-sensing dual voltage
- Door alignment relock sensor
- Adjustable lateral and vertical alignment
- Noise dampeners

ORDERING GUIDE

	FINISH	
	V	
	Y	
	C	
	X	
	Q	
	P	
1561S	V	D B
MODEL		D
		B
		L
		OPTIONS

NOT REQUIRED

EXAMPLES

1561SV	Surface Shear Lock, Integrated Electronics, 2000lbs, 628	1,212.00
1561SVD	Surface Shear Lock, Integrated Electronics, 2000lbs, 628, DPS	1,271.00
1561SVDB	Surface Shear Lock, Integrated Electronics, 2000lbs, 628, DPS, BAS	1,400.00
1561SVDBL	Surface Shear Lock, Integrated Electronics, 2000lbs, 628, DPS, BAS, LED	1,420.00
1561SY	Surface Shear Lock, Integrated Electronics, 2000lbs, 335	1,283.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Egress Devices
Pages 111-115



Exit Switches & Sensors
Pages 116-127



Emergency Door Releases
Page 128



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

1561S CONFIGURATION 1 of 1

MODEL		LIST \$
1561S	Surface Shear Lock, Integrated Electronics, 2000lbs	1,212.00

FINISH		ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>	N/C
Y	335 Dull Black	71.00
C	605 Bright Brass	71.00
X	710 Dark Bronze	94.00
Q	626 Dull Chrome	222.00
P	625 Bright Chrome	222.00

OPTIONS		ADD TO LIST
D	Door Position Status (DPS)	59.00
B	Bond Alert Status (BAS)	129.00
L*	Visual Status Indicator (LED)	20.00

*Mounts separately through the frame and may be used to indicate lock is energized or wired to monitoring contacts.



1561TJ Series

Surface Top Jamb
Electromagnetic Shear Locks

SDC's HiShear® electromagnetic shear locks are designed, engineered and built in America for openings that require an architecturally superior appearance. Long recognized as a cut above alternatives on the market, SDC shear locks provide high security with a failsafe locking mechanism to meet a variety of door opening applications.

1561TJ models are surface mounted to the pull side of an in-swing door. For metal door and frame, glass door with top rail and metal frame, or wood door and frame. This mounting configuration eliminates the need for cumbersome and unsightly top jamb Z brackets normally associated with pull side mounted of magnetic locks.

- Surface mount design
- Floating armature assembly
- Special alloy steel shear tabs
- Auto-sensing dual voltage
- Door alignment relock sensor
- Adjustable lateral and vertical alignment
- Noise dampeners

ORDERING GUIDE

		FINISH	
		V	
		Y	
		C	
		X	
		P	
		Q	
1561TJ	V	D B	
MODEL		D	
		B	
		L	
		OPTIONS	

NOT REQUIRED

EXAMPLES

1561TJV	Surface Top Jamb Shear, Integrated Electronics, 2000lbs, 628	1,212.00
1561TJVD	Surface Top Jamb Shear, Integrated Electronics, 2000lbs, 628, DPS	1,271.00
1561TJVDB	Surface Top Jamb Shear, Integrated Electronics, 2000lbs, 628, DPS. BAS	1,400.00
1561TJY	Surface Top Jamb Shear, Integrated Electronics, 2000lbs, 335	1,283.00
1561TJX	Surface Top Jamb Shear, Integrated Electronics, 2000lbs, 710	1,306.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Egress Devices
Pages 111-115



Exit Switches & Sensors
Pages 116-127



Emergency Door Releases
Page 128



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

1561TJ CONFIGURATION 1 of 1

MODEL		LIST \$
1561TJ	Surface Top Jamb Shear Lock, Integrated Electronics, 2000lbs	1,212.00

FINISH		ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>	N/C
Y	335 Dull Black	71.00
C	605 Bright Brass	71.00
X	710 Dark Bronze	94.00
Q	626 Dull Chrome	222.00
P	625 Bright Chrome	222.00

OPTIONS		ADD TO LIST
D	Door Position Status (DPS)	59.00
B	Bond Alert Status (BAS)	129.00
L*	Visual Status Indicator (LED)	20.00

*Mounts separately through the frame and may be used to indicate lock is energized or wired to monitoring contacts.



1511S Series

Single Integrated Delayed Egress Locks

SDC's ExitCheck® delayed egress locks continue to be the premier delayed egress offering on the market. The patented design revolutionized delayed egress by incorporating an alternating verbal message, verbal countdown and alarm tone, plus a large digital countdown display and door release indicator to provide a clear warning for the safety of persons without prior knowledge of door operation, including the blind and hearing impaired. Designed to delay egress through perimeter exit doors for 15 or 30 seconds, alert security and personnel to unauthorized egress, and are compatible with access controls and patient wandering systems.

The 1511S series incorporates all ExitCheck® features for single door applications with an integrated three position key switch for reset; manual power-up and bypass settings for convenience.

- Integrated delayed egress magnetic lock
- Interlocking quick mount assembly
- Visual countdown display indicator
- Alternating verbal message
- Verbal countdown and alarm tone
- Built-in activation trigger
- Adjustable door movement sensor
- Integrated three position keyswitch

ORDERING GUIDE

	MODE		FINISH		PROGRAMMING	
	NA		V		RRX	
	ND		Y		VISPAN	
	NH		C		VIENG/SPAN	
	NC		X		VIENG/FRNCH	
	BD		Q			
	BH		P			
	BC					
1511S	NA	K	V	E D B A	RRX	
MODEL		K		E		
		P		D		
		L		B		
			RESET	A		
				OPTIONS		

NOT REQUIRED

EXAMPLES

1511SBDKV	Single Lock, BOCA, Fixed 15 Second Egress Delay, Keyswitch Reset, 628	1,336.00
1511SNAKV	Single Lock, NFPA 101, Selectable Egress Delay, Keyswitch Reset, 628	1,336.00
1511SNAKVD	Single Lock, NFPA 101, Selectable Egress Delay, Keyswitch Reset, 628, DPS	1,384.00
1511SNCKV	Single Lock, CBC Compliant, Keyswitch Reset, 628	1,336.00
1511SNDKV	Single Lock, NFPA 101, Fixed 15 Second Egress Delay, Keyswitch Reset, 628	1,336.00



1511S

1511S CONFIGURATION 1 of 1

MODEL	●○○○○○	LIST \$
1511S	Single Delayed Egress Lock	1,336.00

MODE	○●○○○○○	ADD TO LIST
NA	NFPA 101, Selectable Egress Delay <small>Standard</small>	N/C
ND	NFPA 101, Fixed 15 Second Egress Delay	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
BH	BOCA Fixed 30 Second Egress Delay	N/C
BC	Chicago Compliant	N/C

RESET	○○●○○○	ADD TO LIST
K	Built-In Keypad Reset	N/C
P*	Built-In Push Button Reset	N/C
L	Less Reset (No Built-In Reset)	N/C

**Available with ND and NC operation modes only.*

FINISH	○○○●○○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>	N/C
Y	335 Dull Black	94.00
C	605 Bright Brass	94.00
X	710 Dark Bronze	94.00
Q	626 Dull Chrome	222.00
P	625 Bright Chrome	222.00

OPTIONS	○○○○●○	ADD TO LIST
E	Energy Saver	N/C
D	Door Position Status (DPS)	48.00
B	Bond Alert Status (BAS)	71.00
A	Anti-Tamper Status (ATS)	59.00

PROGRAMMING*	○○○○○●	ADD TO LIST
RRX	Alarm Reset On REX	N/C
VISPAN	Spanish Verbal Instructions	118.00
VIENG/SPAN	Bilingual Verbal Instructions, English and Spanish	118.00
VIENG/FRNCH	Bilingual Verbal Instructions, English and French	118.00

**Consult factory for custom verbal instruction programming. Custom programming requires a minimum purchase order of ten units.*

Related products on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Egress Devices
Pages 111-115



Emergency Door Releases
Page 128



IP-Based Controllers
Page 95



Keypads & Readers
Page 96



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

FP11V	Filler Plate, 1/8" x 1 1/4" x 11"	40.00
FP12V	Filler Plate, 1/4" x 1 1/4" x 11"	41.00
FP13V	Filler Plate, 3/8" x 1 1/4" x 11"	41.00
FP14V	Filler Plate, 1/2" x 1 1/4" x 11"	46.00
FP15V	Filler Plate, 5/8" x 1 1/4" x 11"	48.00
AB11V	Angle Bracket, 1" x 1" x 11"	48.00
AB12V	Angle Bracket, 1" x 1 1/2" x 11"	50.00
AB13V	Angle Bracket, 1 1/2" x 1 1/2" x 11"	52.00
AB14V	Angle Bracket, 2" x 1 1/2" x 11"	55.00
702RU*	Delayed Egress Mortise Key Switch, Reset, MO	129.00
707RU*	Delayed Egress Mortise Key Switch, Reset & REX, MO/MO	176.00
708RU*	Delayed Egress Mortise Key Switch, Reset & Bypass, MOAA	176.00
728RU	Delayed Egress Keylock Switch, Reset & Bypass, MOAA	71.00
728RUL3	Delayed Egress Keylock Switch, Reset & Bypass, MOAA, LED	98.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Push Button Reset & Bypass, Double Gang	387.00

* Key cylinders not included, order separately.



1511T Series

Tandem Integrated Delayed Egress Locks

SDC's ExitCheck® delayed egress locks continue to be the premier delayed egress offering on the market. The patented design revolutionized delayed egress by incorporating an alternating verbal message, verbal countdown and alarm tone, plus a large digital countdown display and door release indicator to provide a clear warning for the safety of persons without prior knowledge of door operation, including the blind and hearing impaired. Designed to delay egress through perimeter exit doors for 15 or 30 seconds, alert security and personnel to unauthorized egress, and are compatible with access controls and patient wandering systems.

The 1511T series incorporates all ExitCheck® features for double door applications through a slave lock output to enable the use of two units for pairs of doors to ensure pushing either door leaf will cause both doors to release.

- Integrated delayed egress magnetic lock
- Interlocking quick mount assembly
- Visual countdown display indicator
- Alternating verbal message
- Verbal countdown and alarm tone
- Built-in activation trigger
- Adjustable door movement sensor
- Integrated three position keyswitch

ORDERING GUIDE

	MODE		FINISH		PROGRAMMING	
	NA		V		RRX	
	ND		Y		VISPAN	
	NH		C		VIENG/SPAN	
	NC		X		VIENG/FRNCH	
	BD		Q			
	BH		P			
	BC					
1511T	NA	K	V	E D B A	RRX	
MODEL		K		E		
		P		D		
		L		B		
		RESET		A		
				OPTIONS		

NOT REQUIRED

EXAMPLES

1511TBDKV	Tandem Lock, BOCA, Fixed 15 Second Egress Delay, Keyswitch Reset, 628	2,239.00
1511TNAKV	Tandem Lock, NFPA 101, Selectable Egress Delay, Keyswitch Reset, 628	2,239.00
1511TNAKVD	Tandem Lock, NFPA 101, Selectable Egress Delay, Keyswitch Reset, 628, DPS	2,334.00
1511TNCKV	Tandem Lock, CBC Compliant, Keyswitch Reset, 628	2,239.00
1511TNDKV	Tandem Lock, NFPA 101, Fixed 15 Second Egress Delay, Keyswitch Reset, 628	2,239.00



1511T

1511T CONFIGURATION 1 of 1

MODEL	●○○○○○	LIST \$
1511T	Tandem Delayed Egress Lock	2,239.00

MODE	○●○○○○	ADD TO LIST
NA	NFPA 101, Selectable Egress Delay <small>Standard</small>	N/C
ND	NFPA 101, Fixed 15 Second Egress Delay	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
BH	BOCA Fixed 30 Second Egress Delay	N/C
BC	Chicago Compliant	N/C

RESET	○○●○○○	ADD TO LIST
K	Built-In Keypad Reset	N/C
P*	Built-In Push Button Reset	N/C
L	Less Reset (No Built-In Reset)	N/C

* Available with ND and NC operation modes only.

FINISH	○○○●○○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>	N/C
Y	335 Dull Black	141.00
C	605 Bright Brass	141.00
X	710 Dark Bronze	141.00
Q	626 Dull Chrome	257.00
P	625 Bright Chrome	257.00

OPTIONS	○○○○●○	ADD TO LIST
E	Energy Saver	N/C
D	Door Position Status (DPS)	95.00
B	Bond Alert Status (BAS)	141.00
A	Anti-Tamper Status (ATS)	118.00

PROGRAMMING	○○○○○●	ADD TO LIST
RRX	Alarm Reset On REX	N/C
VISPAN	Spanish Verbal Instructions	118.00
VIENG/SPAN	Bilingual Verbal Instructions, English and Spanish	118.00
VIENG/FRNCH	Bilingual Verbal Instructions, English and French	118.00

* Consult factory for custom verbal instruction programming. Custom programming requires a minimum purchase order of ten units.

Related products on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Egress Devices
Pages 111-115



Emergency Door Releases
Page 128



IP-Based Controllers
Page 95



Keypads & Readers
Page 96



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

FP11V	Filler Plate, 1/8" x 1 1/4" x 11"	40.00
FP12V	Filler Plate, 1/4" x 1 1/4" x 11"	41.00
FP13V	Filler Plate, 3/8" x 1 1/4" x 11"	41.00
FP14V	Filler Plate, 1/2" x 1 1/4" x 11"	46.00
FP15V	Filler Plate, 5/8" x 1 1/4" x 11"	48.00
AB11V	Angle Bracket, 1" x 1" x 11"	48.00
AB12V	Angle Bracket, 1" x 1 1/2" x 11"	50.00
AB13V	Angle Bracket, 1 1/2" x 1 1/2" x 11"	52.00
AB14V	Angle Bracket, 2" x 1 1/2" x 11"	55.00
702RU*	Delayed Egress Mortise Key Switch, Reset, MO	129.00
707RU*	Delayed Egress Mortise Key Switch, Reset & REX, MO/MO	176.00
708RU*	Delayed Egress Mortise Key Switch, Reset & Bypass, MO/AA	176.00
728RU	Delayed Egress Keylock Switch, Reset & Bypass, MO/AA	71.00
728RUL3	Delayed Egress Keylock Switch, Reset & Bypass, MO/AA, LED	98.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Push Button Reset & Bypass, Double Gang	387.00

* Key cylinders not included, order separately.



1581S Series

Mini Integrated Delayed Egress Locks

SDC's 1581S series mini delayed egress locks are designed to meet the needs of long term care and commercial facilities that require a smaller, less obtrusive, and less expensive delayed egress lock that is better suited for minimum security needs. Size matters.

Designed to delay egress through perimeter exit doors for 15 or 30 seconds, alert security and personnel to unauthorized egress, and are compatible with access controls and patient wandering systems.

- Integrated delayed egress magnetic lock
- Interlocking quick mount assembly
- Subdued alternating alarm
- Built-in activation trigger
- Adjustable door movement sensor
- Low power consumption

ORDERING GUIDE

	MODE		
	ND		
	NH		
	NC		
	BD		
	BH		
	BC		
			OPTIONS
			D
			B
1581S	ND	V	D B
MODEL		V	
		Y	
		C	
		X	
		Q	
		P	
		FINISH	

NOT REQUIRED

EXAMPLES

1581SBDV	Mini Lock, BOCA, Fixed 15 Second Egress Delay, 628	1,009.00
1581SNDV	Mini Lock, NFPA 101, Fixed 15 Second Egress Delay, 628	1,009.00
1581SNDVD	Mini Lock, NFPA 101, Fixed 15 Second Egress Delay, 628, DPS	1,080.00
1581SNCV	Mini Lock, CBC Compliant, 628	1,009.00
1581SBCV	Mini Lock, Chicago Compliant, 628	1,009.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Egress Devices
Pages 111-115



Emergency Door Releases
Page 128



IP-Based Controllers
Page 95



Keypads & Readers
Page 96



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152

1581S CONFIGURATION 1 of 1

MODEL	● ○ ○ ○	LIST \$
1581S	Mini Delayed Egress Lock	1,009.00
MODE	○ ● ○ ○	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay <small>Standard</small>	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
BH	BOCA Fixed 30 Second Egress Delay	N/C
BC	Chicago Compliant	N/C
FINISH	○ ○ ● ○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>	N/C
Y	335 Dull Black	93.00
C	605 Bright Brass	93.00
X	710 Dark Bronze	93.00
Q	626 Dull Chrome	222.00
P	625 Bright Chrome	222.00
OPTIONS	○ ○ ○ ●	ADD TO LIST
D	Door Position Status (DPS)	71.00
B	Bond Alert Status (BAS)	118.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

FP11V	Filler Plate, 1/8" x 1 1/4" x 11"	40.00
FP12V	Filler Plate, 1/4" x 1 1/4" x 11"	41.00
FP13V	Filler Plate, 3/8" x 1 1/4" x 11"	41.00
FP14V	Filler Plate, 1/2" x 1 1/4" x 11"	46.00
FP15V	Filler Plate, 5/8" x 1 1/4" x 11"	48.00
AB11V	Angle Bracket, 1" x 1" x 11"	48.00
AB12V	Angle Bracket, 1" x 1 1/2" x 11"	50.00
AB13V	Angle Bracket, 1 1/2" x 1 1/2" x 11"	52.00
AB14V	Angle Bracket, 2" x 1 1/2" x 11"	55.00
702RU*	Delayed Egress Mortise Key Switch, Reset, MO	129.00
707RU*	Delayed Egress Mortise Key Switch, Reset & REX, MO/MO	176.00
708RU*	Delayed Egress Mortise Key Switch, Reset & Bypass, MO/AA	176.00
728RU	Delayed Egress Keylock Switch, Reset & Bypass, MO/AA	71.00
728RUL3	Delayed Egress Keylock Switch, Reset & Bypass, MO/AA, LED	98.00
CYL-6KDDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Push Button Reset & Bypass, Double Gang	387.00
1581S-TC-3	Frame Header Tandem Cable Kit, 3ft	36.00
1581S-TC-10	Remote Junction Box Tandem Cable Kit, 10ft	48.00

* Key cylinders not included, order separately.



101-DE Series

Delayed Egress Controllers

SDC's 101-DE series delayed egress controllers incorporate all ExitCheck® features into a two piece delayed egress system where the door is closed and secured by delayed egress locking hardware. The 101-DE series delayed egress controller send power to the slave operating magnetic locks or exit devices to the lock the door in a secured position. The integrated digital display on the 101-DE controllers provide an alternating verbal message, verbal countdown and alarm tone, plus a large digital countdown display and door release indicator to provide a clear warning for the safety of persons without prior knowledge of door operation, including the blind and hearing impaired. A built-in three function digital keypad provides alarm and lock reset, and timed or sustained bypass.

101-DE series delayed egress controllers must be ordered with a magnetic lock or exit device with ExitCheck® slave operation feature to secure the door. Designed to control up to two doors, order two magnetic locks or two exit devices for double door applications.*

*See related products for available magnetic locks and exit devices Consult factory for system design for applications requiring control of a bank of doors.

ORDERING GUIDE

	MODE	
	NA	
	ND	
	NH	
	NC	
	BD	
	BH	
	BC	
101-KDE	NA	RRX
101-DE		RRX
101-KDE		VISPAN
		VIENG/SPAN
		VIENG/FRNCH
		OPTIONS

NOT REQUIRED

EXAMPLES

101-KDENA	Delayed Egress Controller, Keyswitch Reset, NFPA 101, Selectable Egress Delay	1,058.00
101-DENA	Delayed Egress Controller, NFPA 101, Selectable Egress Delay	938.00
101-KDENC	Delayed Egress Controller, Keyswitch Reset, CBC Compliant	1,058.00
101-KDEBD	Delayed Egress Controller, Keyswitch Reset, BOCA, Fixed 15 Second Egress Delay	1,058.00
101-KDEBC	Delayed Egress Controller, Keyswitch Reset, Chicago Compliant	1,058.00

101-DE CONFIGURATION 1 of 1



101-DE



101-KDE



Slave EMLock



Slave Gate Lock



Slave Rim Device



Slave Mortise Device

MODEL	● ○ ○	LIST \$
101-DE	Delayed Egress Controller	938.00
101-KDE*	Delayed Egress Controller with Reset & Bypass Keyswitch	1,058.00

**Key cylinders not included, order separately. See related products.*

MODE	○ ● ○	ADD TO LIST
NA	NFPA 101, Selectable Egress Delay <small>Standard</small>	N/C
ND	NFPA 101, Fixed 15 Second Egress Delay	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
BH	BOCA Fixed 30 Second Egress Delay	N/C
BC	Chicago Compliant	N/C

OPTIONS	○ ○ ●	ADD TO LIST
RRX	Alarm Reset On REX Programming	N/C
VISPAN	Spanish Verbal Instructions	118.00
VIENG/SPAN	Bilingual Verbal Instructions, English and Spanish	118.00
VIENG/FRNCH	Bilingual Verbal Instructions, English and French	118.00

**Consult factory for custom verbal instruction programming. Custom programming requires a minimum purchase order of ten units.*

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

1511DEV	Single Slave EMLock, 1650lbs, 628	593.00
1511DEV D	Single Slave EMLock, 1650lbs, 628, DPS	641.00
1511DEV B	Single Slave EMLock, 1650lbs, 628, BAS	664.00
1511DEV DB	Single Slave EMLock, 1650lbs, 628, DPS, BAS	712.00
1571DEV	Single Slave EMLock, 1200lbs, 628	564.00
1571DEV D	Single Slave EMLock, 1200lbs, 628, DPS	612.00
1571DEV B	Single Slave EMLock, 1200lbs, 628, BAS	635.00
1571DEV DB	Single Slave EMLock, 1200lbs, 628, DPS, BAS	683.00
1581DEV	Single Slave EMLock, 650lbs, 628	467.00
1581DEV B	Single Slave EMLock, 650lbs, 628, BAS	538.00
1575DEU	Single Slave Lock, 1200lbs, Weatherized, 630, DPS, BAS	559.00
1576DEU	Single Slave Lock, Face-Drilled, 1200lbs, Weatherized, 630 DPS, BAS	559.00
S6101PU36DES	Rim Slave Exit Device, Panic, 630, 36"	1,355.00
S6101FU36DES	Rim Slave Exit Device, Fire, 630, 36"	1,484.00

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Egress Devices
Pages 111-115



Emergency Door Releases
Page 128



IP-Based Controllers
Page 95



Keypads & Readers
Page 96



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145




Remote Control Consoles
Pages 146-152

S6101PU42DES	Rim Slave Exit Device, Panic, 630, 42"	1,405.00
S6101FU42DES	Rim Slave Exit Device, Panic, 630, 42"	1,534.00
S6101PU48DES	Rim Slave Exit Device, Panic, 630, 48"	1,455.00
S6101FU48DES	Rim Slave Exit Device, Fire, 630, 48"	1,555.00
S6303PRRU36DESEE	Mortise Slave Exit Device, Panic, RHRB, 630, 36"	1,924.00
S6303FRRU36DESEE	Mortise Slave Exit Device, Fire, RHRB, 630, 36"	2,053.00
S6303PRRU42DESEE	Mortise Slave Exit Device, Panic, RHRB, 630, 42"	1,974.00
S6303FRRU42DESEE	Mortise Slave Exit Device, Fire, RHRB, 630, 42"	2,103.00
S6303PRRU48DESEE	Mortise Slave Exit Device, Panic, RHRB, 630, 48"	2,024.00
S6303FRRU48DESEE	Mortise Slave Exit Device, Fire, RHRB, 630, 48"	2,153.00
S6303PLRU36DESEE	Mortise Slave Exit Device, Panic, LHRB, 630, 36"	1,924.00
S6303FLRU36DESEE	Mortise Slave Exit Device, Fire, LHRB, 630, 36"	2,053.00
S6303PLRU42DESEE	Mortise Slave Exit Device, Panic, LHRB, 630, 42"	1,974.00
S6303FLRU42DESEE	Mortise Slave Exit Device, Fire, LHRB, 630, 42"	2,103.00
S6303PLRU48DESEE	Mortise Slave Exit Device, Panic, LHRB, 630, 48"	2,024.00
S6303FLRU48DESEE	Mortise Slave Exit Device, Fire, LHRB, 630, 48"	2,153.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
DEC-J	Triple Gang Surface Box, 2 1/2" x 4 1/2" x 6 7/16"	105.00
SHD-J	Outdoor Shroud, 4 1/4" x 4 3/4" x 6 9/16"	71.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-SPSN	Remote 80db Single Gang Siren & Speaker	113.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Button Reset & Bypass, Double Gang	387.00

* Key cylinders not included, order separately.

For a complete list of available rim slave exit device configurations and trim options, visit S6000-DES series.

For a complete list of available mortise slave exit device configurations and trim options, S6300-DES series.



S6000-101 Series

All-In-One Delayed Egress Rim & Vertical Rod Exit Devices

SDC's S6000-101 series all-in-one devices integrates the S6000 series exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6000-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

Trim is ordered separately, see related products.

- Panic and fire rated devices
- Subdued alternating alarm
- Push pad activation trigger
- Key switch reset and bypass*
- Low power consumption, energy saver

* Key cylinders not included, order separately. See related products.

ORDERING GUIDE

		FUNCTION		LENGTH		MODE	
		01		36		ND	
		02		42		NH	
		03		48		NC	
S61	01	P	U	36	R	101	ND
S61		P	FINISH		R	ELECTRIFICATION	
S62		F			L		
					LBR		
					LBRF		
					OPTIONS		

NOT REQUIRED

EXAMPLES

S6101PU36101NC	Rim, Exit Only, Panic, 630, 36", All-In-One, CBC Compliant	2,325.00
S6101FU36101NC	Rim, Exit Only, Fire, 630, 36", All-In-One, CBC Compliant	2,454.00
S6101PU48101NC	Rim, Exit Only, Panic, 630, 48", All-In-One, CBC Compliant	2,425.00
S6101FU48101NC	Rim, Exit Only, Fire, 630, 48", All-In-One, CBC Compliant	2,554.00
S6101PU42101NC	Rim, Exit Only, Panic, 630, 42", All-In-One, CBC Compliant	2,375.00

S6000-101 CONFIGURATION 1 of 1



S61



S62



Less Bottom Rod

MODEL		● ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		783.00
S62	Surface Vertical Rod (SVR)		1,188.00

FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C

RATING		○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		129.00

FINISH		○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		50.00
48	48" Door Opening		100.00

OPTIONS		○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
L	Latch Status (LS)		94.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C

** Available for S62 surface vertical rod devices only.*

ELECTRIFICATION		○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
101	All-In-One Delayed Egress		1,542.00

MODE		○ ○ ○ ○ ○ ○ ○ ○ ●	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay <small>Standard</small>		N/C
NH	NFPA 101, Fixed 30 Second Egress Delay		N/C
NC	CBC Compliant		N/C
BD	BOCA, Fixed 15 Second Egress Delay		N/C
BH	BOCA Fixed 30 Second Egress Delay		N/C
BC	Chicago Compliant		N/C

Related products on next page.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

EK02U	Eclipse Escutcheon Trim, Dummy, 630	262.00
EK03U*	Eclipse Escutcheon Trim, Nightlatch, 630	262.00
GK02U	Galaxy Escutcheon Trim, Dummy, 630	262.00
GK03U*	Galaxy Escutcheon Trim, Nightlatch, 630	262.00
SP02U	Saturn Escutcheon Trim, Dummy, 630	118.00
SP03U*	Saturn Escutcheon Trim, Nightlatch, 630	118.00
EKE03U*	Electrified Eclipse Escutcheon Trim, Nightlatch, 630	771.00
EKE03ULS*	Electrified Eclipse Escutcheon Trim, Nightlatch, LS, 630	865.00
GKE03U*	Electrified Galaxy Escutcheon Trim, Nightlatch, 630	771.00
GKE03ULS*	Electrified Galaxy Escutcheon Trim, Nightlatch, LS, 630	865.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	39.00
ST1P	Rim Strike, 1 3/16" Projection	25.00
ST1F	Rim Strike, 1 3/16" Projection, Fire-Rated	25.00
ST2DF	Double Door Rim Strike, 1 3/16" Projection	57.00
ST2P	Vertical Rod Top Strike, 2 9/32" Projection	23.00
ST2F	Vertical Rod Top Strike, 1 1/8" Projection, Fire-Rated	23.00
ST28T	Threshold Strike, 3/8" Projection	18.00
KR90F*	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	743.00
ST1MP	Mullion Strike, 7/8" Projection	80.00
ST1MF	Mullion Strike, 7/8" Projection	80.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Button Reset & Bypass, Double Gang	387.00

* Key cylinder not included, order separately.

** For EK03U, GK03U and SP03U trim only.



S6300-101 Series

All-In-One Delayed Egress
Mortise Exit Devices

SDC's S6300-101 series all-in-one devices integrates the S6300 series mortise exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6300-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

- Panic and fire rated devices
- Subdued alternating alarm
- Push pad activation trigger
- Key switch reset and bypass*
- Low power consumption, energy saver

*Key cylinders not included, order separately. See related products.

ORDERING GUIDE

MODEL		RATING		FINISH		LENGTH		ELECTRIFICATION		MODE		TRIM OPTIONS	
		P				36				ND			
		F				42				NH			
						48				NC			
										BD			
										BH			
										BC			
S63	03	P	RR	U	36	R	101	ND	EE	MS			
FUNCTION			RR			R			EE	MS			
			LR			L			GE				
			HANDING			OPTIONS			TRIM				

NOT REQUIRED

EXAMPLES

S6303PRRU36101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 36", All-In-One, Chicago	2,894.00
S6303FRRU36101BCEE	Mortise, Nightlatch, Fire, RHRB, 630, 36", All-In-One, Chicago	3,023.00
S6303PRRU48101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 48", All-In-One, Chicago	2,994.00
S6303FRRU48101BCEE	Mortise, Nightlatch, Fire, RHRB, 630, 48", All-In-One, Chicago	3,123.00
S6303PRRU42101BCEE	Mortise, Nightlatch, Panic, RHRB, 630, 42", All-In-One, Chicago	2,994.00



S63



Eclipse Trim



Galaxy Trim



Mortise Key Cylinder

S6300-101 CONFIGURATION 1 of 2

MODEL	●○○○○○○○○○○○○	LIST \$
S63	Mortise	1,352.00
FUNCTION ○●○○○○○○○○○○ ADD TO LIST		
03	Key Retracts Latchbolt (Nightlatch)	N/C
RATING ○○●○○○○○○○○○○ ADD TO LIST		
P	Panic Device <i>Standard</i>	N/C
F	Fire-Rated Device	129.00
HANDING ○○○●○○○○○○○○ ADD TO LIST		
RR	Right Hand Reverse Bevel (RHRB)	N/C
LR	Left Hand Reverse Bevel (LHRB)	N/C
FINISH ○○○○●○○○○○○○○ ADD TO LIST		
U	630 Dull Stainless <i>Standard</i>	N/C
LENGTH ○○○○○●○○○○○○ ADD TO LIST		
36	36" Door Opening <i>Standard</i>	N/C
42	42" Door Opening	50.00
48	48" Door Opening	100.00
OPTIONS ○○○○○○●○○○○○ ADD TO LIST		
R	Request-To-Exit (REX)	94.00
L	Latch Status (LS)	94.00
ELECTRIFICATION ○○○○○○○●○○○○ ADD TO LIST		
101	All-In-One Delayed Egress	1,542.00
MODE ○○○○○○○○○●○○○○ ADD TO LIST		
ND	NFPA 101, Fixed 15 Second Egress Delay <i>Standard</i>	N/C
NH	NFPA 101, Fixed 30 Second Egress Delay	N/C
NC	CBC Compliant	N/C
BD	BOCA, Fixed 15 Second Egress Delay	N/C
BH	BOCA Fixed 30 Second Egress Delay	N/C
BC	Chicago Compliant	N/C

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



S6300-101 CONFIGURATION 2 of 2

TRIM*	○○○○○○○○○●○	ADD TO LIST
EE	Eclipse Escutcheon	N/C
GE	Galaxy Escutcheon	N/C

*Key cylinder not included, order separately.

TRIM OPTIONS*	○○○○○○○○○●○	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever	234.00
MF	Electrified Case, Failsafe Outside Lever	234.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Button Reset & Bypass, Double Gang	387.00

*Key cylinder not included, order separately.



S6000-DES Series

Slave Delayed Egress
Rim & Vertical Rod Exit Devices

SDC's S6000-DES series slave operating exit devices secure the door in a delayed egress system.

Depressing the push pad activates the trigger input of either a 101-DE series delayed egress controller or a S6000-101 series all-in-one delayed egress exit device, initiating the 15 or 30 second unlock cycle.

Slave operating exit devices do not function on their own. S6000-DES series devices must be ordered with a 101-DE series delayed egress controller or a S6000-101 series all-in-one delayed egress device.

Trim is ordered separately, see related products.

- Panic and fire rated devices
- ExitCheck® slave operation
- Push pad activation trigger
- Low power consumption, energy saver

ORDERING GUIDE

	FUNCTION		LENGTH		ELECTRIFICATION	
	01		36			
	02		42			
	03		48			
S61	01	P	U	36	R	DES
S61		P	FINISH		R	
S62		F			L	
					LBR	
					LBRF	
						OPTIONS

NOT REQUIRED

EXAMPLES

S6101PU36DES	Rim, Exit Only, Panic, 630, 36", Delayed Egress Slave	1,355.00
S6101FU36DES	Rim, Exit Only, Fire, 630, 36", Delayed Egress Slave	1,484.00
S6101PU48DES	Rim, Exit Only, Panic, 630, 48", Delayed Egress Slave	1,455.00
S6101FU48DES	Rim, Exit Only, Fire, 630, 48", Delayed Egress Slave	1,555.00
S6101PU42DES	Rim, Exit Only, Panic, 630, 42", Delayed Egress Slave	1,405.00

S6000-DES CONFIGURATION

1 of 1



S61



S62



Less Bottom Rod

MODEL		● ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		783.00
S62	Surface Vertical Rod (SVR)		1,188.00
FUNCTION		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C
RATING		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		129.00
FINISH		○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C
LENGTH		○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		50.00
48	48" Door Opening		100.00
OPTIONS		○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
L	Latch Status (LS)		94.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C
<i>*Available for S62 surface vertical rod devices only.</i>			
ELECTRIFICATION		○ ○ ○ ○ ○ ○ ●	ADD TO LIST
DES	Delayed Egress Slave		572.00

Related products on next page.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

EK02U	Eclipse Escutcheon Trim, Dummy, 630	262.00
EK03U*	Eclipse Escutcheon Trim, Nightlatch, 630	262.00
GK02U	Galaxy Escutcheon Trim, Dummy, 630	262.00
GK03U*	Galaxy Escutcheon Trim, Nightlatch, 630	262.00
SP02U	Saturn Escutcheon Trim, Dummy, 630	118.00
SP03U*	Saturn Escutcheon Trim, Nightlatch, 630	118.00
EKE03U*	Electrified Eclipse Escutcheon Trim, Nightlatch, 630	771.00
EKE03ULS*	Electrified Eclipse Escutcheon Trim, Nightlatch, LS, 630	865.00
GKE03U*	Electrified Galaxy Escutcheon Trim, Nightlatch, 630	771.00
GKE03ULS*	Electrified Galaxy Escutcheon Trim, Nightlatch, LS, 630	865.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 $\frac{1}{8}$ " Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 $\frac{1}{8}$ " Length, Keyed Alike	52.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	39.00
ST1P	Rim Strike, 1 $\frac{3}{16}$ " Projection	25.00
ST1F	Rim Strike, 1 $\frac{3}{16}$ " Projection, Fire-Rated	25.00
ST2DF	Double Door Rim Strike, 1 $\frac{3}{16}$ " Projection	57.00
ST2P	Vertical Rod Top Strike, 2 $\frac{9}{32}$ " Projection	23.00
ST2F	Vertical Rod Top Strike, 1 $\frac{1}{8}$ " Projection, Fire-Rated	23.00
ST28T	Threshold Strike, $\frac{3}{8}$ " Projection	18.00
KR90F*	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	743.00
ST1MP	Mullion Strike, $\frac{7}{8}$ " Projection	80.00
ST1MF	Mullion Strike, $\frac{7}{8}$ " Projection	80.00

* Key cylinder not included, order separately.

** For EK03U, GK03U and SP03U trim only.



S6300-DES Series

Slave Delayed Egress
Mortise Exit Devices

SDC's S6300-DES series slave operating exit devices secure the door in a delayed egress system.

Depressing the push pad activates the trigger input of a 101-DE series delayed egress controller, initiating the 15 or 30 second unlock cycle.

Slave operating delayed egress exit device models are available for both panic and fire-rated applications.

Slave operating exit devices do not function on their own. S6300-DES series devices must be ordered with a 101-DE series delayed egress controller.

- Panic and fire rated devices
- ExitCheck® slave operation
- Push pad activation trigger
- Low power consumption, energy saver
- Voltage and current spike protection

**Key cylinders not included, order separately. See related products.*

ORDERING GUIDE

MODEL		RATING	FINISH		LENGTH	ELECTRIFICATION		TRIM OPTIONS	
S63	03	P	RR	U	36	R	DES	EE	MS
		F			42				MF
					48				
FUNCTION			HANDING			OPTIONS		TRIM	
			LR			R		EE	
						L		GE	

NOT REQUIRED

EXAMPLES

S6303PRRU36DESEE	Mortise, Nightlatch, Panic, RHRB, 630, 36", Delayed Egress Slave	1,924.00
S6303FRRU36DESEE	Mortise, Nightlatch, Fire, RHRB, 630, 36", Delayed Egress Slave	2,053.00
S6303PRRU48DESEE	Mortise, Nightlatch, Panic, RHRB, 630, 48", Delayed Egress Slave	2,024.00
S6303FRRU48DESEE	Mortise, Nightlatch, Fire, RHRB, 630, 48", Delayed Egress Slave	2,153.00
S6303PRRU42DESEE	Mortise, Nightlatch, Panic, RHRB, 630, 42", Delayed Egress Slave	1,974.00



S63



Eclipse Trim



Galaxy Trim



Mortise Key Cylinder

S6300-DES CONFIGURATION 1 of 1

MODEL		● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S63	Mortise		1,352.00
FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
03	Key Retracts Latchbolt (Nightlatch)		N/C
RATING		○ ○ ● ○ ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		129.00
HANDING		○ ○ ○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
RR	Right Hand Reverse Bevel (RHRB)		N/C
LR	Left Hand Reverse Bevel (LHRB)		N/C
FINISH		○ ○ ○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C
LENGTH		○ ○ ○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		50.00
48	48" Door Opening		100.00
OPTIONS		○ ○ ○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
L	Latch Status (LS)		94.00
ELECTRIFICATION		○ ○ ○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
DES	Delayed Egress Slave		572.00
TRIM*		○ ○ ○ ○ ○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
EE	Eclipse Escutcheon		N/C
GE	Galaxy Escutcheon		N/C

* Key cylinder not included, order separately.

TRIM OPTIONS		○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ● ○	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever		234.00
MF	Electrified Case, Failsafe Outside Lever		234.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00



55 Series

3/4" Latchbolt Electric Strikes

SDC's 55 series 3/4" latchbolt electric strikes are heavy duty, designed for installation in hollow metal frames for access control of cylindrical locksets, mortise locksets with or without deadbolts and mortise exit devices. 55 series strikes accept 3/4" throw latchbolts and up to 1" throw deadbolts.


The choice of six application faceplates eliminates the need for centerline relocation, making them ideal for new or retrofit, high security access control applications.

55 series strikes retrofit existing ANSI 4 7/8" strike prep – no centerline relocation required.

- Heavy duty
- Stainless steel components
- Stainless steel square corner faceplate
- Heavy cast housing body and keeper
- Corrosion and tamper resistant
- Horizontal alignment adjustment
- Non-handed
- Interchangeable faceplate design
- Internally mounted solenoid
- Field selectable operation
- Field selectable dual voltage
- Voltage and current spike protection
- Pigtail connectors

ORDERING GUIDE

	FACEPLATE			OPTIONS	
	-A			LBM	
	-B			LBMLCM	
	-C			DBM	
	-D			LBMLCM DBM	
	-E				
	-F				
55	-D	U			-R
MODEL		U			-L
		S			HANDING
		D			
		C			
		G			
		F			
		H			
		Q			
		P			
		FINISH			

NOT REQUIRED 

EXAMPLES

55-AU	3/4" Latchbolt Strike, Cylindrical Faceplate, 630	480.00
55-BU	3/4" Latchbolt Strike, Mortise - Deadlatch Below Faceplate, 630	503.00
55-CU	3/4" Latchbolt Strike, Mortise - Deadlatch Above Faceplate, 630	503.00
55-DU	3/4" Latchbolt Strike, Mortise - Deadlatch Below - Deadbolt Faceplate, 630	527.00
55-EU	3/4" Latchbolt Strike, Mortise - No Deadlatch - Deadbolt Faceplate, 630	527.00
55-FU	3/4" Latchbolt Strike, Mortise - Deadlatch Above- Deadbolt Faceplate, 630	527.00

55 CONFIGURATION 1 of 1



55-A



55-B



55-C



55-D



55-E



55-F



55-ABCU

MODEL	● ○ ○ ○ ○	LIST \$
55	¾" Latchbolt Strike	480.00

FACEPLATE	○ ● ○ ○ ○	ADD TO LIST
-A	Cylindrical Faceplate	N/C
-B	Mortise Faceplate - Deadlatch Below	23.00
-C	Mortise Faceplate - Deadlatch Above	23.00
-D	Mortise Faceplate - Deadlatch Below - Deadbolt	47.00
-E	Mortise Faceplate - No Deadlatch - Deadbolt	47.00
-F	Mortise Faceplate - Deadlatch Above- Deadbolt	47.00

FINISH	○ ○ ● ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>	N/C
S	629 Bright Stainless	48.00
D	606 Dull Brass	48.00
C	605 Bright Brass	48.00
G	612 Dull Bronze	48.00
F	611 Bright Bronze	48.00
H	613 Dark Oil Rubbed Bronze	48.00
Q	626 Dull Chrome	48.00
P	625 Bright Chrome	48.00

OPTIONS	○ ○ ○ ● ○	ADD TO LIST
LBM	Latch Status (LS)	71.00
LBMLCM	Latch & Keeper Deadlocked Status	141.00
DBM*	Deadbolt Status	71.00

** Available for 55-D, 55-E and 55-F deadbolt models only.*

OPTIONS*	○ ○ ○ ○ ●	ADD TO LIST
-L	Left Hand (LH)	N/C
-R	Right Hand (RH)	N/C

** Specifying handing is only required for 55-D, 55-E and 55-F deadbolt models that specify LBM, LBMLCM or DBM options. Leave blank for 55-A, 55-B and 55-C models which are non-handed.*

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

55-ABCU	55 Series Multi-Application Strike Kit	527.00
BR64XL	AC to DC Bridge Rectifier	30.00
50-RMB	Buzzer with Pigtail Connectors	48.00
CA-55-4	Power Input Pigtail Connectors	23.00



45 Series

5/8" Latchbolt Electric Strikes

SDC's 45 series 5/8" latchbolt electric strikes are centerline latch entry strikes designed for use with cylindrical locksets and mortise locksets without deadbolt for both metal and wood frames. 45 series strikes accept 5/8" throw latchbolts or up to 3/4" throw latchbolts with 1/8" door gap.

45F models are fire-rated and accept 9/16" throw latchbolts or up to 5/8" throw latchbolts with 1/8" door gap.

Centerline latch entry strikes require the latch to enter at the strike "centerline" located exactly between the top and bottom of the strike faceplate.

- Low profile
- Fewer moving parts
- Stainless steel components
- Durable die cast housing body
- Corrosion resistant
- Horizontal alignment adjustment
- Mounting tabs included
- Non-handed
- Interchangeable faceplate design
- Internally mounted solenoid
- Field selectable operation
- Field selectable dual voltage
- Voltage and current spike protection
- Pigtail connectors
- Latch status (LS)
- Keeper deadlocked status

ORDERING GUIDE

	FACEPLATE		
	-4S		
	-4R		
	-6R		BUZZER
	-7R		K
			RMB
45	-4S	U	K
45		U	
45F		D	
		H	
		V	
		Y	
MODEL			FINISH

NOT REQUIRED

EXAMPLES

45-4SU	5/8" Latchbolt Strike, 4 7/8" Square Corner Faceplate, 630	175.00
45F-4SU	9/16" Latchbolt Strike, Fire-Rated, 4 7/8" Square Corner Faceplate, 630	440.00
45-4RV	5/8" Latchbolt Strike, 4 7/8" Radius Corner Aluminum Faceplate, 628	179.00
45-6RV	5/8" Latchbolt Strike, 6 7/8" Radius Corner Aluminum Faceplate, 628	186.00
45-7RV	5/8" Latchbolt Strike, 7 1/16" Radius Corner Aluminum Faceplate, 628	194.00

45 CONFIGURATION 1 of 1



45



45F



45-A

MODEL		● ○ ○ ○	LIST \$
45	5/8" Latchbolt Strike		175.00
45F	5/8" Latchbolt Strike, Fire-Rated		440.00

FACEPLATE		○ ● ○ ○	ADD TO LIST
-4S	4 7/8" Square Corner Stainless Steel		N/C
-4R*	4 7/8" Radius Corner Aluminum		4.00
-6R*	6 7/8" Radius Corner Aluminum		11.00
-7R*	7 1 5/16" Radius Corner Aluminum		19.00

* For 45 models only. Not available for 45F models.

FINISH		○ ○ ● ○	ADD TO LIST
U*	630 Dull Stainless <small>Standard</small>		N/C
D*	606 Dull Brass		30.00
H*	613 Dark Oil Rubbed Bronze		30.00
V**	628 Dull Aluminum <small>Standard</small>		N/C
Y**	335 Dull Black		30.00

* For -4S stainless steel faceplates only. Not available for aluminum faceplates.

** For -4R, -6R and -7R aluminum faceplates only. Not available for stainless steel faceplates.

BUZZER		○ ○ ○ ●	ADD TO LIST
K	Keeper Open Status		46.00
RMB	Buzzer		48.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

45-A	45 Series Multi-Application Strike Kit	206.00
BR64XL	AC to DC Bridge Rectifier	30.00

Rim Pullman & Value Cylindrical Electric Strikes



30



25



15

MODEL		LIST \$
30-4-12U	3/4" Pullman Latchbolt Strike, Failsecure. 12VDC, 630	1,028.00
30-4-12ULCBMA	3/4" Pullman Latchbolt Strike, Failsecure, 12VDC, 630, LLS	1,279.00
30-4-24U	3/4" Pullman Latchbolt Strike, Failsecure. 24VDC, 630	1,053.00
30-4-24ULCBMA	3/4" Pullman Latchbolt Strike, Failsecure, 24VDC, 630, LLS	1,304.00
30-4-12UFS	3/4" Pullman Latchbolt Strike, Failsafe. 12VDC, 630	1,070.00
30-4-12UFSLCBMA	3/4" Pullman Latchbolt Strike, Failsafe, 12VDC, 630, LLS	1,321.00
30-4-24UFS	3/4" Pullman Latchbolt Strike, Failsafe. 24VDC, 630	1,095.00
30-4-24UFSLCBMA	3/4" Pullman Latchbolt Strike, Failsafe, 24VDC, 630, LLS	1,346.00
25-4U	Value 1/2" Latchbolt Strike, 630, LS	141.00
25-4URMB	Value 1/2" Latchbolt Strike, 630, LS, Buzzer	189.00
15-4F12U	Value 5/8" Latchbolt Strike, Failsafe, 12VDC, 630	99.00
15-4F12URMB	Value 5/8" Latchbolt Strike, Failsafe, 12VDC, 630, Buzzer	147.00
15-4F24U	Value 5/8" Latchbolt Strike, Failsafe, 24VDC, 630	99.00
15-4F24URMB	Value 5/8" Latchbolt Strike, Failsafe, 24VDC, 630, Buzzer	147.00
15-4S12U	Value 5/8" Latchbolt Strike, Failsecure, 12VDC, 630	99.00
15-4S12URMB	Value 5/8" Latchbolt Strike, Failsecure, 12VDC, 630, Buzzer	147.00
15-4S24U	Value 5/8" Latchbolt Strike, Failsecure, 24VDC, 630	99.00
15-4S24URMB	Value 5/8" Latchbolt Strike, Failsecure, 24VDC, 630, Buzzer	147.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BR64XL	AC to DC Bridge Rectifier	30.00
---------------	---------------------------	--------------



7200 Series

Solenoid Controlled Cylindrical Locks

SDC' Electra™ 7200 series solenoid controlled cylindrical locks

are designed for the access control of openings in commercial, industrial and institutional facilities where code compliance, dependable operation and resistance to physical abuse are required. These code compliant electric cylindrical locksets stay latched even when unlocked, maintaining fire door integrity and eliminate the need for exposed and vulnerable electric strikes and magnetic locks or request-to-exit devices.

7200 series models incorporate a SDC manufactured grade 1 heavy duty mortise lockset and vandal resistant clutch – proprietary to all SDC locksets.

- Heavy duty cylindrical design
- New or retrofit construction
- Vandal resistant clutch
- Solenoid control
- Key latch retraction
- Field selectable dual voltage
- Power regulator included
- Latch status (LS)

ORDERING GUIDE

		TRIM		CYLINDER		
		E			6PKA	
		G			6PKD	
		E5			IC7P-KA	
		G5			IC7P-KD	
MODEL	Z72	50	E	Q	R	6PKA
		50		Q	OPTIONS	
		52		P		
				C		
				G		
				F		
				H		
				S		
					FINISH	

NOT REQUIRED

EXAMPLES

Z7250EQ6PKA	Locked Outside Only, Failsafe, Eclipse Rose, 626, 6-Pin Keyed Alike	480.00
Z7252EQ6PKA	Locked Outside Only, Failsecure, Eclipse Rose, 626, 6-Pin Keyed Alike	480.00
Z7250E5QIC7PKA	Locked Outside Only, Failsafe, Eclipse Rose, 626, 7-Pin IC Prep Keyed Alike	569.00
Z7252E5QIC7PKA	Locked Outside Only, Failsecure, Eclipse Rose, 626, 7-Pin IC Prep Keyed Alike	569.00
Z7250E5QIC7PKD	Locked Outside Only, Failsafe, Eclipse Rose, 626, 7-Pin IC Prep Keyed Different	569.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.




Keypads & Readers
Page 96



Emergency Door Releases
Page 128



Power Transfer Devices
Page 134



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

7200 CONFIGURATION 1 of 1

MODEL	● ○ ○ ○ ○ ○ ○	LIST \$
Z72	Solenoid Controlled Cylindrical Lock	480.00

FUNCTION	○ ● ○ ○ ○ ○ ○	ADD TO LIST
50	Locked Outside Only, Failsafe	N/C
52	Locked Outside Only, Failsecure	N/C

TRIM	○ ○ ● ○ ○ ○ ○	ADD TO LIST
E	Eclipse Rose	N/C
G	Galaxy Rose	N/C
E5	Eclipse Rose, I-Core Prep	30.00
G5	Galaxy Rose, I-Core Prep	30.00

FINISH	○ ○ ○ ● ○ ○ ○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
P	625 Bright Chrome	59.00
D	606 Dull Brass	59.00
C	605 Bright Brass	59.00
G	612 Dull Bronze	59.00
F	611 Bright Bronze	59.00
H	613 Dark Oil Rubbed Bronze	59.00
S	629 Bright Stainless	59.00

OPTIONS	○ ○ ○ ○ ● ○ ○	ADD TO LIST
R*	Request-To-Exit (REX)	135.00

* Request-to-exit monitoring replaces latch status (LS).

CYLINDER	○ ○ ○ ○ ○ ●	ADD TO LIST
6PKA*	Mortise, 6-Pin, 1 1/8" Length, Keyed Alike	N/C
6PKD*	Mortise, 6-Pin, 1 1/8" Length, Keyed Different	N/C
IC7P-KA**	Mortise, 7-Pin I-Core (IC), Small Format, Keyed Alike	59.00
IC7P-KD**	Mortise, 7-Pin I-Core (IC) Prep, Small Format, Keyed Different	59.00

* SDC conventional cylinders require E or G trim. Schlage "C" keyway standard

** Interchangeable Core (IC) requires E5 or G5 trim. Best "A" keyway standard

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

B2Q	Optional Latchbolt Backset, 2 3/8"	28.00
------------	------------------------------------	--------------



7500 Series

Solenoid Frame Actuator Controlled Mortise Locks

SDC's HiTower® 7500 series solenoid frame actuator controlled mortise locks

are an evolution of SDC's original, patented design for using an electric frame actuator to control a modified mechanical door lock or exit device and is the groundbreaking product technology upon which SDC was founded over 50 years ago. Elegant in its simplicity, HiTower® locks provides hardwire control with no electric hinge and no wires in the door to eliminate costly parts and labor.

HiTower® locks provide building and fire life safety code compliance for fire rated office doors, corridor doors, lobby doors, exit doors and stairwell doors because all wires are contained in the door frame – eliminating the need for manufacturers to prep the door for wires to maintain fire ratings.

Z75 models are SDC brand mortise locks built to HiTower® specifications.

ZY75 models are mortise locks SDC built to retrofit discontinued manufacturer models previously modified to HiTower® specifications by SDC, including Falcon LM581, Sargent 7704/7705, Corbin 955L/2257, Russwin 7059L, Arrow 1600EW, Yale 8705, Almet 5007 and Best 35HEW.

ZR75 models are mortise locks SDC built to retrofit discontinued Falcon 5000/6000 series models to HiTower® specifications.

ORDERING GUIDE

	FUNCTION	FRAME ACTUATOR	HANDING	FINISH	OPTIONS	TRIM
	30	A				
	50	B				
	60	C				
	70	D				
		E				
		F				
		G				
		H				
		J				
Z75	50	L	C	Q	S	E
Z75		L		Q		E
ZY75		LR		P		G
ZR75		R		D		N
		RR		C		07
				G		EE
				F		GE
				H		NE
				U		07E
				S		
MODEL						

NOT REQUIRED

EXAMPLES

Z7550LCQE	Locked Outside Only, Failsafe, LH, Standard Actuator, 24VDC, 626, Eclipse Rose	810.00
Z7550LRCQE	Locked Outside Only, Failsafe, LHR, Standard Actuator, 24VDC, 626, Eclipse Rose	810.00
Z7550RCQE	Locked Outside Only, Failsafe, RH, Standard Actuator, 24VDC, 626, Eclipse Rose	810.00
Z7550RRCQE	Locked Outside Only, Failsafe, RHR, Standard Actuator, 24VDC, 626, Eclipse Rose	810.00
Z7550LAQE	Locked Outside Only, Failsafe, LH, Standard Actuator, 115VAC, 626, Eclipse Rose	810.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Emergency Door Releases
Page 128



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

7500PRO CONFIGURATION 1 of 2

MODEL	● ○ ○ ○ ○ ○ ○ ○	LIST \$
Z75	SDC Brand	417.00
ZY75*	SDC Retrofit Discontinued Models Previously Modified	417.00
ZR75	SDC Retrofit Discontinued Falcon 5000/6000 Models	533.00

*Almet 5007, Arrow 1600EW, Best 35HEW, Falcon LM581, Corbin 955L/2257, Russwin 7059L, Sargent 7704/7705, Yale 8705

FUNCTION	○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
30	Locked Both Sides, Failsafe	12.00
50	Locked Outside Only, Failsafe	N/C
60	Locked Both Sides, Failsecure	186.00
70	Locked Outside Only, Failsecure	175.00

HANDING	○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
L	Left Hand (LH)	N/C
LR	Left Hand Reverse (LHR)	N/C
R	Right Hand (RH)	N/C
RR	Right Hand Reverse (RHR)	N/C

ACTUATOR	○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
A	Standard 1¾" to 2" Frame Face, Failsafe, 115VAC	N/C
B	Standard 1¾" to 2" Frame Face, Failsafe, 24VAC	N/C
C	Standard 1¾" to 2" Frame Face, Failsafe, 24VDC	N/C
D*	Narrow 1¼" to 1½" Frame Face, Failsafe, 115VAC	141.00
E*	Narrow 1¼" to 1½" Frame Face, Failsafe, 24VAC	141.00
F*	Narrow 1¼" to 1½" Frame Face, Failsafe, 24VDC	141.00
G**	2" Frame Face, Failsecure, 115VAC	N/C
H**	2" Frame Face, Failsecure, 24VAC	N/C
J**	2" Frame Face, Failsecure, 24VDC	N/C

*Special narrow strike plate frame prep required, 8½" x 1¼".

** Not available for use with ZY75 models.

FINISH	○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
P	625 Bright Chrome	72.00
D	606 Dull Brass	72.00
C	605 Bright Brass	72.00
G	612 Dull Bronze	72.00
F	611 Bright Bronze	72.00
H	613 Dark Oil Rubbed Bronze	72.00
U	630 Dull Stainless	72.00
S	629 Bright Stainless	72.00

Continued on next page.

7500PRO CONFIGURATION 2 of 2



Z75



Eclipse Trim



Galaxy Trim



Nova Trim



Schlage Trim



Mortise Key Cylinder



HiTower® Mortise Exit Device



Yale Mortise Device Modification

OPTIONS		○○○○○●○	ADD TO LIST
L	Latch Status (LS)		71.00
S	Latch & Locked Status (LLS)		118.00

TRIM*		○○○○○●○	ADD TO LIST
E	Eclipse Rose		393.00
G	Galaxy Rose		393.00
N	Nova Rose		393.00
07	Schlage 07 Rose (Equivalent)		393.00
EE	Eclipse Escutcheon		511.00
GE	Galaxy Escutcheon		511.00
NE	Nova Escutcheon		511.00
07E	Schlage 07 Escutcheon (Equivalent)		511.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

SC-10	Input Power Socket Connectors, 10ft Cable	71.00
SC-10-5	Input Power & Monitoring Socket Connectors, 10ft Cable	91.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1½" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1½" Length, Keyed Alike	52.00
7500EB-S	Standard Failsafe Actuator Mortar Guard Back Box	36.00
7500EB-N	Narrow Failsafe Actuator Mortar Guard Back Box	36.00
7500EB-2	Failsecure Actuator Mortar Guard Back Box	36.00
S6303FHALR36UEE*	Frame Actuator Mortise Device, Fire-Rated, LHRB, 115VAC, 36", 630	2,214.00
S6303FHARR36UEE*	Frame Actuator Mortise Device, Fire-Rated, RHRB, 115VAC, 36", 630	2,214.00
S6303FHALR48UEE*	Frame Actuator Mortise Device, Fire-Rated, LHRB, 115VAC, 48", 630	2,314.00
S6303FHARR48UEE*	Frame Actuator Mortise Device, Fire-Rated, RHRB, 115VAC, 48", 630	2,314.00
S6303FHBLR36UEE*	Frame Actuator Mortise Device, Fire-Rated, LHRB, 24VAC, 36", 630	2,214.00
S6303FHBRR36UEE*	Frame Actuator Mortise Device, Fire-Rated, RHRB, 24VAC, 36", 630	2,214.00
S6303FHBLR48UEE*	Frame Actuator Mortise Device, Fire-Rated, LHRB, 24VAC, 48", 630	2,314.00
S6303FHBRR48UEE*	Frame Actuator Mortise Device, Fire-Rated, RHRB, 24VAC, 48", 630	2,314.00
S6303FHCLR36UEE*	Frame Actuator Mortise Device, Fire-Rated, LHRB, 24VDC, 36", 630	2,214.00
S6303FHCRR36UEE*	Frame Actuator Mortise Device, Fire-Rated, RHRB, 24VDC, 48", 630	2,214.00
S6303FHCLR48UEE*	Frame Actuator Mortise Device, Fire-Rated, LHRB, 24VDC, 48", 630	2,314.00
S6303FHCRR48UEE*	Frame Actuator Mortise Device, Fire-Rated, RHRB, 24VDC, 48", 630	2,314.00
07550LRAQ**	Frame Actuator Yale Mortise Device Modification, LHR, 115 VAC, 626	519.00
07550RRAQ**	Frame Actuator Yale Mortise Device Modification, RHR, 115 VAC, 626	519.00
07550LRBQ**	Frame Actuator Yale Mortise Device Modification, LHR, 24 VAC, 626	519.00
07550RRBQ**	Frame Actuator Yale Mortise Device Modification, RHR, 24 VAC, 626	519.00
07550LRCQ**	Frame Actuator Yale Mortise Device Modification, LHR, 24 VDC, 626	519.00
07550RRCQ**	Frame Actuator Yale Mortise Device Modification, RHR, 24 VDC, 626	519.00

* Incorporate SDC's patented HiTower® frame actuator to control the locking and unlocking of the door. Features include failsafe operation and unlocks by access control, power loss or signal from fire command center. Door stays latched even when unlocked. Uninhibited egress. All wiring is maintained in the strike jamb. Complies with national building and fire codes. Eclipse escutcheon style trim standard. Consult factory for alternate trim, special finishes, monitoring options or narrow frame applications.

** SDC can modify Yale 7130F-L5 Exit Devices to HiTower® specifications. Send your Yale 7130F-L5 exit device to SDC for modifications. Consult factory for special finishes, monitoring options or narrow frame applications.



7600 Series

Motorized Latch Retraction
Controlled Mortise Locks

Motorized electric latch retraction (MLR) mortise locksets replace existing mechanical or electrified mortise locksets for the access control of openings in commercial, industrial and institutional facilities where code compliance, dependable operation and resistance to physical abuse are required. These code compliant electric mortise locksets stay latched even when unlocked, maintaining fire door integrity.

SDC's 7600 series motorized latch retraction controlled mortise locksets incorporate a SDC manufactured grade 1 heavy duty mortise lockset and vandal resistant clutch – proprietary to all SDC locksets. The motorized latch retraction feature is designed for use on fire rated doors to provide access control and building and fire life safety compliance. Door stays latched even when de-energized. **Ideal for automatic door operator applications.** All SDC mortise locks feature a mortise cylinder to manually retract the latch.*

*Key cylinders sold separately, see related products.

ORDERING GUIDE

MODEL		HANDING	OPTIONS		TRIM OPTIONS	
Z76	52	L	Q	R	G	STM
	32		Q		E	
	52		P		G	
	20		D		N	
			C		07	
			G		EE	
			F		GE	
			H		NE	
			U		07E	
			S			
						TRIM

NOT REQUIRED

EXAMPLES

Z7620LQRE	MLR Mortise Lock, Unlocked Both Sides, Passage, LH, 626, REX, Eclipse Rose	1,213.00
Z7652LQRE	MLR Mortise Lock, Locked Outside Only, Failsecure, LH, 626, REX, Eclipse Rose	1,213.00
Z7632LQRE	MLR Mortise Lock, Locked Both Sides, Failsecure, LH, 626, REX, Eclipse Rose	1,213.00
Z7620LQRG	MLR Mortise Lock, Unlocked Both Sides, Passage, LH, 626, REX, Galaxy Rose	1,213.00
Z7652LQRG	MLR Mortise Lock, Locked Outside Only, Failsecure, LH, 626, REX, Galaxy Rose	1,213.00



Z76



Eclipse Trim



Galaxy Trim



Nova Trim



Schlage Trim



Mortise Key Cylinder

7600 CONFIGURATION 1 of 1

MODEL		● ○ ○ ○ ○ ○ ○ ○	LIST \$
Z76	Motorized Latch Retraction Controlled Mortise Lock		726.00
FUNCTION		○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
32	Locked Both Sides, Failsecure		N/C
52	Locked Outside Only, Failsecure		N/C
20	Unlocked Both Sides, Passage		N/C
HANDING		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
L	Left Hand (LH)		N/C
LR	Left Hand Reverse (LHR)		N/C
R	Right Hand (RH)		N/C
RR	Right Hand Reverse (RHR)		N/C
FINISH		○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>		N/C
P	625 Bright Chrome		59.00
D	606 Dull Brass		59.00
C	605 Bright Brass		59.00
G	612 Dull Bronze		59.00
H	613 Dark Oil Rubbed Bronze		59.00
U	630 Dull Stainless		59.00
S	629 Bright Stainless		59.00
OPTIONS		○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
LM	Latch Status (LS)		94.00
TRIM		○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
E	Eclipse Rose		393.00
G	Galaxy Rose		393.00
N	Nova Rose		393.00
07	Schlage 07 Rose (Equivalent)		393.00
EE	Eclipse Escutcheon		511.00
GE	Galaxy Escutcheon		511.00
NE	Nova Escutcheon		511.00
07E	Schlage 07 Escutcheon (Equivalent)		511.00
TRIM OPTIONS		○ ○ ○ ○ ○ ○ ● ○	ADD TO LIST
STM*	Single Side Trim Mount Adapter		164.00

* For use with E, G, N, 07 rose trim only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CC1-5-7652	Input Power Socket Connectors, 5ft Cable	53.00
CC3-5-7652	Input Power & Monitoring Socket Connectors, 5ft Cable	71.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00



7700 Series

Motorized Latch Retraction & Solenoid Controlled Mortise Locks

Motorized electric latch retraction (MLR) mortise locksets replace existing mechanical or electrified mortise locksets for the access control of openings in commercial, industrial and institutional facilities where code compliance, dependable operation and resistance to physical abuse are required. These code compliant electric mortise locksets stay latched even when unlocked, maintaining fire door integrity.

SDC's 7700 series motorized latch retraction and solenoid controlled mortise locksets incorporate a SDC manufactured grade 1 heavy duty mortise lockset and vandal resistant clutch – proprietary to all SDC locksets. The motorized latch retraction feature is designed for use on fire rated doors to provide access control and building and fire life safety compliance. Door stays latched even when de-energized. Ideal for automatic door operator applications. The solenoid controls the inside, outside or both door levers. The MLR and solenoid control features combines versatile passage functionality with failsafe or failsecure access control while meeting ADA Compliance All SDC mortise locks feature a mortise cylinder to manually retract the latch.*

*Key cylinders sold separately, see related products.

ORDERING GUIDE

MODEL	FUNCTION	HANDING		OPTIONS		TRIM OPTIONS
		L	LR	R	L	
Z77	52	L	Q	R	G	STM
	30		Q		E	
	32		P		G	
	50		D		N	
	52		C		07	
			G		EE	
			F		GE	
			H		NE	
			U		07E	
			S			TRIM

NOT REQUIRED

EXAMPLES

Z7750LQE	MLR & Solenoid, Locked Outside Only, Failsafe, LH, 626, Eclipse Rose	1,280.00
Z7752LQE	MLR & Solenoid, Locked Outside Only, Failsecure, LH, 626, Eclipse Rose	1,280.00
Z7730LQE	MLR & Solenoid, Locked Both Sides, Failsafe, LH, 626, Eclipse Rose	1,280.00
Z7732LQE	MLR & Solenoid, Locked Both Sides, Failsecure, LH, 626, Eclipse Rose	1,280.00
Z7750LQG	MLR & Solenoid, Locked Outside Only, Failsafe, LH, 626, Galaxy Rose	1,280.00



Z77



Eclipse Trim



Galaxy Trim



Nova Trim



Schlage Trim



Mortise Key Cylinder

7700 CONFIGURATION 1 of 1

MODEL	●○○○○○○	LIST \$
Z77	MLR & Solenoid Controlled Mortise Lock	887.00
FUNCTION	○●○○○○○	ADD TO LIST
30	Locked Both Sides, Failsafe	N/C
32	Locked Both Sides, Failsecure	N/C
50	Locked Outside Only, Failsafe	N/C
52	Locked Outside Only, Failsecure	N/C
HANDING	○○●○○○	ADD TO LIST
L	Left Hand (LH)	N/C
LR	Left Hand Reverse (LHR)	N/C
R	Right Hand (RH)	N/C
RR	Right Hand Reverse (RHR)	N/C
FINISH	○○○●○○○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
P	625 Bright Chrome	59.00
D	606 Dull Brass	59.00
C	605 Bright Brass	59.00
G	612 Dull Bronze	59.00
H	613 Dark Oil Rubbed Bronze	59.00
U	630 Dull Stainless	59.00
S	629 Bright Stainless	59.00
OPTIONS	○○○○●○○	ADD TO LIST
R	Request-To-Exit (REX)	94.00
LM	Latch Status (LS)	94.00
TRIM	○○○○○●○	ADD TO LIST
E	Eclipse Rose	393.00
G	Galaxy Rose	393.00
N	Nova Rose	393.00
07	Schlage 07 Rose (Equivalent)	393.00
EE	Eclipse Escutcheon	511.00
GE	Galaxy Escutcheon	511.00
NE	Nova Escutcheon	511.00
07E	Schlage 07 Escutcheon (Equivalent)	511.00
TRIM OPTIONS	○○○○○●	ADD TO LIST
STM*	Single Side Trim Mount Adapter	164.00

*For use with E, G, N, 07 rose trim only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CC1-5-90	Input Power Socket Connectors, 5ft Cable	53.00
CC3-5-90	Input Power & Monitoring Socket Connectors, 5ft Cable	71.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1½" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1½" Length, Keyed Alike	52.00



7800 Pro Series

Solenoid Controlled Mortise Locks

SDC's Selectric® 7800 Pro series solenoid controlled mortise locksets replace existing mechanical or electrified mortise locksets for the access control of openings in commercial, industrial and institutional facilities where code compliance, dependable operation and resistance to physical abuse are required. These code compliant electric mortise locksets stay latched even when unlocked, maintaining fire door integrity and eliminate the need for exposed and vulnerable electric strikes and magnetic locks or request-to-exit devices.

7800 Pro series models incorporate a SDC manufactured grade 1 heavy duty mortise lockset and vandal resistant clutch – proprietary to all SDC locksets.

- Heavy duty mortise design
- New or retrofit construction
- Vandal resistant clutch
- Solenoid control
- Key latch retraction
- Field reversible operation
- Field selectable function
- Field selectable dual voltage
- Field reversible handing
- Schlage trim compatible

ORDERING GUIDE

MODEL	FUNCTION		VOLTAGE		OPTIONS	
	FUNCTION	HANDING	VOLTAGE	FINISH	TRIM	NOT REQUIRED
Z78	50	L	E	Q	R	E
Z78		L	C	Q		E
ZS78		LR		P		G
		R		D		N
		RR		C		07
				G		EE
				F		GE
				H		NE
				U		07E
				S		

EXAMPLES

Z7850LQE	Locked Outside Only, Failsafe, LH, 626, Eclipse Rose	812.00
Z7852LQE	Locked Outside Only, Failsecure, LH, 626, Eclipse Rose	812.00
Z7830LQE	Locked Both Sides, Failsafe, LH, 626, Eclipse Rose	812.00
Z7832LQE	Locked Both Sides, Failsecure, LH, 626, Eclipse Rose	812.00
Z7880LCQE	Deadbolt Privacy, Locked Outside Only, Failsafe, LH, 626, Eclipse Rose	922.00

7800PRO CONFIGURATION 1 of 2



Z78



Eclipse Trim



Galaxy Trim



Nova Trim



Schlage Trim



Mortise Key Cylinder

MODEL	● ○ ○ ○ ○ ○ ○ ○	LIST \$
Z78	Solenoid Controlled Mortise Lock, SDC Brand	419.00
ZS78*	Solenoid Controlled Mortise Lock, SDC Supplied Schlage L9080	955.00

* Available for use with 30, 32, 50 and 52 functions only.

FUNCTION	○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
30	Locked Both Sides, Failsafe	N/C
32	Locked Both Sides, Failsecure	N/C
50	Locked Outside Only, Failsafe	N/C
52	Locked Outside Only, Failsecure	N/C
35	Locked Outside and/or Inside, Failsecure Outside and Failsafe Inside	126.00
70	Deadbolt Security, Locked Outside Only, Failsafe	110.00
72	Deadbolt Security, Locked Outside Only, Failsecure	110.00
80	Deadbolt Privacy, Locked Outside Only, Failsafe	110.00
82	Deadbolt Privacy, Locked Outside Only, Failsecure	110.00

HANDING	○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
L	Left Hand (LH)	N/C
LR	Left Hand Reverse (LHR)	N/C
R	Right Hand (RH)	N/C
RR	Right Hand Reverse (RHR)	N/C

VOLTAGE*	○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
E	12 VDC	N/C
C	24 VDC	N/C

* For 35, 70, 72, 80 and 82 functions only. Leave blank for all other functions which are field selectable dual voltage.

FINISH	○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
P	625 Bright Chrome	59.00
D	606 Dull Brass	59.00
C	605 Bright Brass	59.00
G	612 Dull Bronze	59.00
F	611 Bright Bronze	59.00
H	613 Dark Oil Rubbed Bronze	59.00
U	630 Dull Stainless	59.00
S	629 Bright Stainless	59.00

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Emergency Door Releases
Page 128



Power Transfer Devices
Page 134



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

7800PRO CONFIGURATION 2 of 2

OPTIONS		○○○○○●○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
D*	Door Position Status (DPS)		94.00
L**	Latch Status (LS)		94.00
S***	Latch & Deadlocked Status (LLS)		118.00
B****	Deadbolt Status		94.00

* Available for use with 30, 32, 50, 52 and 35 functions only.

** Available for use with 35, 70, 72, 80 and 82 functions only.

*** Available for use with 30, 32, 50 and 52 functions only.

**** Available for use with 70, 72, 80 and 82 functions only.

TRIM*		○○○○○●○	ADD TO LIST
E	Eclipse Rose		393.00
G	Galaxy Rose		393.00
N	Nova Rose		393.00
07**	Schlage 07 Rose (Equivalent)		393.00
EE	Eclipse Escutcheon		511.00
GE	Galaxy Escutcheon		511.00
NE	Nova Escutcheon		511.00
07E**	Schlage 07 Escutcheon (Equivalent)		511.00

* For Z78 models only. Trim not compatible with ZS78 Schlage L9080 models.

** Available in 630 dull stainless finish only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CC1-5*	Input Power Socket Connectors, 5ft Cable	53.00
CC3-5*	Input Power & Monitoring Socket Connectors, 5ft Cable	71.00
CC1-5-70/80**	Input Power Socket Connectors, 5ft Cable	53.00
CC3-5-70/80**	Input Power & Monitoring Socket Connectors, 5ft Cable	71.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
863M*	ILCO 863M Schlage "L" Cam	12.00

* Available for use with 30, 32, 50 and 52 functions only.

** Available for use with 70, 72, 80 and 82 functions only.



7800 Mod Series

Solenoid Controlled Mortise Modifications

Send the brand lockset of your choice to SDC for electrification.

The 7800 Mod series electrifies customer supplied new or existing mechanical brands of mortise locksets. Simply send the brand lockset of your choice to SDC for electrification. Brands compatible for SDC modification include: **Schlage, Yale, Falcon, Arrow, Marks, PDQ, Dorma, Corbin Russwin, Sargent, Hager, Best and Cal Royal.** Only storeroom function mortise lock chassis can be electrified.

- Solenoid control
- Key latch retraction
- Field reversible operation
- Field selectable function
- Field selectable dual voltage

ORDERING GUIDE

MODIFICATION		FUNCTION		FINISH	
S	78	52	L	Q	R
A			L		R
D			LR		D
H			R		S
I			RR		L
P					
S					
T					
U					
V					
W					

HANDING OPTIONS

MODEL

NOT REQUIRED

EXAMPLES

S7850L	Schlage L9080, Solenoid Controlled, Locked Outside Only, Failsafe, LH	186.00
S7852L	Schlage L9080, Solenoid Controlled, Locked Outside Only, Failsecure, LH	186.00
S7830L	Schlage L9080, Solenoid Controlled, Locked Both Sides, Failsafe, LH	257.00
S7832L	Schlage L9080, Solenoid Controlled, Locked Both Sides, Failsecure, LH	257.00
S7850LR	Schlage L9080, Solenoid Controlled, Locked Outside Only, Failsafe, LH, REX	327.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Emergency Door Releases
Page 128



Power Transfer Devices
Page 134



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

7800MOD CONFIGURATION 1 of 1

MODEL	● ○ ○ ○ ○	LIST \$
A*	Falcon LM561 / MA581	186.00
D	Sargent 8204	186.00
H	Hager 3880	186.00
I	Corbin Russwin 2057	186.00
N	Arrow B12	186.00
P	Yale 8805	186.00
R	Schlage L9080 Retrofit, Falcon 5000 Series Replacement	186.00
S	Schlage L9080	186.00
T	Best 45H	186.00
U	Dorma M9000	186.00
V	Marks 5EW	186.00
W	Cal Royal M8080	186.00

* Falcon faceplate 020100-000 must be supplied to SDC Factory

MODIFICATION	○ ● ○ ○ ○	ADD TO LIST
78	Solenoid Controlled Mortise Lock	N/C

FUNCTION	○ ○ ● ○ ○	ADD TO LIST
30	Locked Both Sides, Failsafe	71.00
32	Locked Both Sides, Failsecure	71.00
50	Locked Outside Only, Failsafe	N/C
52	Locked Outside Only, Failsecure	N/C

HANDING	○ ○ ○ ● ○	ADD TO LIST
L	Left Hand (LH)	N/C
LR	Left Hand Reverse (LHR)	N/C
R	Right Hand (RH)	N/C
RR	Right Hand Reverse (RHR)	N/C

OPTIONS	○ ○ ○ ○ ●	ADD TO LIST
R*	Request-To-Exit (REX)	141.00
D**	Door Position Status (DPS)	94.00
S**	Latch & Deadlocked Status (LLS)	118.00
L*	Latch Status (LS)	118.00

* Not available for Hager and Cal Royal models.

** Available for Schlage models only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CC1-5	Input Power Socket Connectors, 5ft Cable	53.00
CC3-5	Input Power & Monitoring Socket Connectors, 5ft Cable	71.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00



SK Series

Schlage L9000 Mortise Lock Field Electrification Kits

Convert mechanical locks into electric access controlled locks.

SDC's SK series field electrification kits for Schlage L9000 mortise locks allow for fast electrification of existing locks in the field. Failsafe and failsecure options are easily selected and can be changed in the field to suit any need.

Field request-to-exit (REX) monitoring kits provide indication of inside lever operation for alarm shunt, remote annunciation or CCTV activation.

- Field selectable operation
- Field selectable dual voltage

MODEL		LIST \$
SK-L90	Schlage L9070 Field Electrification Kit	141.00
SK-L90-SC	Schlage L9080 Field Electrification Kit, Springcage Included	159.00
S7800-REX	Schlage L9070/L9080 Field REX Monitoring Kit	141.00



S4000 Series

Electrified Industrial Rim & Vertical Rod Exit Devices

SDC's S4000 series features low-profile, high value electrified grade 1 exit devices with stainless steel construction. Not all perimeter doors have adequate overhang protection, exposing them to weather and corrosion. The S4000 is corrosion resistant and comes with motorized electric latch retraction and request-to-exit (REX) monitoring factory installed, making its application as easy as install - power - done.

Trim is ordered separately, see related products.

- Electrified compact industrial design
- Motorized electric latch retraction and dogging
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- Scratch, fingerprint and impact resistant touch pad
- High traffic use
- Low-energy automatic door operator compatible
- Request-to-exit (REX)

ORDERING GUIDE

	FUNCTION			OPTIONS		
	01				R	
	02				LBR	
	03				LBRF	
	08					
	14					
		FINISH				
S41	01	P	U	36	R	E
S41		P		LENGTH		ELECTRIFICATION
S42		F				
MODEL		RATING				

EXAMPLES

S4101PU36RE	Rim, Exit Only, Panic, 630, 36", REX, Motorized ELR & Dogging	1,380.00
S4101FU36RE	Rim, Exit Only, Fire, 630, 36", REX, Motorized ELR & Dogging	1,462.00
S4103PU36RE	Rim, Nightlatch, Panic, 630, 36", REX, Motorized ELR & Dogging	1,380.00
S4201PU36RE	SVR, Exit Only, Panic, 630, 36", REX, Motorized ELR & Dogging	1,509.00
S4201FU36RE	SVR, Exit Only, Fire, 630, 36", REX, Motorized ELR & Dogging	1,591.00

S4000 CONFIGURATION 1 of 1



S41



S42



Less Bottom Rod



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

MODEL		● ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S41	Rim		1,380.00
S42	Surface Vertical Rod (SVR)		1,509.00

FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C
08	Key Locks/Unlocks Lever (Classroom)		N/C
14	Lever Always Active (Passage)		N/C

RATING		○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		82.00

FINISH		○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C

OPTIONS		○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
R*	Request-To-Exit (REX)		N/C
LBR**	Less Bottom Rod, Panic		N/C
LBRF**	Less Bottom Rod, Fire-Rated		N/C

*Request-to-exit (REX) is required. Must specify.
 **Available for S62 surface vertical rod devices only.

ELECTRIFICATION		○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging <small>Standard</small>		N/C

Related products on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators
Pages 129-130



Push Plates & Panels
Pages 131-132



Power Transfer Devices
Page 134



Keypads & Readers
Page 96



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK402U	Eclipse Escutcheon Trim, Dummy, 630	147.00
EK403U*	Eclipse Escutcheon Trim, Nightlatch, 630	147.00
EK408U*	Galaxy Escutcheon Trim, Classroom, 630	147.00
EK414U	Eclipse Escutcheon Trim, Passage, 630	147.00
GK402U	Galaxy Escutcheon Trim, Dummy, 630	147.00
GK403U*	Galaxy Escutcheon Trim, Nightlatch, 630	147.00
GK408U*	Galaxy Escutcheon Trim, Classroom, 630	147.00
GK414U	Galaxy Escutcheon Trim, Passage, 630	147.00
SP402U	Saturn Escutcheon Trim, Dummy, 630	132.00
SP403U*	Saturn Escutcheon Trim, Nightlatch, 630	132.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	39.00
ST41P	Rim Strike, 3 7/64" Projection	24.00
ST41F	Rim Strike, 3 7/64" Projection, Fire-Rated	25.00
ST42	SVR Top Strike, 4 3/64" Projection	23.00
ST48	SVR Floor Strike, Mortise, 3/4"	23.00
KR90F*	11 Gauge Steel, 8' x 2"	743.00

* Key cylinder not included, specify separately.

** For EK403U, GK403U and SP403U trim only.



S5000 Series

Electrified Storefront
Rim & Vertical Rod Exit Devices

SDC's S5000 is a heavy duty, code compliant alternative to magnetic locks for storefront applications that require durability, superior aesthetics and smooth operation.

This UL305 panic-rated exit device is American Made, featuring all metal construction that is particularly suited to aluminum glass entrances for both manual and automated door openings and new or retrofit applications.

Not only does the SDC S5000 meet the market need for a storefront exit device with electric latch retraction standard, it also comes with optional request-to-exit monitoring for access control compatibility.

The S5000 with factory installed motorized electric latch retraction makes application as easy as install – power – done.

- Electrified storefront design
- Motorized electric latch retraction and dogging
- High traffic use
- Low-energy automatic door operator compatible

ORDERING GUIDE

FUNCTION			FINISH	OPTIONS		
S51	01	P	V	36	R	E
S51	RATING		36	ELECTRIFICATION		
S52			42			
S58			LENGTH			
TYPE						

NOT REQUIRED

EXAMPLES

S5101PV36E	Rim, Exit Only, Panic, 628, 36", Motorized ELR & Dogging	1,288.00
S5101PY36E	Rim, Exit Only, Panic, 335, 36", Motorized ELR & Dogging	1,288.00
S5101PV42E	Rim, Exit Only, Panic, 628, 42", Motorized ELR & Dogging	1,338.00
S5101PY42E	Rim, Exit Only, Panic, 335, 42", Motorized ELR & Dogging	1,338.00
S5801PV36E	CVR, Exit Only, Panic, 628, 36", Motorized ELR & Dogging	1,587.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators
Pages 129-130



Push Plates & Panels
Pages 131-132



Power Transfer Devices
Page 134



Keypads & Readers
Page 96



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145

S5000 CONFIGURATION 1 of 1

TYPE		● ○ ○ ○ ○ ○ ○ ○	LIST \$
S51	Rim		1,288.00
S52	Surface Vertical Rod (SVR)		1,438.00
S58	Concealed Vertical Rod (CVR)		1,587.00
FUNCTION		○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
RATING		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
FINISH		○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>		N/C
Y	335 Dull Black		N/C
LENGTH		○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		50.00
OPTIONS		○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
L	Latch Status (LS)		94.00
ELECTRIFICATION		○ ○ ○ ○ ○ ○ ●	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging <small>Standard</small>		N/C

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

ST51CV*	Rim Strike Block for Center-Hung Single Door Retrofit Applications, 628	95.00
ST51CY*	Rim Strike Block for Center-Hung Single Door Retrofit Applications, 335	95.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	39.00

* S5100 rim device requires a special strike block to retrofit center-hung single door applications.

** S5100 rim devices that utilize a rim key cylinder for nightlatch function require medium or wide stile doors. (3" minimum)



S6000 Series

Electrified Architectural Rim & Vertical Rod Exit Devices

SDC's Spectra™ S6000 series electrified architectural rim and vertical rod exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6000 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6000 series devices are panic or fire rated exit and are available in rim mount or surface vertical rod configurations.

Trim is ordered separately, see related products.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

ORDERING GUIDE

FUNCTION				ELECTRIFICATION		
	01					E
	02			LENGTH		EM
	03			36		G
	08			42		A
	14			48		B
S61	02	P	U	36	R	E
S61		P	FINISH		R	
S62		F			L	
					LBR	
					LBRF	
					OPTIONS	

NOT REQUIRED

EXAMPLES

S6101PU36E	Rim, Exit Only, Panic, 630, 36", Motorized ELR & Dogging	1,583.00
S6101PU42E	Rim, Exit Only, Panic, 630, 42", Motorized ELR & Dogging	1,633.00
S6101PU48E	Rim, Exit Only, Panic, 630, 48", Motorized ELR & Dogging	1,683.00
S6101PU36G	Rim, Exit Only, Panic, 630, 36", Electric Dogging	1,296.00
S6101PU36A	Rim, Exit Only, Panic, 630, 36", Alarmed Exit, Battery Powered	1,250.00

S6000 CONFIGURATION 1 of 1



S61

TYPE		● ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		783.00
S62	Surface Vertical Rod (SVR)		1,188.00



S62

FUNCTION		○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C
08*	Key Locks/Unlocks Lever (Classroom)		N/C
14*	Lever Always Active (Passage)		N/C

*Not applicable for use with S6000A or S6000B alarmed exit models.



Less Bottom Rod

RATING		○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		129.00

FINISH		○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C



Eclipse Trim

LENGTH		○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		50.00
48	48" Door Opening		100.00



Galaxy Trim

OPTIONS		○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
L	Latch Status (LS)		94.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C

*Available for S62 surface vertical rod devices only.



Saturn Trim

ELECTRIFICATION*		○ ○ ○ ○ ○ ○ ●	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging		800.00
EM	Motorized Electric Latch Retraction & Dogging, External Module		858.00
G	Electric Dogging		513.00
A	Alarmed Exit, Battery Powered		467.00
B	Alarmed Exit, Hardwired		513.00

*Specify one electrification option only.



Mortise Key Cylinder



Rim Key Cylinder

Related products on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators
Pages 129-130



Keypads & Readers
Page 96



Power Transfer Devices
Page 134



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Door Prop Alarms & Annunciators
Page 153

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EK02U	Eclipse Escutcheon Trim, Dummy, 630	262.00
EK03U	Eclipse Escutcheon Trim, Nightlatch, 630	262.00
EK08U*	Eclipse Escutcheon Trim, Classroom, 630	262.00
EK14U*	Eclipse Escutcheon Trim, Passage, 630	262.00
GK02U	Galaxy Escutcheon Trim, Dummy, 630	262.00
GK03U	Galaxy Escutcheon Trim, Nightlatch, 630	262.00
GK08U*	Galaxy Escutcheon Trim, Classroom, 630	262.00
GK14U*	Galaxy Escutcheon Trim, Passage, 630	262.00
SP02U	Saturn Escutcheon Trim, Dummy, 630	118.00
SP03U	Saturn Escutcheon Trim, Nightlatch, 630	118.00
EKE03U**	Electrified Eclipse Escutcheon Trim, Nightlatch, 630	771.00
EKE03ULS**	Electrified Eclipse Escutcheon Trim, Nightlatch, LS, 630	865.00
GKE03U**	Electrified Galaxy Escutcheon Trim, Nightlatch, 630	771.00
GKE03ULS**	Electrified Galaxy Escutcheon Trim, Nightlatch, LS, 630	865.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
RIM-CYL-KA***	Rim Cylinder, 6-Pin, Keyed Alike	39.00
ST1P	Rim Strike, 1 3/16" Projection	25.00
ST1F	Rim Strike, 1 3/16" Projection, Fire-Rated	25.00
ST2DF	Double Door Rim Strike, 1 3/16" Projection	57.00
ST2P	Vertical Rod Top Strike, 2 9/32" Projection	23.00
ST2F	Vertical Rod Top Strike, 1 1/8" Projection, Fire-Rate	23.00
ST28T	Threshold Strike, 3/8" Projection	18.00
KR90F****	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	743.00
ST1MP	Mullion Strike, 7/8" Projection	80.00
ST1MF	Mullion Strike, 7/8" Projection	80.00

* Not applicable for use with S6000A or S6000B alarmed exit models.

** Not applicable for use with S6000E or S6000EM motorized electric latch retraction models.

*** For EK03U, GK03U and SP03U trim only.

**** Key cylinder not included, order separately.



S6300 Series

Electrified Architectural
Mortise Exit Devices

SDC's Spectra™ S6300 series electrified architectural mortise exit devices offer several electrified options to complement your access control system and meet virtually any application. UL listed and ANSI/BHMA A156.3 Grade 1 compliant, S6300 series devices comply with all national and state building and fire life safety codes.

Designed for a modern look and quiet push pad operation, S6300 series devices are panic or fire rated exit devices in mortise configurations.

- Electrified architectural design
- Panic and fire rated devices
- Durable stainless steel construction
- Corrosion resistant
- High traffic use

ORDERING GUIDE

MODEL		RATING		FINISH		LENGTH		ELECTRIFICATION		TRIM OPTIONS	
S63	03	P	RR	U	36	R	E	EE	MS		
	08	F	RR		42	R	EM	EE	MF		
	14		LR		48	L	G	GE			
FUNCTION		HANDING		OPTIONS		TRIM					

NOT REQUIRED

EXAMPLES

S6303PRRU36EEE	Mortise, Nightlatch, Panic, RHRB, 630, 36", Motorized ELR & Dogging	2,152.00
S6303PRRU42EEE	Mortise, Nightlatch, Panic, RHRB, 630, 42", Motorized ELR & Dogging	2,202.00
S6303PRRU48EEE	Mortise, Exit Only, Panic, RHRB, 630, 48", Motorized ELR & Dogging	2,252.00
S6303PRRU36EEMS	Mortise, Nightlatch, Panic, RHRB, 630, 36", Electrified Case, Failsecure	1,586.00
S6303FRRU36EEMF	Mortise, Nightlatch, Fire, RHRB, 630, 36", Electrified Case, Failsafe	1,715.00



S63



Eclipse Trim



Galaxy Trim



Mortise Key Cylinder

S6300 CONFIGURATION 1 of 2

MODEL	<input checked="" type="radio"/> ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S63	Mortise	1,352.00

FUNCTION	<input type="radio"/> ● ○ ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
03	Key Retracts Latchbolt (Nightlatch)	N/C
08*	Key Locks/Unlocks Lever (Classroom)	N/C
14*	Lever Always Active (Passage)	N/C

*Not applicable for use with S6300A or S6300B alarmed exit models.

RATING	<input type="radio"/> ○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>	N/C
F	Fire-Rated Device	129.00

HANDING	<input type="radio"/> ○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
RR	Right Hand Reverse Bevel (RHRB)	N/C
LR	Left Hand Reverse Bevel (LHRB)	N/C

FINISH	<input type="radio"/> ○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>	N/C

LENGTH	<input type="radio"/> ○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>	N/C
42	42" Door Opening	50.00
48	48" Door Opening	100.00

OPTIONS	<input type="radio"/> ○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
R	Request-To-Exit (REX)	94.00
L	Latch Status (LS)	94.00

ELECTRIFICATION*	<input type="radio"/> ○ ○ ○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
E	Motorized Electric Latch Retraction & Dogging	800.00
EM	Motorized Electric Latch Retraction & Dogging, External Module	858.00
G	Electric Dogging	513.00
A	Alarmed Exit, Battery Powered	467.00
B	Alarmed Exit, Hardwired	513.00

*Specify one electrification option only.

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



S6300 CONFIGURATION 2 of 2

TRIM*	○○○○○○○○●○	ADD TO LIST
EE	Eclipse Escutcheon	N/C
GE	Galaxy Escutcheon	N/C

*Key cylinder not included, order separately.

TRIM OPTIONS*	○○○○○○○○○●	ADD TO LIST
MS	Electrified Case, Failsecure Outside Lever	234.00
MF	Electrified Case, Failsafe Outside Lever	234.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00



LR100 Series

Retrofit Electric
Latch Retraction Kits

SDC's QuietDuo™ LR100 series retrofit electric latch retraction kits enable electric access control and dogging of panic and fire rated mechanical exit devices. When energized the motor retracts the exit device latch and pulls the pushpad into the dogged (depressed) position enabling momentary or sustained push and pull operation of the door. The latch retraction mechanism may be activated by an access control, remote control device or building automation system. No door sequencer required for a pair of manual doors. The exit device always provides uninhibited egress.

The patented design was the first retrofit motorized electric latch retraction kit brought to market and has been recognized as the market leader ever since. **The use of a motorized electric latch retraction devices provide several advantages over solenoids including lower current draw, quieter operation and greater durability over time.**

LR100 models are one unit completely housed within the rail of the device behind the access cover, whereas LR100-EM models are two piece space saver units, intended to gain up to one inch in spacing within the device, placing the controller board externally to accommodate smaller field cut devices for smaller openings or where space is limited within the rail.

IMPORTANT NOTE
Before ordering, visit applications chart on product datasheet for complete details on exit device compatibility.

MODEL		LIST \$
LR100ARK	Adams Rite Field Install ELR Kit, 8000/3000, 36" - 48" Opening	683.00
LR100ARK-EM	Adams Rite Field Install ELR Kit, 8000/3000, 30" Opening	738.00
LR100AREXK	Adams Rite Field Install ELR Kit, EX, 30" Opening, 36" - 48" Opening	683.00
LR100AWK	Arrow Field Install ELR Kit, S1250/S1150, 36" - 48" Opening	683.00
LR100AWK-ED910	Arrow Field Install ELR Kit, ED910, 36" Opening	683.00
LR100CRK	Corbin Russwin Field Install ELR Kit, 5000/4000, 36" - 48" Opening	683.00
LR100CRK-EM	Corbin Russwin Field Install ELR Kit, 5000/4000, 30" Opening	738.00
LR100CAK	Cal Royal Field Install ELR Kit, 7700/F7700, 36" Opening	683.00
LR100CAK-9800	Cal Royal Field Install ELR Kit, GLS9800/GLSVR9800, 36" Opening	683.00
LR100CAK-EM	Cal Royal Field Install ELR Kit, 2200/F2200/9800/F9800, 36" Opening	738.00
LR100DHK	Design Hardware Field Install ELR Kit, 1000, 36" Opening	683.00
LR100DXK	Detex Field Install ELR Kit, 10/40/20/50/80/60, 36" Opening	683.00
LR100DAK	Dorma Field Install ELR Kit, 9000/F9000, 36" Opening	683.00
LR100FAK	Dor-O-Matic Field Install ELR Kit, 1790/1690, 36" Opening	688.00
LR100FAK-EM	Dor-O-Matic Field Install ELR Kit, 1790/1690, 33" Opening	743.00
LR100DMK	Dor-O-Matic Field Install ELR Kit, 1590/1490, 36" Opening	683.00
LR100FRK	Falcon Field Install ELR Kit, 25/24, 36" Opening	683.00
LR100FCK	First Choice Field Install ELR Kit, 3790/3690, 36" Opening	688.00
LR100FCK-EM	First Choice Field Install ELR Kit, 3790/3690, 30" Opening	743.00
LR100HK	Hager Field Install ELR Kit, 4501, 36" - 48" Opening	683.00
LR100HK-EM	Hager Field Install ELR Kit, 4501, 30" Opening	738.00
LR100IDCK	IDC Field Install ELR Kit, 8000, 36" - 48" Opening	683.00
LR100IDCK-EM	IDC Field Install ELR Kit, 8000, 30" Opening	738.00
LR100JAK	Jackson Field Install ELR Kit, 2095/2085, 36" Opening	824.00
LR100KWK-EM	Kawneer Field Install ELR Kit, 1786, 36" Opening	738.00
LR100MDK	Marks Field Install ELR Kit, M9900, 36" Opening	683.00
LR100MBSK	Marshall Best Field Install ELR Kit, Q1000/QF1000, 36" Opening	683.00
LR100MBSK-EM	Marshall Best Field Install ELR Kit, Q1000/QF1000, 30" Opening	738.00
LR100PAK	Pamex Field Install ELR Kit, EF9000, 36" - 48" Opening	683.00
LR100PAK-EM	Pamex Field Install ELR Kit, EF9000, 30" Opening	738.00
LR100PDQK	PDQ Field Install ELR Kit, 6200, 36" - 48" Opening	683.00

Continued on next page.



LR100



LR100-EM

LR100PDK	PHI Field Install ELR Kit, 2000/5200, 36" - 48" Opening	683.00
LR100SGK	Sargent Field Install ELR Kit, 8000, 36" - 48" Opening	683.00
LR100SGK-EM	Sargent Field Install ELR Kit, 8000, 30" Opening	738.00
LR100SDCK	SDC Field Install ELR Kit, S6000, 36" - 48" Opening	683.00
LR100SDCK-EM	SDC Field Install ELR Kit, S6000, 30" Opening	738.00
LR100K2K	Stanley K2 Field Install ELR Kit, QED100, 36" - 48" Opening	683.00
LR100K2K-EM	Stanley K2 Field Install ELR Kit, QED100, 30" Opening	738.00
LR100TEK	Tell Field Install ELR Kit, 9500/9400, 36" Opening	683.00
LR100TSK	Townsteel Field Install ELR Kit, ED1000, 36" - 48" Opening	683.00
LR100TSK-EM	Townsteel Field Install ELR Kit, ED1000, 30" Opening	738.00
LR100TSK-55/56	Townsteel Field Install ELR Kit, ED5500/ED5600, 36" Opening	738.00
LR100TSK-65/67	Townsteel Field Install ELR Kit, ED6500/ED6700, 36" Opening	738.00
LR100VDK-22*	Von Duprin Field Install ELR Kit, 22, 36" - 48" Opening	683.00
LR100VDK-22-EM*	Von Duprin Field Install ELR Kit, 22, 30" Opening	738.00
LR100VDK-22V2	Von Duprin Field Install ELR Kit, 22, 36" - 48" Opening	683.00
LR100VDK-22V2-EM	Von Duprin Field Install ELR Kit, 22, 30" Opening	738.00
LR100VDK	Von Duprin Field Install ELR Kit, 98/99, 36" - 48" Opening	683.00
LR100VDK-EM	Von Duprin Field Install ELR Kit, 98/99, 30" Opening	738.00
LR100YDK	Yale Field Install ELR Kit, 7000, 36" - 48" Opening	683.00
LR100YDK-EM	Yale Field Install ELR Kit, 7000, 30" Opening	738.00
LR100Y6K	Yale Field Install ELR Kit, 6100ED, 36" - 48" Opening	683.00
LR100Y6K-EM	Yale Field Install ELR Kit, 6100ED, 30" Opening	738.00

* For Von Duprin 22 models manufactured in 2021 or earlier.


IMPORTANT NOTE

Before ordering, visit applications chart on product datasheet for complete details on exit device compatibility.

Related products on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Low Energy Operators
Pages 129-130



Push Plates & Panels
Pages 131-132



Keypads & Readers
Page 96



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

LRAR1R	Adams Rite Retrofit Monitoring Kit, 8000/3000, Request-To-Exit (REX)	118.00
LRAREX1R	Adams Rite Retrofit Monitoring Kit, EX, Request-To-Exit (REX)	118.00
LRCR1R	Corbin Russwin Retrofit Monitoring Kit, 5000/4000, Request-To-Exit (REX)	118.00
LRCR1L	Corbin Russwin Retrofit Monitoring Kit, 5000/4000, Latch Status (LS)	118.00
LRCA2R	Cal Royal Retrofit Monitoring Kit, 7700/F7700, Request-To-Exit (REX)	118.00
LRCA1R	Cal Royal Retrofit Monitoring Kit, 9800/GLSCVR9800, Request-To-Exit (REX)	118.00
LRDX1R	Detex Retrofit Monitoring Kit, 10/20/40/50/60/80, Request-To-Exit (REX)	118.00
LRDA1R	Dorma Retrofit Monitoring Kit, 9000/F9000, Request-To-Exit (REX)	118.00
LRFA1R	Dor-O-Matic Retrofit Monitoring Kit, 1790/1690, Request-To-Exit (REX)	118.00
LRFR1R	Falcon Retrofit Monitoring Kit, 25/24, Request-To-Exit (REX)	118.00
LRFC1R	First Choice Retrofit Monitoring Kit, 3790/3690, Request-To-Exit (REX)	118.00
LRH1R	Hager Retrofit Monitoring Kit, 4501, Request-To-Exit (REX)	118.00
LRH1L	Hager Retrofit Monitoring Kit, 4501, Latch Status (LS)	118.00
LRIDC1R	IDC Retrofit Monitoring Kit, 8000, Request-To-Exit (REX)	118.00
LRIDC1L	IDC Retrofit Monitoring Kit, 8000, Latch Status (LS)	118.00
LRKWK1R	Kawneer Retrofit Monitoring Kit, 1786, Request-To-Exit (REX)	118.00
LRKWK1L	Kawneer Retrofit Monitoring Kit, 1786, Latch Status (LS)	118.00
LRMD1R	Marks Retrofit Monitoring Kit, M9900, Request-To-Exit (REX)	118.00
LRPA1R	Pamex Retrofit Monitoring Kit, EF9000, Request-To-Exit (REX)	118.00
LRPA1L	Pamex Retrofit Monitoring Kit, EF9000, Latch Status (LS)	118.00
LRPA1RL	Pamex Retrofit Monitoring Kit, EF9000, Request-To-Exit (REX) & Latch Status (LS)	118.00
LRP1R	PHI Retrofit Monitoring Kit, 2100/2400/2200/2800, Request-To-Exit (REX)	118.00
LRP1L	PHI Retrofit Monitoring Kit, 2100/2400, Latch Status (LS)	118.00
LRP2L	PHI Retrofit Monitoring Kit, 2200/2800, Latch Status (LS)	118.00
LRSG1R	Sargent Retrofit Monitoring Kit, 8800/8700, Request-To-Exit (REX)	118.00
LRSG2R	Sargent Retrofit Monitoring Kit, 8000, Request-To-Exit (REX)	118.00
LRSDC1R	SDC Retrofit Monitoring Kit, S6000, Request-To-Exit (REX)	118.00
LRSDC1L	SDC Retrofit Monitoring Kit, S6000, Latch Status (LS)	118.00
LRK2R	Stanley K2 Retrofit Monitoring Kit, QED100, Request-To-Exit (REX)	118.00
LRTS1R	Townsteel Retrofit Monitoring Kit, ED1000, Request-To-Exit (REX)	118.00
LRTS2R	Townsteel Retrofit Monitoring Kit, ED5000, Request-To-Exit (REX)	118.00
LRVD2R	Von Duprin Retrofit Monitoring Kit, 22, Request-To-Exit (REX)	118.00
LRVD1R	Von Duprin Retrofit Monitoring Kit, 98/99/33/35, Request-To-Exit (REX)	118.00
LRVD1L	Von Duprin Retrofit Monitoring Kit, 22/98/99, Latch Status (LS)	118.00
LRVD2L	Von Duprin Retrofit Monitoring Kit, 33A/35A, Latch Status (LS)	118.00
LRY1R	Yale Retrofit Monitoring Kit, 7000, Request-To-Exit (REX)	118.00
LRY61R	Yale Retrofit Monitoring Kit, 6100ED, Request-To-Exit (REX)	118.00
LRY1L	Yale Retrofit Monitoring Kit, 7000, Latch Status (LS)	118.00



IP100 Series

Retrofit Electric Latch Retraction PoE Kits

SDC's QuietDuo™ IP100 series retrofit electric latch retraction PoE kits enable electric access control and dogging of panic and fire rated mechanical exit devices. When energized the motor retracts the exit device latch and pulls the pushpad into the dogged (depressed) position enabling momentary or sustained push and pull operation of the door. The latch retraction mechanism may be activated by an access control, remote control device or building automation system. No door sequencer required for a pair of manual doors. The exit device always provides uninhibited egress.

IP100 series kits bring all of SDC's electric latch retraction features to power over ethernet (PoE). The use of a motorized electric latch retraction devices provide several advantages over solenoids including lower current draw, quieter operation and greater durability over time.

IP100 models are one unit completely housed within the rail of the device behind the access cover, whereas IP100-EM models are two piece space saver units, intended to gain up to one inch in spacing within the device, placing the controller board externally to accommodate smaller field cut devices for smaller openings or where space is limited within the rail.

MODEL		LIST \$
IP100ARK	Adams Rite Field Install ELR PoE Kit, 8000/3000, 36" Opening	697.00
IP100CRK	Corbin Russwin Field Install ELR PoE Kit, 5000/4000, 36" Opening	697.00
IP100FRK	Falcon Field Install ELR PoE Kit, 25/24, 36" Opening	697.00
IP100HK	Hager Field Install ELR PoE Kit, 4501, 36" - 48" Opening	697.00
IP100SGK	Sargent Field Install ELR PoE Kit, 8800/8700, 36" - 48" Opening	697.00
IP100SGK-EM	Sargent Field Install ELR PoE Kit, 8800/8700, 30" Opening	752.00
IP100SDCK	SDC Field Install ELR PoE Kit, S6000, 36" - 48" Opening	697.00
IP100VDK	Von Duprin Field Install ELR PoE Kit, 98/99/33/35, 36" Opening	697.00
IP100VDK-42/48	Von Duprin Field Install ELR PoE Kit, 98/99/33/35, 42" 48" Opening	697.00
IP100YDK	Yale Field Install ELR PoE Kit, 7000, 36" Opening	697.00

IMPORTANT NOTE

Before ordering, visit applications chart on product datasheet for complete details on exit device compatibility.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

LRAR1R	Adams Rite Retrofit Monitoring Kit, 8000/3000, Request-To-Exit (REX)	118.00
LRCR1R	Corbin Russwin Retrofit Monitoring Kit, 5000/4000, Request-To-Exit (REX)	118.00
LRFR1R	Falcon Retrofit Monitoring Kit, 25/24, Request-To-Exit (REX)	118.00
LRH1R	Hager Retrofit Monitoring Kit, 4501, Request-To-Exit (REX)	118.00
LRH1L	Hager Retrofit Monitoring Kit, 4501, Latch Status (LS)	118.00
LRSG1R	Sargent Retrofit Monitoring Kit, 8800/8700, Request-To-Exit (REX)	118.00
LRSDC1R	SDC Retrofit Monitoring Kit, S6000, Request-To-Exit (REX)	118.00
LRSDC1L	SDC Retrofit Monitoring Kit, S6000, Latch Status (LS)	118.00
LRVD1R	Von Duprin Retrofit Monitoring Kit, 98/99/33/35, Request-To-Exit (REX)	118.00
LRVD1L	Von Duprin Retrofit Monitoring Kit, 22/98/99, Latch Status (LS)	118.00
LRVD2L	Von Duprin Retrofit Monitoring Kit, 33A/35A, Latch Status (LS)	118.00
LRY1R	Yale Retrofit Monitoring Kit, 7000, Request-To-Exit (REX)	118.00
LRY1L	Yale Retrofit Monitoring Kit, 7000, Latch Status (LS)	118.00



1091 / 1291 Series

Right Angle
Electric Bolt Locks

Designed and patented by SDC, Spacesaver® right angle bolt locks represent a fundamental innovation in electric locking technology for access control applications.

Spacesaver® bolts project at right angles to the lock mechanism, allowing installation of Spacesaver® locks, by means of a simple mortise cutout, in virtually any standard frame, or in most door lock stiles. With the entire lock concealed, aesthetic acceptability is complete, security is greater and installation in old or new construction is fast, easy and economical.

- Concealed mortise right angle design
- Stainless steel bolt
- Specification grade solenoid
- Automatic relock
- Field adjustable and bidirectional automatic relock ball switch
- Mounting tabs included
- Field selectable dual voltage
- Voltage and current spike protection
- Power regulator included

ORDERING GUIDE

MODEL	FUNCTION		OPTIONS	
	DL	WD	D	B
1091AI	DL	V	D	B
1091AI		V		
1291AH		Y		
		D		
		C		
		G		
		F		
		H		
		Q		
		P		
		U		
		S		

FINISH

NOT REQUIRED

EXAMPLES

1091AIV	Right Angle Bolt Lock, Failsafe, 628	410.00
1091AIVDB	Right Angle Bolt Lock, Failsafe, 628, DPS, BPS	540.00
1091AIDMRV	Right Angle Bolt Lock, Failsafe, Mechanical Release, Jamb Mount, 628	731.00
1291AHV	Right Angle Bolt Lock, Failsecure, 628	483.00
1291AHDDMR1	Right Angle Bolt Lock, Failsecure, Dual Mechanical Release, Door Mount, 628	1,033.00

1091/1291 CONFIGURATION 1 of 1



Mechanical Release



Dual Mechanical Release

MODEL		●○○○	LIST \$
1091AI	Right Angle Bolt Lock, Failsafe		410.00
1291AH	Right Angle Bolt Lock, Failsecure		486.00

FUNCTION*		○●○○	ADD TO LIST
DL**	Deadlocking		73.00
WD	Wood Applications		89.00
DMR	Mechanical Release, Jamb Mount		321.00
DMR1	Mechanical Release, Door Mount		547.00
DDMR1	Dual Mechanical Release, Door Mount		547.00

*DL and WD functions cannot be combined with DMR, DMR1 or DDMR1 functions.

**For 1091AI failsafe models only.

FINISH		○○●○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>		N/C
Y	335 Dull Black		44.00
D	606 Dull Brass		92.00
C	605 Bright Brass		92.00
G	612 Dull Bronze		92.00
F	611 Bright Bronze		92.00
H	613 Dark Oil Rubbed Bronze		92.00
Q	626 Dull Chrome		92.00
P	625 Bright Chrome		92.00
U	630 Dull Stainless		92.00
S	629 Bright Stainless		92.00

OPTIONS		○○○●	ADD TO LIST
D	Door Position Status (DPS)		65.00
B	Bolt Position Status (BPS)		65.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1½" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1½" Length, Keyed Alike	52.00



1190 / 2090 Series

Heavy Duty Right Angle
Electric Bolt Locks

Designed and patented by SDC, Spacesaver® right angle bolt locks represent a fundamental innovation in electric locking technology for access control applications. Spacesaver® bolts project at right angles to the lock mechanism, allowing installation of Spacesaver® locks, by means of a simple mortise cutout, in virtually any standard frame, or in most door lock styles. With the entire lock concealed, aesthetic acceptability is complete, security is greater and installation in old or new construction is fast, easy and economical.

1190AI and 2090AH models utilize a 3/4" diameter solid stainless steel bolt, an extra heavy duty housing design and solenoid. Designed to provide years of trouble free operation, 1190AI and 2090AH bolt locks are the most powerful commercial grade units available on the market. There are only three moving parts within the hefty solid metal body of the 1190AI and only five moving parts in the 2090AH. The power and strength of the solenoids far surpass any competitive models.

- Concealed mortise right angle design
- Stainless steel bolt
- Specification grade solenoid
- Automatic relock
- Field adjustable and bidirectional automatic relock ball switch
- Mounting tabs included
- Voltage and current spike protection
- Power regulator included

ORDERING GUIDE

MODEL	FUNCTION		OPTIONS	
	WD	U	D	B
1190AI	WD	U	D B	
1190AI	FINISH			
2090AH				

NOT REQUIRED

EXAMPLES

1190AIU	Heavy Duty Right Angle Bolt Lock, Failsafe, 630	483.00
1190AIUDB	Heavy Duty Right Angle Bolt Lock, Failsafe, 630, DPS, BPS	613.00
1190AIWDU	Heavy Duty Right Angle Bolt Lock, Failsafe, Wood Applications, 630	575.00
2090AHU	Heavy Duty Right Angle Bolt Lock, Failsecure, 630	602.00
2090AHUDB	Heavy Duty Right Angle Bolt Lock, Failsecure, 630, DPS, BPS	732.00

1190/2090 CONFIGURATION 1 of 1



1190AI



2090AH

MODEL		●○○○	LIST \$
1190AI	Heavy Duty Right Angle Bolt Lock, Failsafe		483.00
2090AH	Heavy Duty Right Angle Bolt Lock, Failsecure		602.00

FUNCTION		○●○○	ADD TO LIST
WD*	Wood Applications		92.00

* For 1190A failsafe models only.

FINISH		○○●○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

OPTIONS		○○○●	ADD TO LIST
D	Door Position Status (DPS)		65.00
B	Bolt Position Status (BPS)		65.00



1490 / 2490 Series

Narrow Right Angle
Electric Bolt Locks

Designed and patented by SDC, Spacesaver® right angle bolt locks represent a fundamental innovation in electric locking technology for access control applications.

Spacesaver® bolts project at right angles to the lock mechanism, allowing installation of Spacesaver® locks, by means of a simple mortise cutout, in virtually any standard frame, or in most door lock stiles. With the entire lock concealed, aesthetic acceptability is complete, security is greater and installation in old or new construction is fast, easy and economical.

1490AI and 2490AH models are designed to fit in narrow 1½" frame or door stile.

- Concealed mortise right angle design
- Stainless steel bolt
- Specification grade solenoid
- Automatic relock
- Field adjustable and bidirectional automatic relock ball switch
- Mounting tabs included
- Field selectable dual voltage
- Voltage and current spike protection
- Power regulator included

ORDERING GUIDE

	FINISH	
	V	
	Y	
	D	
	C	
	G	
	F	
	H	
	Q	
	P	
	U	
	S	
1490AI	V	D B
1490AI		D
2490AH		B
MODEL		OPTIONS

NOT REQUIRED

EXAMPLES

1490AIV	Narrow Right Angle Bolt Lock, Failsafe, 628	483.00
1490AIVDB	Narrow Right Angle Bolt Lock, Failsafe, 628, DPS, BPS	613.00
1490AIY	Narrow Right Angle Bolt Lock, Failsafe, 335	527.00
2490AHV	Narrow Right Angle Bolt Lock, Failsecure, 628	572.00
2490AHVDB	Narrow Right Angle Bolt Lock, Failsecure, 628, DPS, BPS	702.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



1490/2490 CONFIGURATION 1 of 1

MODEL		● ○ ○	LIST \$
1490AI	Narrow Right Angle Bolt Lock, Failsafe		483.00
2490AH	Narrow Right Angle Bolt Lock, Failsecure		572.00

FINISH		○ ● ○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>		N/C
Y	335 Dull Black		44.00
D	606 Dull Brass		92.00
C	605 Bright Brass		92.00
G	612 Dull Bronze		92.00
F	611 Bright Bronze		92.00
H	613 Dark Oil Rubbed Bronze		92.00
Q	626 Dull Chrome		92.00
P	625 Bright Chrome		92.00
U	630 Dull Stainless		92.00
S	629 Bright Stainless		92.00

OPTIONS		○ ○ ●	ADD TO LIST
D	Door Position Status (DPS)		65.00
B	Bolt Position Status (BPS)		65.00



FS23M Series

Dual Failsafe Right Angle
Electric Bolt Locks

Designed and patented by SDC, Spacesaver® right angle bolt locks represent a fundamental innovation in electric locking technology for access control applications.

Spacesaver® bolts project at right angles to the lock mechanism, allowing installation of Spacesaver® locks, by means of a simple mortise cutout, in virtually any standard frame, or in most door lock stiles. With the entire lock concealed, aesthetic acceptability is complete, security is greater and installation in old or new construction is fast, easy and economical.

Dual failsafe bolt lock are available only from SDC. Conventional failsafe locking bolts rely solely on a spring to retract the bolt while the FS23M bolt will unlock with or without the assistance of the spring. **This is the only electric bolt lock listed by the California State Fire Marshal for locking of perimeter entrance and emergency exit doors after hours.**

Large repelling magnets are located within the bolt and strike. Should the spring fail, repelling magnets eject the bolt from the strike, unlocking the door.

- Concealed mortise right angle design
- Nylon bolt with hardened magnet core
- Repelling bolt and strike magnet
- Specification grade solenoid
- Automatic relock
- Field adjustable and bidirectional automatic relock ball switch
- Mounting tabs included
- Field selectable dual voltage
- Power regulator included

ORDERING GUIDE

		OPTIONS
		D
		B
FS23MI	V	D B
MODEL	V	
	Y	
	D	
	C	
	G	
	F	
	H	
	Q	
	P	
	U	
	S	
	FINISH	

NOT REQUIRED

EXAMPLES

FS23MIV	Right Angle Bolt Lock, Dual Failsafe, 628	420.00
FS23MIVD	Right Angle Bolt Lock, Dual Failsafe, 628, DPS	485.00
FS23MIVDB	Right Angle Bolt Lock, Dual Failsafe, 628, DPS, BPS	550.00
FS23MIY	Right Angle Bolt Lock, Dual Failsafe, 335	464.00
FS23MIH	Right Angle Bolt Lock, Dual Failsafe, 613	512.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Keypads & Readers
Page 96



Exit Switches & Sensors
Pages 116-127



Power Controllers
Pages 135-144



Door Controls & Backup Batteries
Page 145



Remote Control Consoles
Pages 146-152



Door Prop Alarms & Annunciators
Page 153

FS23M CONFIGURATION 1 of 1

MODEL	● ○ ○	LIST \$
FS23MI	Right Angle Bolt Lock, Dual Failsafe	420.00

FINISH	○ ● ○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>	N/C
Y	335 Dull Black	44.00
D	606 Dull Brass	92.00
C	605 Bright Brass	92.00
G	612 Dull Bronze	92.00
F	611 Bright Bronze	92.00
H	613 Dark Oil Rubbed Bronze	92.00
Q	626 Dull Chrome	92.00
P	625 Bright Chrome	92.00
U	630 Dull Stainless	92.00
S	629 Bright Stainless	92.00

OPTIONS	○ ○ ●	ADD TO LIST
D	Door Position Status (DPS)	65.00
B	Bolt Position Status (BPS)	65.00

Conventional Direct Throw & Specialty Electric Bolt Locks




110, 210



160, 260



180A, 280A



GL160, GL260



GL163, GL263, GL260MRA



PD2090



290

MODEL		LIST \$
110IV	Direct Throw Mortise Bolt Lock, Failsafe, 628	210.00
160IV	Direct Throw Mortise Bolt Lock, Auto-Relock, Failsafe, 628	281.00
180AIV	Direct Throw Surface Mount Bolt Lock, Failsafe, 628	305.00
210HV	Direct Throw Mortise Bolt Lock, Failsecure, 628	210.00
260HV	Direct Throw Mortise Bolt Lock, Auto-Relock, Failsecure, 628	281.00
280AHV	Direct Throw Surface Mount Bolt Lock, Failsecure, 628	305.00
GL160AI	Gate Lock, Failsafe	961.00
GL160AID	Gate Lock, Failsafe, DPS	1,055.00
GL160AIB	Gate Lock, Failsafe, BPS	1,055.00
GL160AIDB	Gate Lock, Failsafe, DPS, BPS	1,149.00
GL163AI*	Gate Lock, Keyswitch, Failsafe	1,031.00
GL163AID*	Gate Lock, Keyswitch, Failsafe, DPS	1,125.00
GL163AIB*	Gate Lock, Keyswitch, Failsafe, BPS	1,125.00
GL163AIDB*	Gate Lock, Keyswitch, Failsafe, DPS, BPS	1,219.00
GL260AH	Gate Lock, Failsecure	961.00
GL260AHD	Gate Lock, Failsecure, DPS	1,055.00
GL260AHB	Gate Lock, Failsecure, BPS	1,055.00
GL260AHDB	Gate Lock, Failsecure, DPS, BPS	1,149.00
GL263AH*	Gate Lock, Keyswitch, Failsecure	1,031.00
GL263AHD*	Gate Lock, Keyswitch, Failsecure, DPS	1,125.00
GL263AHB*	Gate Lock, Keyswitch, Failsecure, BPS	1,125.00
GL263AHDB*	Gate Lock, Keyswitch, Failsecure, DPS, BPS	1,219.00
GL260MRAH*	Gate Lock, Mechanical Release, Failsecure	1,078.00
GL260MRAHD*	Gate Lock, Mechanical Release, Failsecure, DPS	1,172.00
GL260MRAHB*	Gate Lock, Mechanical Release, Failsecure, BPS	1,172.00
GL260MRAHDB*	Gate Lock, Mechanical Release, Failsecure, DPS, BPS	1,360.00
PD2090ALCU	Panic Device Bolt Lock, Failsecure, LH/RHR, 630	602.00
PD2090ARCU	Panic Device Bolt Lock, Failsecure, RH/LHR, 630	602.00
290	Micro Cabinet Bolt Lock	115.00
290LS	Micro Cabinet Bolt Lock, BPS	141.00

*Key cylinder not included, order separately. See related products.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00



IPD Series

IP-Based Access Controllers

SDC IPPro® IPD series IP-based single door access controllers come with two ethernet ports for interfacing with an additional IP device. They allow expansion from one standalone door up to a 100-door "grid." The additional ethernet port allows IT departments to save a port when connecting an extra door at the server. Installers can eliminate a long cable run when connecting an additional IP device.

Every IPPro® controller comes with secure, built-in software to manage up to 32 doors from any standard web browser to allow for real-time monitoring, user management and audit trail up to 5,000 events. Or, download our FREE PLUS PC-Client software to control up to 100 doors from a single PC. IPPro® PLUS is a role-based access control software suite with different interface modules.

- Controls one door directly, with unlimited expansion capabilities
- TCP/IP communications (100/10Mbps)
- DHCP or Static IP addresses
- Password protected built-in web server or FREE downloadable 'Grid' software
- Two ethernet ports
- Live transaction monitoring
- Entry/exit wiegand reader capability
- Reader short circuit protection
- Compliant with PoE+ standard
- 60,000 users
- Multiple credential modes & batch card enrollment

MODEL		LIST \$
IPDCE	IPPro Controller Board with Enclosure	988.00
IPDSE	IPPro Door Station Expansion Board with Enclosure	738.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

IPPRO-SKE	IPPro Starter Kit (IPDCE, IPI-30 and IPS-12)	1,495.00
602RFX12VRXIPDC	IPPro Power Kit (1 Amp Power Supply, Voltage Convertor, IPDC)	1,351.00
602RFX12VRXIPDS	IPPro Expansion Power Kit (1 Amp Power Supply, Voltage Convertor, IPDS)	1,119.00
IPI-30	IPPro Injector, 30W PoE+	289.00
IPS-12	IPPro Splitter, 12VDC PoE+	255.00

Keypads & Readers



IPRW



918



920



923



926

MODEL		LIST \$
IPRW300	Weigand Reader, Mullion Mount	221.00
IPRW500	Weigand Reader, Single Gang Mount	254.00
918U	Indoor Self-Contained Keypad, 630	218.00
918C	Indoor Self-Contained Keypad, 605	289.00
918D	Indoor Self-Contained Keypad, 606	289.00
918H	Indoor Self-Contained Keypad, 613	289.00
918P	Indoor Self-Contained Keypad, 625	289.00
918WU	Indoor Weigand Output Keypad, 630	218.00
918WC	Indoor Weigand Output Keypad, 605	289.00
918WD	Indoor Weigand Output Keypad, 606	289.00
918WH	Indoor Weigand Output Keypad, 613	289.00
918WP	Indoor Weigand Output Keypad, 625	289.00
920	Indoor/Outdoor Self-Contained Keypad	205.00
920P	Indoor/Outdoor Self-Contained Keypad with Integrated Prox	455.00
920PW	Indoor/Outdoor Weigand Output Keypad with Integrated Prox	455.00
921P	Indoor/Outdoor Keypad with Integrated Prox, External Electronics	670.00
923	Indoor/Outdoor Narrow Self-Contained Keypad	234.00
923P	Indoor/Outdoor Narrow Self-Contained Keypad with Integrated Prox	554.00
923PW	Indoor/Outdoor Narrow Weigand Output Keypad with Integrated Prox	554.00
926	Outdoor Self-Contained Keypad	282.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

HID1326-10	Proximity Card Pack, HID Compatible, Quantity 10	78.00
HID1326-25	Proximity Card Pack, HID Compatible, Quantity 25	183.00
HID1326-100	Proximity Card Pack, HID Compatible, Quantity 100	732.00
HID1346-10	Proximity Key Fob Pack, HID Compatible, Quantity 10	154.00
HID1346-100	Proximity Key Fob Pack, HID Compatible, Quantity 100	1,502.00
PTAG-10	Proximity Disc Tag Pack, HID Compatible, Quantity 10	92.00
PTAG-25	Proximity Disc Tag Pack, HID Compatible, Quantity 25	218.00
900-PS	Indoor Privacy Shroud	113.00



E75 Series

Standalone Electronic Cylindrical Locksets

SDC battery powered electronic door locks and keyless entry system provide controlled access for basic and multi-level high security requirements. Additionally, E70 series keypads comes standard with all of SDC's EntryCheck® features such as door sense/inhibit inputs industry professionals have become accustomed to from SDC keypads.

E75K, E75P and E75PS models standalone locksets are keypad or PC software programmable, and combine multiple access technology with efficient motorized locksets. An optional passage mode feature comes standard.

E75KL and E75PL models feature a privacy function that locks the keypad by engaging the privacy button on the inside, and the red LED on the outside flashes to indicate room occupation. Turning the inside lever upon exiting deactivates the privacy function. In case of emergency, the privacy function can be overridden via key or master code.

- Keypad programmable
- 3,000 users, 32 temporary users
- 4 to 6 digit PIN codes
- 32 access groups, schedules and holidays
- 4 authority levels
- Keypad tamper lockout
- Mechanical key override
- Battery powered (4 AA)
- Blue backlit cast metal keys
- Weather & vandal resistant
- Request-to-exit (REX)
- Door position status (DPS)
- Visual status indicators (LED)

ORDERING GUIDE

	FUNCTION		TRIM	
	K		G1	
	KL		E1	
	P		G5	
	PL		E5	
	PS			
E75	P	Q	G1	Q
MODEL		Q		Q
		B		P
		KEYPAD FINISH		TRIM FINISH
				C

EXAMPLES

E75KQE1Q	Standalone Cylindrical Lockset, Keypad Only, 626, Eclipse Rose, 626	746.00
E75KLQE1Q	Standalone Cylindrical Lockset, Keypad w/ Privacy, 626, Eclipse Rose, 626	960.00
E75PQE1Q	Standalone Cylindrical Lockset, Keypad w/ Prox, 626, Eclipse Rose, 626	956.00
E75PLQE1Q	Standalone Cylindrical Lockset, Keypad w/ Prox & Privacy, 626, Eclipse Rose, 626	1,248.00
E75PSQE1Q	Standalone Cylindrical Lockset, Keypad w/ Prox & Software, 626, Eclipse Rose, 626	1,285.00

E75 CONFIGURATION 1 of 1



Keypad Only



Keypad w/ Privacy



Keypad w/ Prox Reader



Keypad w/ Prox Reader & Privacy



Galaxy Rose Trim



Eclipse Rose Trim

MODEL	● ○ ○ ○ ○	LIST \$
E75	Standalone Cylindrical Lockset	746.00

FUNCTION	○ ● ○ ○ ○	ADD TO LIST
K	Keypad Only	N/C
KL	Keypad w/ Privacy	214.00
P	Keypad w/ Prox Reader	210.00
PL	Keypad w/ Prox Reader & Privacy	502.00
PS	Keypad w/ Prox Reader & Software	539.00

KEYPAD FINSH	○ ○ ● ○ ○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
B	Matte Black	N/C

TRIM	○ ○ ○ ● ○	ADD TO LIST
G1	Galaxy Rose	N/C
E1	Eclipse Rose	N/C
G5*	Galaxy Rose, I-Core Prep	29.00
E5*	Eclipse Rose, I-Core Prep	29.00

** Key cylinder not included, order separately.*

TRIM FINISH	○ ○ ○ ○ ●	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
P	625 Bright Chrome	59.00
C	605 Bright Brass	59.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

HID1326-10	Proximity Card Pack, HID Compatible, Quantity 10	78.00
HID1326-25	Proximity Card Pack, HID Compatible, Quantity 25	183.00
HID1326-100	Proximity Card Pack, HID Compatible, Quantity 100	732.00
HID1346-10	Proximity Key Fob Pack, HID Compatible, Quantity 10	154.00
HID1346-100	Proximity Key Fob Pack, HID Compatible, Quantity 100	1,502.00
PTAG-10	Proximity Disc Tag Pack, HID Compatible, Quantity 10	92.00
PTAG-25	Proximity Disc Tag Pack, HID Compatible, Quantity 25	218.00



E76 Series

Standalone Electronic Mortise Locksets

SDC battery powered electronic door locks and keyless entry system provide controlled access for basic and multi-level high security requirements. Additionally, E70 series keypads comes standard with all of SDC's EntryCheck® features such as door sense/inhibit inputs industry professionals have become accustomed to from SDC keypads.

The SDC E76 series includes an SDC mortise lock and is an indoor/outdoor standalone electronic battery powered solution, providing controlled access for basic and multi-level high security requirements. The E76 locksets are keypad or PC software programmable, and combine multiple access technology with efficient motorized locksets.

- Keypad programmable
- 3,000 users, 32 temporary users
- 4 to 6 digit PIN codes
- Passage mode option
- 32 access groups, schedules and holidays
- 4 authority levels
- Keypad tamper lockout
- Mechanical key override
- Battery powered (4 AA)
- Blue backlit cast metal keys
- Weather & vandal resistant
- Retrofits existing lock door prep
- Motorized SDC mortise lockset
- Heavy duty ANSI grade 1
- Vandal resistant lever clutch mechanism
- Request-to-exit (REX)
- Door position status (DPS)
- Visual status indicators (LED)

ORDERING GUIDE

		FUNCTION		HANDING		TRIM FINISH	
		K		L		Q	
		P		LR		P	
		PS		R		C	
		+K		RR			
		+P					
		+PS					
E76	P	Q	L	GE	Q		
MODEL		Q		G			
		B		E			
		KEYPAD FINISH		N			
				07			
				GE			
				EE			
				NE			
				07E			
				TRIM			

EXAMPLES

E76KQLEEQ	Standalone Mortise Lockset, 626, LH, Eclipse Escutcheon, 626	1,189.00
E76KQLGEQ	Standalone Mortise Lockset, 626, LH, Galaxy Escutcheon, 626	1,189.00
E76PQREQ	Standalone Mortise Lockset, Prox, 626, RH, Eclipse Rose, 626	1,285.00
E76PQRRGQ	Standalone Mortise Lockset, Prox, 626, RHR, Galaxy Rose, 626	1,285.00
E76PSQLEEQ	Standalone Mortise Lockset, Prox & Software, 626, LH, Eclipse Escutcheon, 626	1,831.00

E76 CONFIGURATION 1 of 1



Keypad Only



Keypad w/ Prox Reader



Keypad & Deadbolt



Eclipse Trim



Galaxy Trim



Nova Trim



Schlage 07 Trim



Mortise Key Cylinder

MODEL	● ○ ○ ○ ○ ○	LIST \$
E76	Standalone Mortise Lockset	688.00

FUNCTION	○ ● ○ ○ ○ ○	ADD TO LIST
K	Keypad Only	N/C
P	Keypad w/ Prox Reader	214.00
PS	Keypad w/ Prox Reader & Software	525.00
+K	Keypad & Manual Deadbolt	214.00
+P	Keypad w/ Prox Reader & Manual Deadbolt	428.00
+PS	Keypad w/ Prox Reader, Software & Manual Deadbolt	642.00

KEYPAD FINISH	○ ○ ● ○ ○ ○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
B	Matte Black	N/C

HANDING	○ ○ ○ ● ○ ○	ADD TO LIST
L	Left Hand (LH)	N/C
LR	Left Hand Reverse (LHR)	N/C
R	Right Hand (RH)	N/C
RR	Right Hand Reverse (RHR)	N/C

TRIM	○ ○ ○ ○ ● ○	ADD TO LIST
E	Eclipse Rose	393.00
G	Galaxy Rose	393.00
N	Nova Rose	393.00
07	Schlage 07 Rose (Equivalent)	393.00
EE	Eclipse Escutcheon	511.00
GE	Galaxy Escutcheon	511.00
NE	Nova Escutcheon	511.00
07E	Schlage 07 Escutcheon (Equivalent)	511.00

**Key cylinder not included, order separately.*

TRIM FINISH	○ ○ ○ ○ ○ ●	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>	N/C
P	625 Bright Chrome	59.00
C	605 Bright Brass	59.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
863M*	ILCO 863M Schlage "L" Cam	12.00

**For use with "+" models only*



E77 Series

Standalone Rim Exit Device Locksets

SDC battery powered electronic door locks and keyless entry system provide controlled access for basic and multi-level high security requirements. Additionally, E70 series keypads comes standard with all of SDC's EntryCheck® features such as door sense/inhibit inputs industry professionals have become accustomed to from SDC keypads.

The E77 Series include an SDC rim exit device and trim. The E77 locksets are an indoor/outdoor standalone electronic battery powered solution, providing controlled access for basic and multi-level high security requirements. The E77 locksets are keypad or PC software programmable, and combine multiple access technology with efficient motorized exit devices.

- Keypad programmable
- 3,000 users, 32 temporary users
- 4 to 6 digit PIN codes
- Passage mode option
- 32 access groups, schedules and holidays
- 4 authority levels
- Keypad tamper lockout
- Mechanical key override
- Battery powered (4 AA)
- Blue backlit cast metal keys
- Weather & vandal resistant
- Retrofits existing lock door prep
- Motorized SDC trim
- Heavy duty ANSI grade 1
- Vandal resistant lever clutch mechanism
- Request-to-exit (REX)
- Door position status (DPS)
- Visual status indicators (LED)

ORDERING GUIDE

FUNCTION				TRIM			DEVICE LENGTH	
	K			GK			36	
	P			EK			42	
	PS						48	
E77	P	Q	GK	M61	P	U	36	
MODEL		Q			P	DEVICE FINISH		
		B			F			
		KEYPAD FINISH			DEVICE RATING			

EXAMPLES

E77KQEK M61PU36	Standalone Rim Device Lockset, 626, Eclipse, Panic, 630, 36"	1,499.00
E77KQGK M61PU36	Standalone Rim Device Lockset, 626, Galaxy, Panic, 630, 36"	1,499.00
E77PQEK M61PU36	Standalone Rim Device Lockset, Prox, 626, Eclipse, Panic, 630, 36"	1,713.00
E77PQGK M61PU36	Standalone Rim Device Lockset, Prox, 626, Galaxy, Panic, 630, 36"	1,713.00
E77KQEK M61PU48	Standalone Rim Device Lockset, 626, Eclipse, Panic, 630, 48"	1,547.00

E77 CONFIGURATION 1 of 1



Keypad Only



Keypad w/ Prox Reader



Eclipse Trim



Galaxy Trim



M61



Mortise Key Cylinder

MODEL		● ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
E77	Standalone Rim Exit Device Lockset		1,499.00

FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
K	Keypad Only		N/C
P	Keypad w/ Prox Reader		214.00
PS	Keypad w/ Prox Reader & Software		525.00

KEYPAD FINSH		○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
Q	626 Dull Chrome <small>Standard</small>		N/C
B	Matte Black		N/C

TRIM		○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
GK	Galaxy Escutcheon, 630		N/C
EK	Eclipse Escutcheon, 630		N/C

**Key cylinder not included, order separately. See related products*

DEVICE		○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
M61	Rim Exit Device		N/C

RATING		○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
P	Panic-Rated Device		N/C
F	Fire-Rated Device		124.00

FINISH		○ ○ ○ ○ ○ ○ ○ ● ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ○ ○ ○ ○ ●	ADD TO LIST
36	36" Door Opening		N/C
42	42" Door Opening		25.00
48	48" Door Opening		48.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00

295

Standalone Programmable Cabinet Locks



SDC's 295 battery powered keyless cabinet locks provide an easy, economical solution for security and keyless access control for a wide variety of cabinet doors, drawers, storage lockers and more. Quickly and easily add/delete up to 30 individual user PIN codes with programmable keypad. Powered by two AAA batteries, the need for low voltage wiring is eliminated.

295 battery powered keyless entry cabinet lock provides security and access control for indoor commercial and residential, metal and wood cabinetry, files, desks, lockers, electrical enclosures, display cases and portable carts. The 295 is designed for new or retrofit cam lock compatible doors and drawers.

- Multiple locking cam positions
- Multiple or one-time use modes
- One master and submaster code
- 30 users
- 4-6 digit PIN codes
- Field optional user changeable PIN
- Adjustable unlock time
- Keypad tamper lockout
- Concealed mechanical key override
- Battery powered (2 AAA)
- Battery failure override
- Visual status indicators (LED)
- Key override

MODEL		LIST \$
295	Standalone Programmable Cabinet Lock	161.00



700 Series

Key Switches

SDC key switch assemblies provide an economical method of providing authorized control for a variety of applications. A choice of several contact configurations ensure compatibility with virtually any system. Key switch assemblies are compatible with U.S. standard, 1" to 1 $\frac{3}{8}$ " mortise key cylinders and interchangeable core cylinders*. Compatibility with a new or existing facility mechanical key system is maintained.

SDC's 700 series switch assemblies come standard with stainless steel faceplates and a heavy duty rated switches. Available in a narrow faceplate size to mount directly to the door frame or single gang and double gang sizes to be box mounted.

**Key cylinders not included, order separately. See related products.*

- 20 gauge stainless steel faceplates
- Alternate action or momentary
- SPDT or DPDT
- 22 gauge wire leads, 7"
- Tamper resistant, recessed cylinder*
- Tamper resistant spanner screws
- 1" - 1 $\frac{3}{8}$ " mortise cylinder compatible
- Large actuator for positive and consistent activation

**Not available with narrow faceplate 700N models.*

ORDERING GUIDE

			FINISH	
			U	
			S	
			C	
			H	
			D	
			Q	
			P	
706			U	LT ATS
701N	701	701T		L1G
702N	702	702T		L1R
705N	705	705T		L2
706N	706	706T		LT
707N	707	707T		ATS
708N	708	708T		L2 ATS
709N	709	709T		L2 ATS
711N	711	711T		L2 ATS
712N	712	712T		
713N	713	713T		
MODEL			OPTIONS	

NOT REQUIRED 

EXAMPLES

701U	Single Gang, Alternate Action (AA) On/Off, SPDT, 630	112.00
702U	Single Gang, Momentary (MO), SPDT, 630	112.00
701ULT	Single Gang, Alternate Action (AA) On/Off, SPDT, 630, One Tri-Color LED	148.00
702UL2	Single Gang, Momentary (MO), SPDT, 630, One Green & One Red LED	148.00
701NUL1R	Narrow, Alternate Action (AA) On/Off, SPDT, 630, One Red LED	137.00



Narrow



Single Gang



Double Gang



701NUL1R



707UL1R



708TUL2SN

MODEL		● ○ ○	LIST \$
701N	Narrow	Alternate Action (AA) On/Off, SPDT	112.00
702N	Narrow	Momentary (MO), SPDT	112.00
705N	Narrow	Alternate Action (AA) On/Off, DPDT	129.00
706N	Narrow	Momentary (MO), DPDT	123.00
707N	Narrow	(2) Momentary (MO), SPDT	146.00
708N	Narrow	(1) Momentary (MO), SPDT, (1) Alternate Action (AA)On/Off, SPDT	153.00
709N	Narrow	(1) Alternate Action (AA)On/Off, SPDT	164.00
711N	Narrow	(2) Momentary (MO), DPDT	171.00
712N	Narrow	(1) Momentary (MO), DPDT, (1) Alternate Action (AA) On/Off, DPDT	171.00
713N	Narrow	(2) Alternate Action (AA) On/Off, DPDT	171.00
701	Single Gang	Alternate Action (AA) On/Off, SPDT	112.00
702	Single Gang	Momentary (MO), SPDT	112.00
705	Single Gang	Alternate Action (AA) On/Off, DPDT	129.00
706	Single Gang	Momentary (MO), DPDT	123.00
707	Single Gang	(2) Momentary (MO), SPDT	146.00
708	Single Gang	(1) Momentary (MO), SPDT, (1) Alternate Action (AA)On/Off, SPDT	153.00
709	Single Gang	(1) Alternate Action (AA)On/Off, SPDT	164.00
711	Single Gang	(2) Momentary (MO), DPDT	171.00
712	Single Gang	(1) Momentary (MO), DPDT, (1) Alternate Action (AA) On/Off, DPDT	171.00
713	Single Gang	(2) Alternate Action (AA) On/Off, DPDT	171.00
701T	Double Gang	Alternate Action (AA) On/Off, SPDT	141.00
702T	Double Gang	Momentary (MO), SPDT	141.00
705T	Double Gang	Alternate Action (AA) On/Off, DPDT	153.00
706T	Double Gang	Momentary (MO), DPDT	146.00
707T	Double Gang	(2) Momentary (MO), SPDT	171.00
708T	Double Gang	(1) Momentary (MO), SPDT, (1) Alternate Action (AA)On/Off, SPDT	176.00
709T	Double Gang	(1) Alternate Action (AA)On/Off, SPDT	186.00
711T	Double Gang	(2) Momentary (MO), DPDT	194.00
712T	Double Gang	(1) Momentary (MO), DPDT, (1) Alternate Action (AA) On/Off, DPDT	194.00
713T	Double Gang	(2) Alternate Action (AA) On/Off, DPDT	194.00

FINISH		○ ● ○	ADD TO LIST
U	630 Dull Stainless		N/C
S	629 Bright Stainless		48.00
C	605 Bright Brass		48.00
H	613 Dark Oil Rubbed Bronze		48.00
D	606 Dull Brass		48.00
Q	626 Dull Chrome		48.00
P	625 Bright Chrome		48.00

Continued on next page.

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Electromagnetic Locks
Pages 08-17




Electromagnetic Shear Locks
Pages 18-25



Electric Strikes
Pages 48-52



Electrified Locksets
Pages 53-70



Exit Devices & Retrofit ELR Kits
Pages 71-85



Low Energy Operators
Pages 129-130



Power Controllers
Pages 135-144

OPTIONS	○○●	ADD TO LIST
L1G	Visual Status Indicator (LED), One Green	25.00
L1R	Visual Status Indicator (LED), One Red	25.00
L2	Visual Status Indicator (LED), One Green & One Red	36.00
LT	Visual Status Indicator (LED), One Tri-Color	36.00
ATS	Anti-Tamper Switch (ATS)	36.00
RMB*	Audible Buzzer (RMB)	46.00
SN*	Alarm Siren (SN)	59.00

* 700T models only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 $\frac{1}{4}$ " x 3 $\frac{3}{4}$ " x 2 $\frac{3}{4}$ "	16.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 $\frac{1}{8}$ " Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 $\frac{1}{8}$ " Length, Keyed Alike	52.00



800AL Series

Vandal Resistant Key Switches

SDC key switch assemblies provide an economical method of providing authorized control for a variety of applications. A choice of several contact configurations ensure compatibility with virtually any system. Key switch assemblies are compatible with U.S. standard, 1" and 1 3/8" mortise key cylinders and interchangeable core cylinders*. Compatibility with a new or existing facility mechanical key system is maintained.

SDC's 800AL series vandal resistant switch assemblies come standard with 1/4" thick aluminum faceplates and a heavy duty rated switches. Available in a narrow faceplate size to mount directly to the door frame or single gang sizes to be box mounted.

**Key cylinders not included, order separately. See related products.*

- 1/4" thick aluminum faceplates
- Alternate action or momentary
- SPDT or DPDT
- 22 gauge wire leads, 7"
- Tamper resistant, recessed cylinder
- Tamper resistant spanner screws
- 1" - 1 3/8" mortise cylinder compatible
- Large actuator for positive and consistent activation

ORDERING GUIDE

812AL		OPTIONS	
		L1G	L1R
		L2	
		LT	
		ATS	
		L2	ATS
801ALN	801AL		
802ALN	802AL		
805ALN	805AL		
806ALN	806AL		
807ALN	807AL		
808ALN	808AL		
809ALN	809AL		
811ALN	811AL		
812ALN	812AL		
813ALN	813AL		

MODEL

NOT REQUIRED

EXAMPLES

801AL	Single Gang, Alternate Action (AA) On/Off, SPDT, 628	164.00
802AL	Single Gang, Momentary (MO), SPDT, 628	164.00
801ALLT	Single Gang, Alternate Action (AA) On/Off, SPDT, 628, One Tri-Color LED	200.00
802ALL2ATS	Single Gang, Momentary (MO), SPDT, 628, One Green & One Red LED, ATS	236.00
801ALNL1R	Narrow, Alternate Action (AA) On/Off, SPDT, 628, One Red LED	189.00



Narrow



Single Gang



808ALLTATS



801ALL2

MODEL		● ○	LIST \$
801ALN	Narrow	Alternate Action (AA) On/Off, SPDT	164.00
802ALN	Narrow	Momentary (MO), SPDT	164.00
805ALN	Narrow	Alternate Action (AA) On/Off, DPDT	186.00
806ALN	Narrow	Momentary (MO), DPDT	186.00
807ALN	Narrow	(2) Momentary (MO), SPDT	210.00
808ALN	Narrow	(1) Momentary (MO), SPDT, (1) Alternate Action (AA)On/Off, SPDT	210.00
809ALN	Narrow	(1) Alternate Action (AA)On/Off, SPDT	210.00
811ALN	Narrow	(2) Momentary (MO), DPDT	240.00
812ALN	Narrow	(1) Momentary (MO), DPDT, (1) Alternate Action (AA) On/Off, DPDT	240.00
813ALN	Narrow	(2) Alternate Action (AA) On/Off, DPDT	240.00
801AL	Single Gang	Alternate Action (AA) On/Off, SPDT	164.00
802AL	Single Gang	Momentary (MO), SPDT	164.00
805AL	Single Gang	Alternate Action (AA) On/Off, DPDT	186.00
806AL	Single Gang	Momentary (MO), DPDT	186.00
807AL	Single Gang	(2) Momentary (MO), SPDT	210.00
808AL	Single Gang	(1) Momentary (MO), SPDT, (1) Alternate Action (AA)On/Off, SPDT	210.00
809AL	Single Gang	(1) Alternate Action (AA)On/Off, SPDT	210.00
811AL	Single Gang	(2) Momentary (MO), DPDT	240.00
812AL	Single Gang	(1) Momentary (MO), DPDT, (1) Alternate Action (AA) On/Off, DPDT	240.00
813AL	Single Gang	(2) Alternate Action (AA) On/Off, DPDT	240.00

OPTIONS		○ ●	ADD TO LIST
L1G	Visual Status Indicator (LED), One Green		25.00
L1R	Visual Status Indicator (LED), One Red		25.00
L2	Visual Status Indicator (LED), One Green & One Red		36.00
LT	Visual Status Indicator (LED), One Tri-Color		36.00
ATS	Anti-Tamper Switch (ATS)		36.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 1/4" x 3 3/4" x 2 3/4"	16.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00



PSB560 Series

Pressure Sense Bars

Stable and reliable pressure sense technology. Building codes essentially state that egress through access controlled doors must not require prior knowledge of operational requirements. Meeting this criteria, **SDC's patented SureExit® PSB560 series pressure sense bars** are designed to release electromagnetic door locks for uninhibited egress. When slight pressure is applied to the non-latching bar, either of the two redundant solid state pressure sensors are actuated causing the electronics to immediately release the electromagnetic door locks.

A third redundant micro switch is automatically activated to release the door if both sensors or the electronics fail. This automatic emergency release switch does not require prior knowledge to find or use. Door operation will continue without the inconvenience of emergency service.

The SDC SureExit® is the only tri-failsafe exit bar providing unequalled safety and reliability.

- Reliable pressure sense technology
- Sensor calibration not required
- Quick and quiet operation
- Tri-failsafe
- Heavy duty aluminum extrusion
- Metal end caps
- High traffic use
- Temperature tolerant
- Narrow, low-profile
- Two outputs
- Auto-sensing dual voltage

ORDERING GUIDE

		FINISH
		V
		Y
		S
		U
PSB560	V	36
MODEL		36
		42
		48
		LENGTH

EXAMPLES


PSB560V36	Pressure Sense Bar, 628, 36"	401.00
PSB560Y36	Pressure Sense Bar, 335, 36"	401.00
PSB560V42	Pressure Sense Bar, 628, 42"	401.00
PSB560V48	Pressure Sense Bar, 628, 48"	401.00
PSB560U36	Pressure Sense Bar, 630, 36"	543.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Electromagnetic Locks
Pages 08-17



Electromagnetic Shear Locks
Pages 18-25



Delayed Egress Locks
Pages 26-47



Keypads & Readers
Page 96



Power Transfer Devices
Page 134



Power Controllers
Pages 135-144

PSB560 CONFIGURATION 1 of 1

MODEL		LIST \$
PSB560	Pressure Sense Bar	401.00

FINISH		ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>	N/C
Y	335 Dull Black	N/C
S	629 Bright Stainless	142.00
U	630 Dull Stainless	142.00

LENGTH*		ADD TO LIST
36	36" Door Opening <small>Standard</small>	N/C
42	42" Door Opening	N/C
48	48" Door Opening	N/C

*May be field cut.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

500GL-KIT	Single Bar Glass Door Mounting Kit and Adhesive for 8-10 Bars	276.00
500GL-MB	Single Bar Glass Door Mounting Kit, No Adhesive	153.00
500-SK*	Shim Kit	29.00

*Used to raise bar from door. Recommended for wood or hollow metal doors with uneven mounting surface.



MSB550 Series

Mechanical Switch Bars

Building codes essentially state that egress through access controlled doors must not require prior knowledge of operational requirements. Meeting this criteria, SDC's MSB550 is designed to release electromagnetic door locks for uninhibited egress. When slight pressure is applied a microswitch is actuated, immediately releasing the electromagnetic door lock.

The MSB550 series bars are an economical alternative to sensor activated bars.

The MSB550 series uses heavy duty aluminum extrusion and metal caps. The mounting assembly is all metal, and no plastic. The rigid construction prevents any malfunction due to sagging or warped doors or tweaked glass door stiles. With a maximum total bar movement of only 1/8", trigger activation to release the electromagnetic lock is quick and quiet.

- 1/8" total bar movement
- Quick and quiet operation
- Heavy duty aluminum extrusion
- Metal end caps
- High traffic use
- Narrow, low-profile
- One output
- Power transfer loop included
- Easy installation and troubleshooting

ORDERING GUIDE

		FINISH	
		V	
		Y	
		S	
		U	
MSB550	V	42	
MSB550		36	
MSB550-2		42	
MSB550-2W		48	
MODEL		LENGTH	

EXAMPLES

MSB550V36	Mechanical Switch Bar, 628, 36"	248.00
MSB550Y36	Mechanical Switch Bar, 335, 36"	248.00
MSB550-2V36	Dual Mechanical Switch Bar, 628, 36"	282.00
MSB550-2Y36	Dual Mechanical Switch Bar, 335, 36"	282.00
MSB550-2WV36	Dual Mechanical Switch Bar, Weatherized, 628, 36"	408.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Electromagnetic Locks
Pages 08-17



Electromagnetic Shear Locks
Pages 18-25



Delayed Egress Locks
Pages 26-47



Keypads & Readers
Page 96



Power Transfer Devices
Page 134



Power Controllers
Pages 135-144

MSB550 CONFIGURATION 1 of 1

MODEL		● ○ ○	LIST \$
MSB550	Mechanical Switch Bar		248.00
MSB550-2	Dual Mechanical Switch Bar		282.00
MSB550-2W	Dual Mechanical Switch Bar, Weatherized		408.00

FINISH		○ ● ○	ADD TO LIST
V	628 Dull Aluminum <small>Standard</small>		N/C
Y	335 Dull Black		N/C
S*	629 Bright Stainless		164.00
U*	630 Dull Stainless		164.00

* Not available for MSB550-2W models.

LENGTH*		○ ○ ●	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		N/C
48	48" Door Opening		N/C


* May be field cut.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

500GL-KIT	Single Bar Glass Door Mounting Kit and Adhesive for 8-10 Bars	276.00
500GL-MB	Single Bar Glass Door Mounting Kit, No Adhesive	153.00
500-SK*	Shim Kit	29.00

* Used to raise bar from door. Recommended for wood or hollow metal doors with uneven mounting surface.



00500 Series

Retrofit Switch Kits

SDC's 00500 series retrofit switch kits provide electromagnetic lock release, delayed egress activation, request-to-exit (REX), alarm shunt or alarm activation.

Switch kits are field installed in the inactive hinge pad of rim mount exit devices, mortise exit devices, concealed vertical rod exit devices and surface vertical rod exit devices.

MODEL		LIST \$
00510	Von Duprin 33, 35, 98, 99	176.00
00510-2	Von Duprin 33, 35, 98, 99 (DPDT)	216.00
00510-F	Von Duprin 33, 35, 98, 99 (Fire-Rated)	176.00
00511	Von Duprin 55	176.00
00512	Von Duprin 88	176.00
00514	Dor-O-Matic 990, 1090, 1990, 2090	176.00
00515	Sargent 9300, 9400, 9500	176.00
00516	Sargent 9600, 9700, 9800, 9900	176.00
00517	Adams Rite 8300, 8400, 8700, 8800	176.00
00518	Precision Series 1100	176.00
00518-A	Precision Apex 2100 - 2800	176.00
00519	Jackson 1095	176.00
00519-2	Jackson 1095 (DPDT)	216.00
00520	Corbin 3000	176.00
00521	Corbin 7000	176.00
00525	Monarch 18, 19	176.00
00525-2	Monarch 18, 19 (DPDT)	216.00
00526	Corbin ED8200	176.00
00527	Sargent 80 & Arrow S3800, S120	176.00
00527-2	Sargent 80 & Arrow S3800, S120 (DPDT)	216.00
00528	Sargent 20, 60 & Yale 2100	176.00
00531	Yale 7000 & Corbin 4000, 5000	176.00
00535	Kawneer Panel Line Dor-O-Matic 1390	176.00
00536	Jackson 1295	176.00
00539	Cal Royal 9800	176.00
00540	Arrow 3000, 4000	176.00
00542	Hager 4700	176.00
00590	Dor-O-Matic 1690	176.00



410 Series

Narrow Push Button Switches

The illuminated switch button is two inches square for easy activation and is visually conspicuous. The high impact resistant material stands up to abuse. The "PUSH TO EXIT" sign complies with NFPA requirements.

The 410 series narrow frame mount exit switch assemblies include a large push button on a narrow frame mount plate with push switch signage "PUSH TO EXIT".

Code compliant manual releasing devices and sensors, 413MN exit switches used together with MD-31D motion sensors comply with manual releasing device and sensor device requirements for access-controlled egress doors.

- Green or red illuminated switch buttons
- Stainless steel faceplate
- Push-to-exit sign
- Green and red lens included*
- Auto-sensing dual voltage

*413M models include green lens only.

ORDERING GUIDE

		FINISH	
		U	
		S	
		C	
		H	
		D	
		P	
412N	U	LT	
412N		L1G	
413N		L1R	
413MN		L2	
413PN		LT	
414N		E	
415N		B	
MODEL		OPTIONS	

NOT REQUIRED

EXAMPLES

412NU	Narrow, Momentary (MO), SPDT, 630	81.00
413NU	Narrow, Electronic Timer, Adjustable (1-60 seconds), DPDT, 630	158.00
413MNU	Narrow, Electronic Timer, Fixed (30 seconds), DPDT, 630	161.00
413PNU	Narrow, Pneumatic Timer, Adjustable (1-45 seconds), DPST, 630	373.00
413NUL1G	Narrow, Electronic Timer, Adjustable (1-60 seconds), DPDT, 630, Green LED	183.00



PUSH TO EXIT



[blank]

410 CONFIGURATION 1 of 1

MODEL			● ○ ○	LIST \$
412N	Narrow	Momentary (MO), SPDT		81.00
413N	Narrow	Electronic Timer, Adjustable (1-60 seconds), DPDT		158.00
413MN	Narrow	Electronic Timer, Fixed (30 seconds), DPDT		161.00
413PN	Narrow	Pneumatic Timer, Adjustable (1-45 seconds), DPST		373.00
414N	Narrow	Momentary (MO), DPDT		99.00
415N*	Narrow	Alternate Action (AA) On/Off, DPDT		123.00

* 415 models are not illuminated

FINISH			○ ● ○	ADD TO LIST
U	630 Dull Stainless			N/C
S	629 Bright Stainless			48.00
C	605 Bright Brass			48.00
H	613 Dark Oil Rubbed Bronze			48.00
D	606 Dull Brass			48.00
P	625 Bright Chrome			48.00

OPTIONS			○ ○ ●	ADD TO LIST
L1G	Visual Status Indicator (LED), One Green			25.00
L1R	Visual Status Indicator (LED), One Red			25.00
L2	Visual Status Indicator (LED), One Green & One Red			36.00
LT	Visual Status Indicator (LED), One Tri-Color			36.00
E*	Add "EXIT" Sign			14.00
B**	No Sign, Blank			N/C

* Available for alternative action 415 models only.

** Available for 412 and 414 models only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 1/4" x 3 3/4" x 2 3/4"	16.00
MD-31DB	PIR Motion Sensor, Black	262.00
MD-31DOW	PIR Motion Sensor, White	262.00



420 Series

Push Button Switches

The illuminated switch button is two inches square for easy activation and is visually conspicuous. The high impact resistant material stands up to abuse. The "PUSH TO EXIT" sign complies with NFPA requirements. The 422A is designed for access and egress ADA applications.

The 420 series utilizes 2" illuminated buttons. The standard "EXIT" signage is large for easy identification. The high impact resistant material stands up to abuse.

Code compliant manual releasing devices and sensors, 423MN exit switches used together with MD-31D motion sensors comply with manual releasing device and sensor device requirements for access-controlled egress doors.

- Illuminated buttons
- Green, red or ADA blue
- Stainless steel faceplate
- Push-to-exit or handicap sign
- Green and red lens included*
- Auto-sensing dual voltage

*423M models include green lens only.

ORDERING GUIDE

	FINISH	
	U	
	S	
	C	
	H	
	D	
	P	
422	U	L1G
422		L1G
422A		L1R
423		L2
423M		LT
423A		E
423P		B
424		
425		
		OPTIONS
MODEL		

NOT REQUIRED

EXAMPLES

422U	Single Gang, Momentary (MO), SPDT, 630	81.00
423U	Single Gang, Electronic Timer, Adjustable (1-60 seconds), DPDT, 630	158.00
423MU	Single Gang, Electronic Timer, Fixed (30 seconds), DPDT, 630	161.00
423PU	Single Gang, Pneumatic Timer, Adjustable (1-45 seconds), DPST, 630	373.00
423MUL1G	Single Gang, Electronic Timer, Fixed (30 seconds), DPDT, 630, Green LED	186.00



PUSH TO EXIT



[blank]

MODEL	●○○○			LIST \$
422	Single Gang	Momentary (MO), SPDT	PUSH TO EXIT	81.00
422A	Single Gang	Momentary (MO), SPDT		83.00
423	Single Gang	Electronic Timer, Adjustable (1-60 seconds), DPDT	PUSH TO EXIT	158.00
423M	Single Gang	Electronic Timer, Fixed (30 seconds), DPDT	PUSH TO EXIT	161.00
423A	Single Gang	Electronic Timer, Adjustable (1-60 seconds), DPDT		158.00
423P	Single Gang	Pneumatic Timer, Adjustable (1-45 seconds), DPST	PUSH TO EXIT	373.00
424	Single Gang	Momentary (MO), DPDT	PUSH TO EXIT	123.00
425*	Single Gang	Alternate Action (AA) On/Off, DPDT	[blank]	123.00

* 425 models are not illuminated

FINISH	○○●○		ADD TO LIST
U	630 Dull Stainless		N/C
S	629 Bright Stainless		48.00
C	605 Bright Brass		48.00
H	613 Dark Oil Rubbed Bronze		48.00
D	606 Dull Brass		48.00
P	625 Bright Chrome		48.00

OPTIONS	○○●○		ADD TO LIST
L1G	Visual Status Indicator (LED), One Green		25.00
L1R	Visual Status Indicator (LED), One Red		25.00
L2	Visual Status Indicator (LED), One Green & One Red		36.00
LT	Visual Status Indicator (LED), One Tri-Color		36.00
E*	Add "EXIT" Sign		14.00
B**	No Sign, Blank		N/C

* Available for 425 models only.

** Available for 422 and 424 models only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 1/4" x 3 3/4" x 2 3/4"	16.00
MD-31DB	PIR Motion Sensor, Black	262.00
MD-31DOW	PIR Motion Sensor, White	262.00



430 Series

Small Mushroom Button Switches

SDC's 430 heavy duty industrial series incorporates a 1½" round mushroom button with heavy duty contacts. The assembly is capable of withstanding high impact and is ideal for heavy duty high frequency use.

432K models latch when depressed and must be reset with the built-in-key. Applications include alarm, panic alarm and emergency door release where systems are restored by authorized personnel only.

- 1½" mushroom exit switches
- Heavy duty to withstand impact
- Water resistant contacts
- High frequency use
- Screw terminal wire connections
- Green button standard*

*Red button is standard for 432K models.

ORDERING GUIDE

	FINISH		
		U	
		S	
		C	
		H	
		D	
		P	
432KLD	U	R	
431CN		R	
431ON		L1G	
432CN		L1R	
432ON		L2	
432KN		LT	
434N		E	
435N		B	
431C			
431O			
432C			
432O			
432K			
432KLD			
434			
435			
		OPTIONS	

NOT REQUIRED

EXAMPLES

432KUR	Single Gang, Momentary (MO) Latching w/ Key Reset, DPST, 630, Red Button	251.00
431CNU	Narrow, Alternate Action (AA) On/Off, SPST-NC, 630	129.00
432OU	Single Gang, Momentary (MO), SPST-NO, 630	129.00
432KLDUR	Single Gang, Momentary (MO) Latching w/ Key Reset, DPST, 630, Red Button	269.00
432KLDURL2	Single Gang, Momentary (MO) Latching w/ Key Reset, DPST, 630, Red Button, LED	305.00



Narrow



Single Gang



Latching



432KLDUR

MODEL			● ○ ○	LIST \$
431CN	Narrow	Alternate Action (AA) On/Off, SPST-NC	[blank]	129.00
431ON	Narrow	Alternate Action (AA) On/Off, SPST-NO	[blank]	129.00
432CN	Narrow	Momentary (MO), SPST-NC	EXIT	129.00
432ON	Narrow	Momentary (MO), SPST-NO	EXIT	129.00
432KN*	Narrow	Momentary (MO) Latching w/ Key Reset, DPST	[blank]	251.00
434N	Narrow	Momentary (MO), DPST	EXIT	158.00
435N	Narrow	Alternate Action (AA) On/Off, DPST	[blank]	158.00
431C	Single Gang	Alternate Action (AA) On/Off, SPST-NC	[blank]	129.00
431O	Single Gang	Alternate Action (AA) On/Off, SPST-NO	[blank]	129.00
432C	Single Gang	Momentary (MO), SPST-NC	EXIT	129.00
432O	Single Gang	Momentary (MO), SPST-NO	EXIT	129.00
432K*	Single Gang	Momentary (MO) Latching w/ Key Reset, DPST	[blank]	251.00
432KLD*	Single Gang	Momentary (MO) Latching w/ Key Reset, DPST	LOCKDOWN	269.00
434	Single Gang	Momentary (MO), DPST	EXIT	158.00
435	Single Gang	Alternate Action (AA) On/Off, DPST	[blank]	158.00

* Latching models only available with red mushroom button. Must specify option "R".

FINISH		○ ● ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C
S	629 Bright Stainless		48.00
C	605 Bright Brass		48.00
H	613 Dark Oil Rubbed Bronze		48.00
D	606 Dull Brass		48.00
P	625 Bright Chrome		48.00

OPTIONS		○ ○ ●	ADD TO LIST
R	Red Button		N/C
L1G	Visual Status Indicator (LED), One Green		25.00
L1R	Visual Status Indicator (LED), One Red		25.00
L2	Visual Status Indicator (LED), One Green & One Red		36.00
LT	Visual Status Indicator (LED), One Tri-Color		36.00
E*	Add "EXIT" Sign		14.00
B**	No Sign, Blank		N/C

* Available for 431 and 435 models only.

** Available for 432 and 433 models only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 1/4" x 3 3/4" x 2 3/4"	16.00
------	---	-------



440 Series

Large Mushroom Button Switches

The conspicuous **440 heavy duty industrial series switch assemblies** incorporate a 2 $\frac{5}{8}$ " inch diameter mushroom button and heavy duty weather resistant contacts. The large double gang mushroom assembly includes a heavy duty steel bezel around the button to guard against abuse. When utilized as an exit or REX switch, the assembly is easy to activate and stands out for persons without prior knowledge of egress operation.

In addition to egress applications, the large assembly is ideal as an easy to activate emergency/panic alarm switch.

- 2 $\frac{5}{8}$ " mushroom exit switches
- Heavy duty to withstand impact
- Water resistant contacts
- Easy emergency/panic activation
- High frequency use
- Screw terminal wire connections
- Red button standard

ORDERING GUIDE

	FINISH	
	U	
	S	
	C	
	H	
	D	
	P	
446	U	L1G
446		G
441		L1G
442		L1R
444		L2
		LT
		E
		B
MODEL		OPTIONS

NOT REQUIRED

EXAMPLES

446U	Single Gang, Momentary (MO), DPST, 630	146.00
441U	Double Gang, Alternate Action (AA) On/Off, DPST, 630	222.00
442UL1G	Double Gang, Momentary (MO), DPST, 630, LED	247.00
444UG	Double Gang, Momentary (MO), DPST (2), 630, Green Button	246.00



446



441



442, 444

440 CONFIGURATION 1 of 1

MODEL				●○○	LIST \$
446	Single Gang	Momentary (MO), DPST	EXIT		146.00
441	Double Gang	Alternate Action (AA) On/Off, DPST	[blank]		222.00
442	Double Gang	Momentary (MO), DPST	EXIT		222.00
444	Double Gang	Momentary (MO), DPST (2)	EXIT		246.00

FINISH				○○●	ADD TO LIST
U	630 Dull Stainless	Standard			N/C
S	629 Bright Stainless				48.00
C	605 Bright Brass				48.00
H	613 Dark Oil Rubbed Bronze				48.00
D	606 Dull Brass				48.00
P	625 Bright Chrome				48.00

OPTIONS				○○●	ADD TO LIST
G	Green Button				N/C
L1G	Visual Status Indicator (LED), One Green				25.00
L1R	Visual Status Indicator (LED), One Red				25.00
L2	Visual Status Indicator (LED), One Green & One Red				36.00
LT	Visual Status Indicator (LED), One Tri-Color				36.00
E*	Add "EXIT" Sign				14.00
B**	No Sign, Blank				N/C

* Available for 446 models only.

** Available for 446, 442, 443 and 444 models only.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 1/4" x 3 3/4" x 2 3/4"	16.00
------	---	-------



450 Series

Vandal Push Button Switches

SDC's 450 series vandal resistant push button switches incorporate a 1/4" thick aluminum faceplate and an all stainless steel button. The assembly will resist the impact of a hammer blow. In addition, security spanner mounting screws are concealed by tamper resistant aluminum plugs to inhibit tampering.

453P models include a 1 to 45 second pneumatic timer for delayed re-locking.

- Stainless steel push button
- Heavy duty thick aluminum faceplate
- Security screws

MODEL		LIST \$
451NV	Narrow, Alternate Action (AA) On/Off, 628	176.00
453PNV	Narrow, Pneumatic Timer, Adjustable, 628	496.00
451V	Single Gang, Alternate Action (AA) On/Off, 628	176.00
453PV	Single Gang, Pneumatic Timer, Adjustable, 628	496.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 1/4" x 3 3/4" x 2 3/4"	16.00
-------------	---	--------------



460 Series

Capacitive Touch Sensors

SDC's 460 series capacitive touch sensors are heavy duty vandal resistant exit switches designed for indoor, commercial and industrial egress applications. Constructed of stainless steel and utilizing capacitive sensor technology, the switch is ideal for high traffic conditions. The vandal resistant design ensures superior performance in virtually any environment.

The switch features an integrated output timer that is adjustable for 1 - 40 seconds or toggle on/off and switch selectable illumination status. Brilliant red and vibrant green can be selected to show relay ON or OFF status.

460 series switches can be used to control an automatic door, electromechanical lock, strike or magnetic lock. It may also be tied into the remote bypass (REX) input of an access control system, or used to shunt an alarm system to allow egress from a secure area.

- Vandal resistant stainless steel
- Capacitive touch sensor
- Selectable bi-color illumination status
- Field selectable adjustable timer or alternate action (on/off)
- Auto-sensing dual voltage

MODEL		LIST \$
463NU	Narrow, Capacitive Touch Sensor, 630	153.00
463U	Single Gang, Capacitive Touch Sensor, 630	153.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 ¹ / ₄ " x 3 ³ / ₄ " x 2 ³ / ₄ "	16.00
-------------	--	--------------



470 Series

No Touch Sensors

SDC's 470 series touchless switches use active IR sensor technology. A simple wave of the hand in front of the 470 touchless switch activates the switch to control electric locks/ strikes, magnetic locks or automatic door operators for entry or egress. 470 series touchless switches come standard with an adjustable 2"-7" activation read range.

The dual LED, illuminated sensor, clearly indicates status. The red LED indicates inactive status, which changes to a temporary green LED state to indicate activation. Ideal for, but not limited to, facilities that require contamination control. Touchless switches help **reduce the spread of infection and disease** in any application.

- Wave-to-open activation
- Active IR sensor technology
- Adjustable sensing range 2"-7"
- Adjustable relay activation time
- Illuminated dual LED sensor
- Durable stainless steel faceplate
- 8" wire harness
- Field selectable dual voltage

MODEL		LIST \$
474U	Single Gang, Active IR Sensor, SPDT, 630	87.00
474MU	Single Gang, Active IR Sensor with Manual Override, SPDT, 630	229.00
474DU	Double Gang, Active IR Sensor, SPDT, 630	150.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

BB1D	Single Gang Retrofit Back Box, 2 $\frac{1}{4}$ " x 3 $\frac{3}{4}$ " x 2 $\frac{3}{4}$ "	16.00
-------------	--	--------------



MD-31D Series

Request-to-Exit PIR Motion Sensors

SDC's MD-31D series motion

sensors are passive infrared detector specifically designed for request-to-exit applications. The coverage field is internally pointable. When angled 14 degrees down, coverage may be 5' x 6' at 7' feet high for 10' x 12' at 15' high. The MD-31D projects a wrap around "U" pattern down and away from the door to inhibit tampering.

The MD-31D complies with national fire and building code requirements for access controlled egress doors.

- Passive infrared detection
- Adjustable relock time delay (RTD)
- Frame header, wall or ceiling mount
- Complies with NFPA applications
- Code compliant failsafe mode*
- Auto-sensing dual voltage

**For MD-31DOW only, lock releases when power to PIR sensor is interrupted.*

MODEL		LIST \$
MD-31DB	Request-To-Exit PIR Motion Sensor, Black	262.00
MD-31DOW	Request-To-Exit PIR Motion Sensor, White	262.00

Emergency Door Releases



491



492



APB1000A

MODEL		LIST \$
491	Emergency Break Glass Station	210.00
492	Emergency Pull Station	173.00
492WP*	Emergency Pull Station, Weatherized	408.00
APB1000A	Emergency Access Panel	408.00

*Backbox included.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

491-GL4	491 Replacement Glass Plates, Quantity 4	30.00
491-BB	491 Blue Surface Mount Back Box, 5¼" x 3¼" x 1½"	71.00
492-GL4	492 Replacement Glass Plates, Quantity 4	25.00
492-BB	492 Blue Surface Mount Back Box, 4¾" x 3⅛" x 1⅝"	48.00



AUTO Series

Low Energy Swing Door Operators

SDC's operator is built with a state-of-the-art microprocessor-based unit that is self-tuning and self-learning while offering non-handed operation, full-mechanical stops and a variety of interface options for sensors, push-plates, fire alarms and electrified locks.

SDC's operator is belt driven with a combination of gears and pulleys which requires less torque, less power, absorbs more abuse, and is quieter than other automatic door openers while complying with all US and Canadian ADA requirements. Onboard diagnostics simplifies troubleshooting for ease of installation and all SDC operators can be easily configured for surface mounted push/pull applications. ANSI certified not required for initial installation.

- Single button, self-tuning setup
- Extremely quiet operation
- Momentary back pressure relief
- Obstruction detection
- Power close option
- Hold-open timer
- External function switches
- Built-in 1 Amp power supply
- Onboard lock sequencing
- Preset dip switches for alternative functions
- Non-handed
- Push or pull compatible
- Spindles included
- High traffic use

ORDERING GUIDE

	FUNCTION		
	1		
	2		
	3		FINISH
	4		V
			X
AUTOS	1	36	V
AUTOS		36	
AUTOP		42	
		48	
		72	
		84	
		96	
		LENGTH	

ADA CONTROLS

EXAMPLES

AUTOS136V	Single, Push Arm, 35mm Spindle, 36" Door, 39" Housing, 628	2,654.00
AUTOS136X	Single, Push Arm, 35mm Spindle, 36" Door, 39" Housing, 710	2,976.00
AUTOS236V	Single, Pull Arm, 20mm Spindle, 36" Door, 39" Housing, 628	2,654.00
AUTOS236X	Single, Pull Arm, 20mm Spindle, 36" Door, 39" Housing, 710	2,976.00
AUTOS336V	Single, Arm Kit, 35mm and 20mm Spindles, 36" Door, 39" Housing, 628	2,953.00
AUTOP172V	Double, Push Arms, 35mm Spindles, 72" Door, 75" Housing, 628	5,585.00
AUTOP472V	Double, Double Egress, 80mm and 20mm Spindles, 72" Door, 75" Housing, 628	6,028.00

COMPONENT CONSIDERATIONS

With a robust toolbox of over 35,000 SDC access & control components at your fingertips, you can add additional components to complement the products you're ordering and assemble a turnkey solution for almost any controlled door opening system imagined.



Push Plates & Panels
Pages 131-132



Bollards
Page 133




Keypads & Readers
Page 96



Exit Switches & Sensors
Pages 116-127



Power Transfer Devices
Page 134



Exit Devices & Retrofit ELR Kits
Pages 71-85

AUTO CONFIGURATION 1 of 1

MODEL	●○○○	LIST \$
AUTOS	One Drive Unit, Single Door Operation	2,654.00
AUTOP	Two Drive Units, Double Door Operation	5,370.00

FUNCTION	○●○○	ADD TO LIST
1	Push Arm(s), 35mm Spindle(s)	N/C
2	Pull Arm(s), 20mm Spindle(s)	N/C
3*	Arm Kit, (1) Push and (1) Pull Arm, 35mm and 20mm Spindles	299.00
4**	(1) Push and (1) Double Egress Arm, 80mm and 20mm Spindles	443.00

* Available for AUTOS models only.

** Available for AUTOP models only.

LENGTH	○○●○	ADD TO LIST
36*	36" Door Opening, 39" Housing Length	N/C
42*	42" Door Opening, 45" Housing Length	N/C
48*	48" Door Opening, 51" Housing Length	N/C
72**	72" Door Opening, 75" Housing Length	215.00
84**	84" Door Opening, 87" Housing Length	215.00
96**	96" Door Opening, 99" Housing Length	215.00

* Available for AUTOS models only.

**Not available for AUTOS3 models.

FINISH	○○○●	ADD TO LIST	
		SINGLE	DOUBLE
V	628 Dull Aluminum <small>Standard</small>	N/C	N/C
X	710 Dark Bronze	322.00	575.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

AUTO-AEV	Arm Extension for PUSH Arm for Reveal >8" (13" max), 628	113.00
AUTO-AEX	Arm Extension for PUSH Arm for Reveal >8", 710	158.00
SP20	20 mm Spindle	86.00
SP35	35 mm Spindle	86.00
SP50	50 mm Spindle	86.00
SP80	80 mm Spindle	101.00
AUTO-IR	Presence Sensor and Door Activator 48", Length Field-Adjustable	384.00
AUTO-KS	Single Gang Key Lock Switch	203.00
AUTO-KSN	Narrow Key Lock Switch	203.00
AUTO-RKR	Narrow Rocker Switch	108.00
AUTO-PROG	Handheld Programmer	1,038.00

Push Plates & Panels



Narrow Push Plate



Single Gang Push Plate



4 1/2" Square Push Plate



4 1/2" Round Push Plate



6" Square Push Plate



6" Round Push Plate

MODEL		LIST \$
48201U	Narrow Push Plate, SPDT, PUSH TO OPEN, 630	73.00
482A1U	Narrow Push Plate, SPDT, ♿ PUSH TO OPEN, 630	73.00
482B1U	Narrow Push Plate, SPDT, ♿ PUSH TO OPEN, 630	73.00
48202U	Single Gang Push Plate, SPDT, PUSH TO OPEN, 630	185.00
482A2U	Single Gang Push Plate, SPDT, ♿ PUSH TO OPEN, 630	185.00
48402U	Single Gang Push Plate, DPDT, PUSH TO OPEN, 630	215.00
484A2U	Single Gang Push Plate, DPDT, ♿ PUSH TO OPEN, 630	215.00
48204U	4 1/2" Square Push Plate, SPDT, PUSH TO OPEN, 630	94.00
482A4U	4 1/2" Square Push Plate, SPDT, ♿ PUSH TO OPEN, 630	94.00
482B4U	4 1/2" Square Push Plate, SPDT, ♿ PUSH TO OPEN, 630	94.00
48404U	4 1/2" Square Push Plate, DPDT, PUSH TO OPEN, 630	122.00
484A4U	4 1/2" Square Push Plate, DPDT, ♿ PUSH TO OPEN, 630	122.00
484B4U	4 1/2" Square Push Plate, DPDT, ♿ PUSH TO OPEN, 630	122.00
48204RU	4 1/2" Round Push Plate, SPDT, PUSH TO OPEN, 630	96.00
482A4RU	4 1/2" Round Push Plate, SPDT, ♿ PUSH TO OPEN, 630	96.00
482B4RU	4 1/2" Round Push Plate, SPDT, ♿ PUSH TO OPEN, 630	96.00
48404RU	4 1/2" Round Push Plate, DPDT, PUSH TO OPEN, 630	124.00
484A4RU	4 1/2" Round Push Plate, DPDT, ♿ PUSH TO OPEN, 630	124.00
484B4RU	4 1/2" Round Push Plate, DPDT, ♿ PUSH TO OPEN, 630	124.00
48206U	6" Square Push Plate, SPDT, PUSH TO OPEN, 630	101.00
482A6U	6" Square Push Plate, SPDT, ♿ PUSH TO OPEN, 630	101.00
482B6U	6" Square Push Plate, SPDT, ♿ PUSH TO OPEN, 630	101.00
48406U	6" Square Push Plate, DPDT, PUSH TO OPEN, 630	129.00
484A6U	6" Square Push Plate, DPDT, ♿ PUSH TO OPEN, 630	129.00
484B6U	6" Square Push Plate, DPDT, ♿ PUSH TO OPEN, 630	129.00
48206RU	6" Round Push Plate, SPDT, PUSH TO OPEN, 630	101.00
482A6RU	6" Round Push Plate, SPDT, ♿ PUSH TO OPEN, 630	101.00
482B6RU	6" Round Push Plate, SPDT, ♿ PUSH TO OPEN, 630	101.00
48406RU	6" Round Push Plate, DPDT, PUSH TO OPEN, 630	129.00
484A6RU	6" Round Push Plate, DPDT, ♿ PUSH TO OPEN, 630	129.00
484B6RU	6" Round Push Plate, DPDT, ♿ PUSH TO OPEN, 630	129.00

Continued on next page.



Vestibue Push Plate



36" x 6" Push Panel

482A4VWPU	Vestibule Push Plate, SPDT, ♿ ↔ PUSH TO OPEN, 630	426.00
482A4VPU	Vestibule Push Plate, SPDT, ↔ PUSH TO OPEN, 630	426.00
482AA36V	36" x 6" Push Panel, SPDT, ♿ PUSH TO OPEN, 628	775.00
484AA36V	36" x 6" Push Panel, DPDT, ♿ PUSH TO OPEN, 628	900.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

482S-KIT	Wireless Push Plate Kit, Square Plates	650.00
482R-KIT	Wireless Push Plate Kit, Round Plates	700.00
482S-CBCKIT	Wireless Push Plate Kit, CBC High-Low Compliant	1,050.00
400RC433	433MHz One Channel Wireless Receiver	183.00
400W1-433	433MHz Micro Wireless Transmitter	149.00
400-1B	Narrow, Surface Box, 1¾" x 4⅞" x 1¾"	32.00
480-2SB	Single Gang, Surface Box, 2¾" x 4½" x 1⅝"	66.00
480-4FB	4½" Square, Flush Recessed Box, 6¾" x 6¾" x 2⅛"	71.00
480-4SBB	4½" Square, Surface Box with Battery Compartment, 4½" x 4½" x 1¾"	79.00
480-4SB	4½" Square, Surface Box, 5½" x 5½" x 2⅛"	71.00
480-4RSB	4½" Round, Surface Box, 5" x 2⅛"	63.00
480-4RG	Gasket for 480-4RSB or 480-4RFB, 4½" Round	18.00
480-4RFB	4½" Round, Flush Recessed Escutcheon, 6⅜"	71.00
480-6SBB	6" Square, Surface Box with Battery Compartment, 4½" x 4½" x 1¾"	47.00
480-6RSB	6" Round, Surface Box, 6⅞" x 2⅛"	63.00
480-6RG	Gasket for 480-6RSB or 480-6RFB, 6" Round	19.00
480-6RFB	6" Round, Flush Recessed Escutcheon, 7¾"	71.00

Bollards



BP



CBC482A4U

MODEL		LIST \$
BPS6AV	Surface Mount Bollard, 6" x 6" x 42", Narrow Switch Prep, 628	455.00
BPS6AX	Surface Mount Bollard, 6" x 6" x 42", Narrow Switch Prep, 710	665.00
BPS6SV*	Surface Mount Bollard, 6" x 6" x 42", Single Gang Switch Prep, 628	455.00
BPS6SX*	Surface Mount Bollard, 6" x 6" x 42", Single Gang Switch Prep, 710	665.00
BPS6DV*	Surface Mount Bollard, 6" x 6" x 42", Double Gang Switch Prep, 628	455.00
BPS6DX*	Surface Mount Bollard, 6" x 6" x 42", Double Gang Switch Prep, 710	665.00
BPS6PV	Surface Mount Bollard, 6" x 6" x 42", Push Panel Prep, 628	455.00
BPS6PX	Surface Mount Bollard, 6" x 6" x 42", Push Panel Prep, 710	665.00
BPG6AV	In-Ground Bollard, 6" x 6" x 54", Narrow Switch Prep, 628	455.00
BPG6AX	In-Ground Bollard, 6" x 6" x 54", Narrow Switch Prep, 710	665.00
BPG6SV	In-Ground Bollard, 6" x 6" x 54", Single Gang Switch Prep, 628	455.00
BPG6SX	In-Ground Bollard, 6" x 6" x 54", Single Gang Switch Prep, 710	665.00
BPG6DV	In-Ground Bollard, 6" x 6" x 54", Double Gang Switch Prep, 628	455.00
BPG6DX	In-Ground Bollard, 6" x 6" x 54", Double Gang Switch Prep, 710	665.00
BPG6PV	In-Ground Bollard, 6" x 6" x 54", Push Panel Prep, 628	455.00
BPG6PX	In-Ground Bollard, 6" x 6" x 54", Push Panel Prep, 710	665.00
CBC482A4U	CBC Compliant Surface Mount Bollard, 6" x 6" x 42", Push Plates Included, 628	751.00

* Prep accommodates ADA push plates. See product datasheet or installation instructions for prep dimensions.

ADA CONTROLS

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

400RC433	433MHz One Channel Wireless Receiver	183.00
400W1-433	433MHz Micro Wireless Transmitter	149.00

Power Transfer Devices



PTH



PT-3, PT-5



PTM



WPT



7000-DGK

MODEL		LIST \$
PTH-4Q	Four Conductor Hinge, 626	169.00
PTH-4QDPS	Four Conductor Hinge, 626, DPS	229.00
PTH-2+4Q	Six Conductor Hinge, 626	201.00
PTH-2+4QDPS	Six Conductor Hinge, 626, DPS	259.00
PTH-10Q	Ten Conductor Hinge, 626	223.00
PTH-10QDPS	Ten Conductor Hinge, 626, DPS	286.00
PT-2U	Surface Loop, Plastic End Caps	24.00
PT-3V	Surface Loop, Aluminum Box End Caps	53.00
PT-3/8V	Surface Loop, Aluminum Box End Caps, 3/8" ID	71.00
PT-5	Concealed Mortise Loop	71.00
PTM-2AL	Two Conductor Mortise Device, Aluminum Powder Coat	422.00
PTM-2BZ	Two Conductor Mortise Device, Dark Bronze Powder Coat	422.00
PTM-10AL	Ten Conductor Mortise Device, Aluminum Powder Coat	422.00
PTM-10BZ	Ten Conductor Mortise Device, Dark Bronze Powder Coat	422.00
WPT	Wireless Power Transfer Device	445.00
7000-DGK	Laser Guided Wire Raceway Drill Fixture Kit	810.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

7000-DB3/8	Replacement Evacuator Drill Bit, 3/8" x 50"	105.00
7000-PD1/4X6	Replacement Pilot Drill Bit, 1/4" x 6"	29.00



602 Series

1 Amp Power Controllers

Access control system power requirements are uniquely different from other systems.

SDC power supplies have been developed specifically to help reduce power system issues and to support electric locks and access control requirements. Our hybrid design combines the efficiency of switching power supplies with the inductive load handling capability of linear power supplies in various 12/24 VDC current output capabilities and enclosure sizes. Filtering and output voltage regulation provide protection and ensure the longevity of all system components.

- Regulated & filtered linear DC power
- Class 2 output
- Field selectable dual voltage
- Fire/emergency release input
- Isolated battery charging circuit
- Low battery disconnect
- Input & output surge protection
- Visual status indicator (LED)
- Cabinet enclosures with pre-configured control module mounting holes*

*Applies to RF and RFA models only.

ORDERING GUIDE

OPTIONS		
	XMR	
	XPS-1	
	XPS-1A	
	XPC	
	XKL	
	-220	
MODEL		DOOR CONTROLS
602RF	XMR XPS-1 XPC XKL	XUR-1
602RF		XUR-1
602RFA		XUR2-4
602RFL		XUR4-8
		XFB4
		XCR4
		XACM-1
		XEMC
		X12VR

NOT REQUIRED

EXAMPLES

602RF	1 Amp DC Power, Cabinet	323.00
602RFA	1 Amp DC Power, Large Cabinet	441.00
602RFXMR	1 Amp DC Power, Cabinet, Fire/Emergency Release Manual Reset	367.00
602RFKXUR-1	1 Amp DC Power, Cabinet, Key Lock Cover, Microprocessor Door Controller	480.00
602RFXUR-1	1 Amp DC Power, Cabinet, Microprocessor Door Controller	436.00



602RF



602RFA



602RFL

602 CONFIGURATION 1 of 1

MODEL		● ○ ○	LIST \$
602RF	1 Amp DC Power Controller With Cabinet		323.00
602RFA	1 Amp DC Power Controller With Large Cabinet		441.00
602RFL	1 Amp DC Power Controller Less Cabinet		270.00

OPTIONS		○ ● ○	ADD TO LIST
XMR	Fire/Emergency Release Manual Reset Switch		44.00
XPS-1	Power On/Off Inside Cabinet Enclosure		44.00
XPS-1A	Power On/Off On Cabinet Enclosure Cover		44.00
XPC	6' Power Cord		44.00
XKL	Key Lock Cover		44.00
-220	230 VAC, 50/60 Hz		N/C

CONTROLS		○ ○ ●	ADD TO LIST
XUR-1	Microprocessor Controller, Two Relays		113.00
XUR2-4*	Microprocessor Controller, Four Relays		257.00
XUR4-8*	Microprocessor Controller, Eight Relays		362.00
XFB4	Multiple Fused Output Relay		98.00
XCR4	Four Station Control Relay		194.00
XACM-1	Six Station Input Control Relay		105.00
XEMC	Exit Device Sequencer		176.00
X12VR	Voltage Control Regulator, 12VDC		76.00

*UR2-4 and UR4-8 boards can only be accommodated in the RFA large cabinet enclosure.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

RB12V4	12V/5Ah Battery	48.00
RB12V4-2	12V/5Ah Battery, Qty 2 Pack	96.00
RB12V7	12V/7Ah Battery	71.00
RB12V7-2	12V/7Ah Battery, Qty 2 Pack	142.00



631 Series

1.5 Amp Power Controllers

Access control system power requirements are uniquely different from other systems.

SDC power supplies have been developed specifically to help reduce power system issues and to support electric locks and access control requirements. Our hybrid design combines the efficiency of switching power supplies with the inductive load handling capability of linear power supplies in various 12/24 VDC current output capabilities and enclosure sizes. Filtering and output voltage regulation provide protection and ensure the longevity of all system components.

- Regulated & filtered linear DC power
- Class 2 output
- Field selectable dual voltage
- Fire/emergency release input
- Isolated battery charging circuit
- Low battery disconnect
- Input & output surge protection
- Visual status indicator (LED)
- Cabinet enclosures with pre-configured control module mounting holes*

*Applies to RF and RFA models only.

ORDERING GUIDE

OPTIONS		
	XPS-1	
	XPS-1A	
	XPC	
	XKL	
	-220	
MODEL	OPTIONS	DOOR CONTROLS
631RF	XPS-1 XPC XKL	XUR-1
631RF		XUR-1
631RFA		XUR2-4
631RFL		XUR4-8
		XFB4
		XCR4
		XACM-1
		XEMC
		X12VR

NOT REQUIRED

EXAMPLES

631RF	1.5 Amp DC Power, Cabinet	401.00
631RFA	1.5 Amp DC Power, Large Cabinet	498.00
631RFXPC	1.5 Amp DC Power, Cabinet, 6' Power Cord	445.00
631RFXKLXUR-1	1.5 Amp DC Power, Cabinet, Key Lock Cover, Microprocessor Door Controller	558.00
631RFXUR-1	1.5 Amp DC Power, Cabinet, Microprocessor Door Controller	514.00



631RF



631RFA



631RFL

631 CONFIGURATION 1 of 1

MODEL		LIST \$
631RF	1.5 Amp DC Power Controller With Cabinet	401.00
631RFA	1.5 Amp DC Power Controller With Large Cabinet	498.00
631RFL	1.5 Amp DC Power Controller Less Cabinet	305.00

OPTIONS		ADD TO LIST
XPS-1	Power On/Off Inside Cabinet Enclosure	44.00
XPS-1A	Power On/Off On Cabinet Enclosure Cover	44.00
XPC	6' Power Cord	44.00
XKL	Key Lock Cover	44.00
-220	230 VAC, 50/60 Hz	N/C

CONTROLS		ADD TO LIST
XUR-1	Microprocessor Controller, Two Relays	113.00
XUR2-4*	Microprocessor Controller, Four Relays	257.00
XUR4-8*	Microprocessor Controller, Eight Relays	362.00
XFB4	Multiple Fused Output Relay	98.00
XCR4	Four Station Control Relay	194.00
XACM-1	Six Station Input Control Relay	105.00
XEMC	Exit Device Sequencer	176.00
X12VR	Voltage Control Regulator, 12VDC	76.00

*UR2-4 and UR4-8 boards can only be accommodated in the RFA large cabinet enclosure.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

RB12V4	12V/5Ah Battery	48.00
RB12V4-2	12V/5Ah Battery, Qty 2 Pack	96.00
RB12V7	12V/7Ah Battery	71.00
RB12V7-2	12V/7Ah Battery, Qty 2 Pack	142.00



632 Series

2 Amp Power Controllers

Access control system power requirements are uniquely different from other systems.

SDC power supplies have been developed specifically to help reduce power system issues and to support electric locks and access control requirements. Our hybrid design combines the efficiency of switching power supplies with the inductive load handling capability of linear power supplies in various 12/24 VDC current output capabilities and enclosure sizes. Filtering and output voltage regulation provide protection and ensure the longevity of all system components.

- Regulated & filtered linear DC power
- Class 2 output
- Field selectable dual voltage
- Fire/emergency release input
- Isolated battery charging circuit
- Low battery disconnect
- Input & output surge protection
- Visual status indicator (LED)
- Cabinet enclosures with pre-configured control module mounting holes*

*Applies to RF and RFA models only.

ORDERING GUIDE

OPTIONS		
	XMR	
	XPS-1	
	XPS-1A	
	XKL	
	-220	
MODEL		DOOR CONTROLS
632RF	XMR XPS-1A XKL	XUR-1
632RF		XUR-1
632RFA		XUR2-4
632RFL		XUR4-8
		XFB4
		XCR4
		XACM-1
		XEMC
		X12VR

NOT REQUIRED

EXAMPLES

632RF	2 Amp DC Power, Cabinet	467.00
632RFA	2 Amp DC Power, Large Cabinet	555.00
632RFXPS-1A	2 Amp DC Power, Cabinet, Power On/Off On Cabinet Enclosure	511.00
632RFXKLXUR-1	2 Amp DC Power, Cabinet, Key Lock Cover, Microprocessor Door Controller	624.00
632RFXUR-1	2 Amp DC Power, Cabinet, Microprocessor Door Controller	580.00



632RF



632RFA



632RFL

632 CONFIGURATION 1 of 1

MODEL		● ○ ○	LIST \$
632RF	2 Amp DC Power Controller With Cabinet		467.00
632RFA	2 Amp DC Power Controller With Large Cabinet		555.00
632RFL	2 Amp DC Power Controller Less Cabinet		362.00

OPTIONS		○ ○ ○	ADD TO LIST
XMR	Fire/Emergency Release Manual Reset Switch		44.00
XPS-1	Power On/Off Inside Cabinet Enclosure		44.00
XPS-1A	Power On/Off On Cabinet Enclosure Cover		44.00
XKL	Key Lock Cover		44.00
-220	230 VAC, 50/60 Hz		N/C

CONTROLS		○ ○ ●	ADD TO LIST
XUR-1	Microprocessor Controller, Two Relays		113.00
XUR2-4*	Microprocessor Controller, Four Relays		257.00
XUR4-8*	Microprocessor Controller, Eight Relays		362.00
XFB4	Multiple Fused Output Relay		98.00
XCR4	Four Station Control Relay		194.00
XACM-1	Six Station Input Control Relay		105.00
XEMC	Exit Device Sequencer		176.00
X12VR	Voltage Control Regulator, 12VDC		76.00

*UR2-4 and UR4-8 boards can only be accommodated in the RFA large cabinet enclosure.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

RB12V4	12V/5Ah Battery	48.00
RB12V4-2	12V/5Ah Battery, Qty 2 Pack	96.00
RB12V7	12V/7Ah Battery	71.00
RB12V7-2	12V/7Ah Battery, Qty 2 Pack	142.00



634 Series

4 Amp Power Controllers

Access control system power requirements are uniquely different from other systems.

SDC power supplies have been developed specifically to help reduce power system issues and to support electric locks and access control requirements. Our hybrid design combines the efficiency of switching power supplies with the inductive load handling capability of linear power supplies in various 12/24 VDC current output capabilities and enclosure sizes. Filtering and output voltage regulation provide protection and ensure the longevity of all system components.

- Regulated & filtered linear DC power
- Class 2 outputs
- Field selectable dual voltage
- Fire/emergency release input
- Isolated battery charging circuit
- Low battery disconnect
- Input & output surge protection
- Visual status indicator (LED)
- Cabinet enclosures with pre-configured control module mounting holes*

*Applies to RF models only.

ORDERING GUIDE

OPTIONS		
	XMR	
	XPS-1	
	XPS-1A	
	XKL	
	-220	
MODEL	634RF	XUR-1
	XMR XPS-1A XKL	XUR-1
		XUR2-4
		XUR4-8
		XFB4
		XCR4
		XACM-1
		XEMC
		X12VR
		DOOR CONTROLS

NOT REQUIRED

EXAMPLES

634RF	4 Amp DC Power, Cabinet	717.00
634RFXMR	4 Amp DC Power, Fire/Emergency Release Manual Reset	761.00
634RFXPS-1A	4 Amp DC Power, Cabinet, Power On/Off On Cabinet Enclosure	761.00
634RFXKLXUR-1	4 Amp DC Power, Cabinet, Key Lock Cover, Microprocessor Door Controller	874.00
634RFXUR-1	4 Amp DC Power, Cabinet, Microprocessor Door Controller	830.00



634RF

634 CONFIGURATION 1 of 1

MODEL		LIST \$
634RF	4 Amp DC Power Controller With Large Cabinet	717.00

OPTIONS		ADD TO LIST
XMR	Fire/Emergency Release Manual Reset Switch	44.00
XPS-1	Power On/Off Inside Cabinet Enclosure	44.00
XPS-1A	Power On/Off On Cabinet Enclosure Cover	44.00
XKL	Key Lock Cover	44.00
-220	230 VAC, 50/60 Hz	N/C

CONTROLS		ADD TO LIST
XUR-1	Microprocessor Controller, Two Relays	113.00
XUR2-4	Microprocessor Controller, Four Relays	257.00
XUR4-8	Microprocessor Controller, Eight Relays	362.00
XFB4	Multiple Fused Output Relay	98.00
XCR4	Four Station Control Relay	194.00
XACM-1	Six Station Input Control Relay	105.00
XEMC	Exit Device Sequencer	176.00
X12VR	Voltage Control Regulator, 12VDC	76.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

RB12V7	12V/7Ah Battery	71.00
RB12V7-2	12V/7Ah Battery, Qty 2 Pack	142.00



636 Series

6 Amp Power Controllers

Access control system power requirements are uniquely different from other systems.

SDC power supplies have been developed specifically to help reduce power system issues and to support electric locks and access control requirements. Our hybrid design combines the efficiency of switching power supplies with the inductive load handling capability of linear power supplies in various 12/24 VDC current output capabilities and enclosure sizes. Filtering and output voltage regulation provide protection and ensure the longevity of all system components.

- Regulated & filtered linear DC power
- Class 2 outputs
- Field selectable dual voltage
- Fire/emergency release input
- Isolated battery charging circuit
- Low battery disconnect
- Input & output surge protection
- Visual status indicator (LED)
- Cabinet enclosures with pre-configured control module mounting holes*

*Applies to RF models only.

ORDERING GUIDE

OPTIONS		
	XMR	
	XPS-1	
	XPS-1A	
	XKL	
	-220	
MODEL	636RF	XUR-1
	XMR XPS-1A XKL	XUR-1
		XUR2-4
		XUR4-8
		XFB4
		XCR4
		XACM-1
		XEMC
		X12VR
		DOOR CONTROLS

NOT REQUIRED

EXAMPLES

636RF	6 Amp DC Power, Cabinet	833.00
636RFXMR	6 Amp DC Power, Fire/Emergency Release Manual Reset	877.00
636RFXPS-1A	6 Amp DC Power, Cabinet, Power On/Off On Cabinet Enclosure	877.00
636RFXKLXUR-1	6 Amp DC Power, Cabinet, Key Lock Cover, Microprocessor Door Controller	990.00
636RFXUR-1	6 Amp DC Power, Cabinet, Microprocessor Door Controller	946.00



636RF

636 CONFIGURATION 1 of 1

MODEL		LIST \$
636RF	6 Amp DC Power Controller With Large Cabinet	833.00

OPTIONS		ADD TO LIST
XMR	Fire/Emergency Release Manual Reset Switch	44.00
XPS-1	Power On/Off Inside Cabinet Enclosure	44.00
XPS-1A	Power On/Off On Cabinet Enclosure Cover	44.00
XKL	Key Lock Cover	44.00
-220	230 VAC, 50/60 Hz	N/C

CONTROLS		ADD TO LIST
XUR-1	Microprocessor Controller, Two Relays	113.00
XUR2-4	Microprocessor Controller, Four Relays	257.00
XUR4-8	Microprocessor Controller, Eight Relays	362.00
XFB4	Multiple Fused Output Relay	98.00
XCR4	Four Station Control Relay	194.00
XACM-1	Six Station Input Control Relay	105.00
XEMC	Exit Device Sequencer	176.00
X12VR	Voltage Control Regulator, 12VDC	76.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

RB12V7	12V/7Ah Battery	71.00
RB12V7-2	12V/7Ah Battery, Qty 2 Pack	142.00

Door Controls, Backup Batteries & Plug-In Power Supplies



UR-1




CR4



ACM-1



EMC



FB-4



12VR



RB12V

MODEL		LIST \$
UR-1	Universal Microprocessor-Based Controller, Two Relays	113.00
UR2-4	Universal Microprocessor-Based Controller, Four Relays	257.00
UR4-8	Universal Microprocessor-Based Controller, Eight Relays	362.00
CR4	Four Station Control Relay	194.00
ACM-1	Six Input Control Relay	105.00
EMC	Dual Channel Exit Device Sequencer	176.00
FB-4	Four Output Power Distribution Module	98.00
12VR	Voltage Power Converter	76.00
RB12V4	12V/5Ah Battery	48.00
RB12V4-2	12V/5Ah Battery, Qty 2 Pack	96.00
RB12V7	12V/7Ah Battery	71.00
RB12V7-2	12V/7Ah Battery, Qty 2 Pack	142.00
TR12	Regulated 12 VDC Plug-In Power Transformer, 1 Amp	86.00
TR24	Regulated 24 VDC Plug-In Power Transformer, 1 Amp	88.00

DT Series

Mini Desktop Control Consoles



DTMO-1, DTMA-1



**DTMO-2, DTMA-2,
DTMOMA-2**

MODEL		LIST \$
DTMO-1	One Momentary (MO) Switch	282.00
DTMA-1	One Alternate Action (On/Off) Switch	282.00
DTMO-2	Two Momentary (MO) Switches	310.00
DTMA-2	Two Alternate Action (On/Off) Switches	310.00
DTMOMA-2	One Momentary (MO) Switch, One Alternate Action (On/Off) Switch	394.00

D15 Series

Concealed Desk Switches



D15-1



D15-2



D15-3



D15-2-3

MODEL		LIST \$
D15-1	Alternate Action (On/Off) Push Button	129.00
D15-2	Momentary (MO) Push Button	89.00
D15-3	Alternate Action (On/Off) Toggle Switch	153.00
D15-2-3	Momentary (MO) Push Button and Alternate Action (On/Off) Toggle Switch	216.00

Door Prop Alarms & Annunciators



EA-SN



EA-728V



EA-708V



EA100



400

MODEL		LIST \$
EA-SN	Single Gang Door Prop Alarm	243.00
EA-728V	Double Gang Door Prop Alarm, Keylock Reset/Bypass	309.00
EA-708V*	Double Gang Door Prop Alarm, Mortise Key Cylinder Reset/Bypass Prep	343.00
EA100	Multi-Mode Visual Annunciator	205.00
400NU-L1G	Narrow Visual Monitoring Station, One Green LED	53.00
400NU-L1R	Narrow Visual Monitoring Station, One Red LED	53.00
400NU-L2	Narrow Visual Monitoring Station, One Green & One Red LED	53.00
400NU-L3	Narrow Visual Monitoring Station, One Green, One Amber & One Red LED	65.00
400NU-LT1	Narrow Visual Monitoring Station, One Tri-Color LED	53.00
400NU-LT2	Narrow Visual Monitoring Station, Two Tri-Color LEDs	65.00
400NU-LT3	Narrow Visual Monitoring Station, Three Tri-Color LEDs	65.00
400U-L1G	Single Gang Visual Monitoring Station, One Green LED	53.00
400U-L1R	Single Gang Visual Monitoring Station, One Red LED	53.00
400U-L2	Single Gang Visual Monitoring Station, One Green & One Red LED	53.00
400U-L3	Single Gang Visual Monitoring Station, One Green, One Amber & One Red LED	65.00
400U-LT1	Single Gang Visual Monitoring Station, One Tri-Color LED	53.00
400U-LT2	Single Gang Visual Monitoring Station, Two Tri-Color LEDs	65.00
400U-LT3	Single Gang Visual Monitoring Station, Three Tri-Color LEDs	65.00
400NU-SN	Narrow Siren Alarm Station	65.00
400U-SN	Single Gang Siren Alarm Station	65.00
400NU-RMB	Narrow Buzzer Alarm Station	53.00
400U-RMB	Single Gang Buzzer Alarm Station	53.00

*Key cylinders not included, order separately. See related products.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

CYL-6KDQ	Mortise Cylinder, 6-Pin, 1½" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1½" Length, Keyed Alike	52.00



EH Series

Electromagnetic Door Holder & Releasing Devices

SDC's EH series magnetic door holders are designed to hold doors open and release the door by remote switch or fire life safety command center activation. Primary application includes holding and releasing of fire rated doors that are required to provide a barrier for fire and smoke in an emergency or the convenience of door closure by remote control.

- Door release and close upon power loss or fire life safety system activation
- Low power consumption
- Field selectable high holding force
- Dual AC/DC voltage configurations
- Screw terminal block input connections
- Self-aligning catch plate
- Adjustable magnet centerline

ORDERING GUIDE

CONFIGURATION		
	1224	
	24120	
	24220	
EH20	24120	A
EH10		A
EH20		B
EH30		FINISH
EH40		
EH42		
MODEL		

EXAMPLES

EH101224A	Door Holder, Flush Mount, 12/24VAC/DC, Chrome Powder Coat	153.00
EH201224A	Door Holder, Semi-Flush Mount, 12/24VAC/DC, Chrome Powder Coat	118.00
EH301224A	Door Holder, Surface Mount, 12/24VAC/DC, Chrome Powder Coat	171.00
EH401224A	Door Holder, Floor Mount Single, 12/24VAC/DC, Chrome Powder Coat	220.00
EH421224A	Door Holder, Floor Mount Double, 12/24VAC/DC, Chrome Powder Coat	276.00

EH CONFIGURATION 1 of 1



EH10



EH20



EH30



EH40



EH42

MODEL		● ○ ○	LIST \$
EH10	Door Holder, Flush Mount		153.00
EH20	Door Holder, Semi-Flush Mount		118.00
EH30	Door Holder, Surface Mount		171.00
EH40	Door Holder, Floor Mount Single		220.00
EH42	Door Holder, Floor Mount Double		276.00

CONFIGURATION		○ ● ○	ADD TO LIST
1224	12/24VAC/DC		N/C
24120	24VAC/DC, 120VAC		N/C
24220	24VAC/DC, 220VAC		N/C

FINISH		○ ○ ●	ADD TO LIST
A	Chrome Powder Coat <small>Standard</small>		N/C
B	Black Powder Coat		21.00

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.

EHR02A	Door Holder Extension Rod, ½", Chrome Powder Coat	25.00
EHR02B	Door Holder Extension Rod, ½", Black Powder Coat	46.00
EHR1A	Door Holder Extension Rod, 1", Chrome Powder Coat	25.00
EHR1B	Door Holder Extension Rod, 1", Black Powder Coat	46.00
EHR15A	Door Holder Extension Rod, 1½", Chrome Powder Coat	29.00
EHR15B	Door Holder Extension Rod, 1½", Black Powder Coat	49.00
EHR2A	Door Holder Extension Rod, 2", Chrome Powder Coat	36.00
EHR2B	Door Holder Extension Rod, 2", Black Powder Coat	57.00
EHR3A	Door Holder Extension Rod, 3", Chrome Powder Coat	36.00
EHR3B	Door Holder Extension Rod, 3", Black Powder Coat	57.00
EHR4A	Door Holder Extension Rod, 4", Chrome Powder Coat	48.00
EHR4B	Door Holder Extension Rod, 4", Black Powder Coat	69.00
EHR5A	Door Holder Extension Rod, 5", Chrome Powder Coat	59.00
EHR5B	Door Holder Extension Rod, 5", Black Powder Coat	80.00
EHRA15A	Door Holder Adjustable Extension Rod, 1½", Chrome Powder Coat	29.00
EHRA15B	Door Holder Adjustable Extension Rod, 1½", Black Powder Coat	50.00
EHRA4A	Door Holder Adjustable Extension Rod, 4", Chrome Powder Coat	48.00
EHRA4B	Door Holder Adjustable Extension Rod, 4", Black Powder Coat	69.00
EHBBA	Door Holder Surface Back Box, 2 ⁵ / ₃₂ " x 4 ⁷ / ₈ " x 1½", Chrome Powder Coat	48.00
EHBBA	Door Holder Surface Back Box, 2 ⁵ / ₃₂ " x 4 ⁷ / ₈ " x 1½", Black Powder Coat	69.00
EHCPA	Door Holder Catch Plate, Chrome Powder Coat	36.00
EHCPB	Door Holder Catch Plate, Black Powder Coat	57.00
EHSBAA	Door Holder Catch Plate Assembly, Chrome Powder Coat	59.00
EHSBAB	Door Holder Catch Plate Assembly, Black Powder Coat	80.00
EHW	Door Holder Extension Wrench	9.00

* See installation instructions for guidance on determining extension rod and adjustable extension rod length.

Accessories & Miscellaneous



DPS-11



MC-4



MC-4MV



MS



Comm Bath



WRC

MODEL		LIST \$
DPS-11	DPS Monitoring, Adjustable Ball Switch, SPDT	53.00
DPS-11-2	DPS Monitoring, Adjustable Ball Switch, SPDT (2)	77.00
MC-4	DPS Monitoring, Recessed Magnetic Contact, SPDT	57.00
MC-4PAK	DPS Monitoring, Recessed Magnetic Contact Pack, SPDT, Qty 10	380.00
MC-4-2	DPS Monitoring, Recessed Magnetic Contact, DPDT	85.00
MC-4MV	DPS Monitoring, Concealed Magnetic Contact, SPDT	108.00
MC-4M-2V	DPS Monitoring, Concealed Magnetic Contact, DPDT	136.00
MC-7	DPS Monitoring, Biased High Security Recessed Magnetic Contact, SPDT	77.00
MS-12	Monitoring Strike, Cylindrical Lock or Tubular Deadbolt, 2¾" Strike, SPDT	153.00
MS-12D	Monitoring Strike, Cylindrical Lock or Tubular Deadbolt, 2¾" Strike, DPDT	186.00
MS-14	Monitoring Strike, Cylindrical Lock, 4⅞" Strike, SPDT	153.00
MS-14D	Monitoring Strike, Cylindrical Lock, 4⅞" Strike, DPDT	186.00
MS-16	Monitoring Strike, Mortise Lock Latchbolt, SPDT	153.00
MS-16D	Monitoring Strike, Mortise Lock Latchbolt, DPDT	186.00
MS-18	Monitoring Strike, Mortise Lock Deadbolt, SPDT	153.00
MS-18D	Monitoring Strike, Mortise Lock Deadbolt, DPDT	199.00
MS-19	Monitoring Strike, Mortise Lock Deadlock, SPDT	295.00
MS-20	Monitoring Strike, Mortise Lock Latchbolt and Deadbolt, SPDT	186.00
MS-20D	Monitoring Strike, Mortise Lock Latchbolt and Deadbolt, DPDT	251.00
CB401-AU	Comm Bath Push Button, System Activation, Alternate Action (AA) On/Off, 630	135.00
CB402-AU	Comm Bath Push Button, System Activation, Momentary (MO), 630	135.00
CB401-B*	Comm Bath Push Button, Emergency Access, Alternate Action (AA) On/Off, Red	141.00
CB402-B*	Comm Bath Push Button, Emergency Access, Momentary (MO), Red	141.00
CB701**	Comm Bath Key Switch, Emergency Access, Alternate Action (AA) On/Off, Red	176.00
CB702**	Comm Bath Key Switch, Emergency Access, Momentary (MO), Red	176.00
CBP-ME-78	Comm Bath Package, Mortise Locks, Eclipse Trim (Z7850LQDE)	2,979.00
CBP-MG-78	Comm Bath Package, Mortise Locks, Galaxy Trim (Z7850LQDG)	2,979.00
CBP-CE-72	Comm Bath Package, Cylindrical Locks, Eclipse Trim (Z7250EQ)	2,177.00
CBP-CG-72	Comm Bath Package, Cylindrical Locks, Galaxy Trim (Z7250GQ)	2,177.00
CBP-EM-81	Comm Bath Package, 650lb EMLocks (1581VD)	1,757.00
CBP-EM-71	Comm Bath Package, 1200lb EMLocks (1571VD)	1,932.00
CBP-EM-11	Comm Bath Package, 1650lb EMLocks (1511VD)	2,001.00
WRC-R2	Wireless Receiver, Two Channel, 24VDC	92.00
WRC-R2-12	Wireless Receiver, Two Channel, 12VDC	92.00
WRC-2B	Wireless Transmitter, Two Button Pendant	57.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1⅞" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1⅞" Length, Keyed Alike	52.00

* Two required in a system.

** Key cylinders not included, order separately.

Hazardous & Explosion Proof



EP17624



EP17624TJ



EP499



EP493

MODEL		LIST \$
EP17624	Single Explosion Proof Magnetic Lock, Side Conduit, 600lbs	2,741.00
EP17624TJ	Single Explosion Proof Magnetic Lock, Top Conduit, 600lbs	2,856.00
EP499	Explosion Proof Exit Mushroom Switch, Green Button, Momentary (MO), SPDT	2,621.00
EP499-R	Explosion Proof Exit Mushroom Switch, Red Button, Momentary (MO), SPDT	2,621.00
EP493	Explosion Proof Emergency Pull Station	911.00

INDEX

STARTS WITH	DESCRIPTION	SUBSECTION	TRADEMARK	PAGE
005	Retrofit Switch Kits	Egress Devices		115
12VR	Voltage Power Convertors	Door Controllers		145
15-4	Value 5/8" Latchbolt Strikes	Electric Strikes		52
25-4	Value 1/2" Latchbolt Strikes	Electric Strikes		52
30-4-	3/4" Pullman Latchbolt Strikes	Electric Strikes		52
45-	5/8" Latchbolt Strikes	Electric Strikes	UniFLEX™	50, 51
50-RMB	Buzzer with Pigtail Connectors	Electric Strikes		49
55-	3/4" Latchbolt Strikes	Electric Strikes	UniFLEX™	48, 49
101	Delayed Egress Indicators	Delayed Egress Locks		28, 31, 33, 36
101-DE	Delayed Egress Controllers	Delayed Egress Locks	ExitCheck®	34, 35
101-KDE	Delayed Egress Controllers	Delayed Egress Locks	ExitCheck®	34, 35
110	Conventional Direct Throw Mortise Bolt Locks	Electric Bolt Locks		94
160	Conventional Direct Throw Mortise Bolt Locks	Electric Bolt Locks		94
180	Conventional Direct Throw Surface Mount Bolt Locks	Electric Bolt Locks		94
210	Conventional Direct Throw Mortise Bolt Locks	Electric Bolt Locks		94
260	Conventional Direct Throw Mortise Bolt Locks	Electric Bolt Locks		94
280	Conventional Direct Throw Surface Mount Bolt Locks	Electric Bolt Locks		94
290	Micro Cabinet Bolt Locks	Electric Bolt Locks		94
295	Standalone Programmable Cabinet Locks	Standalone Locksets		105
350	Narrow Single Magnetic Locks	Electromagnetic Locks		17
352	Narrow Double Magnetic Locks	Electromagnetic Locks		17
400-1B	Narrow Surface Boxes	Push Plates & Panels		132
400NU-L	Visual Monitoring Stations	Door Prop Alarms & Annunciators		153
400NU-RMB	Buzzer Alarm Stations	Door Prop Alarms & Annunciators		153
400NU-SN	Siren Alarm Stations	Door Prop Alarms & Annunciators		153
400RC433	433MHz Wireless Receivers	Push Plates & Panels		132,133
400U-L	Visual Monitoring Stations	Door Prop Alarms & Annunciators		153
400U-RMB	Buzzer Alarm Stations	Door Prop Alarms & Annunciators		153
400U-SN	Siren Alarm Stations	Door Prop Alarms & Annunciators		153
400W1-433	433MHz Wireless Transmitters	Push Plates & Panels		132,133
412, 413, 414, 415	Narrow Push Button Switches	Exit Switches & Sensors		116,117
422, 423, 424, 425	Push Button Switches	Exit Switches & Sensors		118,119
431, 432, 434, 435	Small Mushroom Button Switches	Exit Switches & Sensors		120,121
441, 442, 444, 446	Large Mushroom Button Switches	Exit Switches & Sensors		122,123
451	Vandal Push Button Switches	Exit Switches & Sensors		124
452	Vandal Push Button Switches	Exit Switches & Sensors		124
453	Vandal Push Button Switches	Exit Switches & Sensors		124
463	Capacitive Touch Sensors	Exit Switches & Sensors		125
474	No Touch Sensors	Exit Switches & Sensors		126

STARTS WITH	DESCRIPTION	SUBSECTION	TRADEMARK	PAGE
480-	Push Plate Mounting Accessories	Push Plates & Panels		132
482	Push Plates	Push Plates & Panels		131, 132
482AA	Push Panels	Push Plates & Panels		132
484	Push Plates	Push Plates & Panels		131, 132
484AA	Push Panels	Push Plates & Panels		132
491	Emergency Break Glass Stations	Emergency Door Releases		128
492	Emergency Pull Stations	Emergency Door Releases		128
500-GL	Glass Door Mounting Kits	Egress Devices		112, 114
500-SK	Shim Kits	Egress Devices		112, 114
602	1 Amp Power Controllers	Power Controllers		135, 136
631	1.5 Amp Power Controllers	Power Controllers		137, 138
632	2 Amp Power Controllers	Power Controllers		139, 140
634	4 Amp Power Controllers	Power Controllers		141, 142
636	6 Amp Power Controllers	Power Controllers		143, 144
701, 702	Key Switches	Key Switches		106, 107
702R	Delayed Egress Key Switches	Delayed Egress Locks		28, 31, 33
705, 706, 707	Key Switches	Key Switches		106, 107
707R	Delayed Egress Key Switches	Delayed Egress Locks		28, 31, 33
708	Key Switches	Key Switches		106, 107
708R	Delayed Egress Key Switches	Delayed Egress Locks		28, 31, 33
709, 711, 712, 713	Key Switches	Key Switches		106, 107
728	Delayed Egress Keylock Reset & Bypass Switches	Delayed Egress Locks		28, 31, 33
801, 802, 805, 806	Vandal Resistant Key Switches	Key Switches		109, 110
807, 808, 809, 811	Vandal Resistant Key Switches	Key Switches		109, 110
812, 813	Vandal Resistant Key Switches	Key Switches		109, 110
863M	ILCO 863M Schlage "L" Cam	Electrified Locksets		67, 102
900-PS	Indoor Privacy Shrouds	Keypads & Readers		96
918	Indoor Self-Contained Keypads	Keypads & Readers	EntryCheck™	96
920	Indoor/Outdoor Self-Contained Keypads	Keypads & Readers	EntryCheck™	96
921P	Indoor/Outdoor Self-Contained Keypads	Keypads & Readers	EntryCheck™	96
923	Indoor/Outdoor Self-Contained Keypads	Keypads & Readers	EntryCheck™	96
926	Outdoor Self-Contained Keypads	Keypads & Readers		96
1091	Right Angle Bolt Locks	Electric Bolt Locks	Spacesaver®	86, 87
1190	Heavy Duty Right Angle Bolt Locks	Electric Bolt Locks	Spacesaver®	88, 89
1291	Right Angle Bolt Locks	Electric Bolt Locks	Spacesaver®	86, 87
1490	Narrow Right Angle Bolt Locks	Electric Bolt Locks	Spacesaver®	90, 91
1511	1650lb Single EMLocks	Electromagnetic Locks	EMLock®	8, 9
1511DE	Delayed Egress Slave EMLocks	Delayed Egress Locks		35
1511-DF	Heavy Duty Drill Fixtures	Electromagnetic Locks		10, 13

INDEX

STARTS WITH	DESCRIPTION	SUBSECTION	TRADEMARK	PAGE
1511S	Single Delayed Egress Locks	Delayed Egress Locks	ExitCheck®	26, 27
1511T	Tandem Delayed Egress Locks	Delayed Egress Locks	ExitCheck®	29, 30
1512	1650lb Double EMLocks	Electromagnetic Locks	EMLock®	8, 9
1512VV82	3300lb Vertical Housing EMLock Package	Electromagnetic Locks	EMLock®	10
1561	2000lb Concealed Shear Locks	Electromagnetic Shear Locks	HiShear®	18, 19
1561S	Surface Shear Locks	Electromagnetic Shear Locks	HiShear®	22, 23
1561TJ	Surface Top Jamb Shear Locks	Electromagnetic Shear Locks	HiShear®	24, 25
1562	2000lb Concealed Shear Locks	Electromagnetic Shear Locks	HiShear®	18, 19
1562SC	Semi-Concealed Shear Locks	Electromagnetic Shear Locks	HiShear®	20, 21
1565	2700lb Concealed Shear Locks	Electromagnetic Shear Locks	HiShear®	18, 19
1566	2700lb Concealed Shear Locks	Electromagnetic Shear Locks	HiShear®	18, 19
1571	1200lb Single EMLocks	Electromagnetic Locks	EMLock®	11, 12
1572	1200lb Double EMLocks	Electromagnetic Locks	EMLock®	11, 12
1572VV82	2400lb Vertical Housing EMLock Package	Electromagnetic Locks	EMLock®	13
1575	Magnetic Gate Locks	Electromagnetic Locks		17
1575-AB	Armature Mounting Brackets	Electromagnetic Locks		17
1575-BK	Angle Brackets	Electromagnetic Locks		17
1575DE	Delayed Egress Slave Gate Locks	Delayed Egress Locks		35
1576	Magnetic Gate Locks	Electromagnetic Locks		17
1576-BK	Angle Brackets	Electromagnetic Locks		17
1576DE	Delayed Egress Slave Gate Locks	Delayed Egress Locks		35
1576-MP	Armature Mounting Plates	Electromagnetic Locks		17
1576-ZBV	Z Brackets	Electromagnetic Locks		17
1581	650lb Single EMLocks	Electromagnetic Locks	EMLock®	14, 15
1581DE	Delayed Egress Slave EMLocks	Delayed Egress Locks		35
1581-DF	Heavy Duty Drill Fixtures	Electromagnetic Locks		16
1581S	Mini Delayed Egress Locks	Delayed Egress Locks		32, 33
1581S-TC-	Mini Delayed Egress Tandem Cable Kits	Delayed Egress Locks		33
1582	650lb Double EMLocks	Electromagnetic Locks	EMLock®	14, 15
1591	Sliding Door Magnetic Locks	Electromagnetic Locks		17
2090	Heavy Duty Right Angle Bolt Locks	Electric Bolt Locks	Spacesaver®	88, 89
2490	Narrow Right Angle Bolt Locks	Electric Bolt Locks	Spacesaver®	90, 91
7000-	Laser Guided Wire Raceway Drill Fixture Kits	Power Transfer Devices		134
7500EB	Mortar Guard Back Boxes	Electrified Locksets		57, 60
AB	Angle Brackets	Electromagnetic Locks		9, 10, 12, 13, 15, 16, 28, 31, 33
ACM-1	Six Input Control Relays	Door Controllers		145
AMP	Armature Mounting Plates	Electromagnetic Locks		17
APB1000A	Emergency Access Panels	Emergency Door Releases		128

STARTS WITH	DESCRIPTION	SUBSECTION	TRADEMARK	PAGE
AR	Armature Mounting Plates	Electromagnetic Locks		10, 13
AUTO	Low Energy Swing Door Operators	Low Energy Swing Door Operators	EntryControl™	129, 130
BB1D	Retrofit Back Boxes	Exit Switches & Sensors		108, 110, 117, 119, 121, 123, 124, 125, 126
BP	Square Bollard Posts	Bollards		133
BR64XL	AC to DC Bridge Rectifiers	Electric Strikes		49, 51, 52
CA-55-4	Power Input Pigtail Connectors	Electric Strikes		49
CAB	Rack Mount Control Consoles Cabinets	Remote Controls		151
CB	Communicating Bathroom Control Switches	Accessories & Misc		156
CBC482A4U	CBC Compliant Bollard Posts	Bollards		133
CBP-	Communicating Bathroom Packages	Accessories & Misc		156
CC	Socket Connectors	Electrified Locksets		62, 64, 67, 69
CR4	Four Station Control Relays	Door Controllers		145
CYL-6K	Mortise Key Cylinders	Accessories & Misc		28, 31, 33, 36, 39, 42, 45, 57, 60, 62, 64, 67, 69, 73, 78, 81, 87, 94, 102, 104, 108, 110, 153
D15-	Concealed Desk Switches	Remote Controls		152
DC-	Door Coordinator Brackets	Electromagnetic Locks		10, 13
DEC-J	Delayed Egress Controller Surface Boxes	Delayed Egress Locks		36
DPS-11	DPS Monitoring Ball Switches	Accessories & Misc		156
DT	Mini Desktop Control Consoles	Remote Controls		146
E1200	1200lb Value Magnetic Locks	Electromagnetic Locks	Excel®	17
E1200-DF	Heavy Duty Drill Fixtures	Electromagnetic Locks		17
E12F	Filler Plates	Electromagnetic Locks		17
E12L	Angle Brackets	Electromagnetic Locks		17
E12U	Glass Door Mounting Kits	Electromagnetic Locks		17
E12Z	Top Jamb Mounting Kits	Electromagnetic Locks		17
E300	Magnetic Cabinet Locks	Electromagnetic Locks		17
E600	600lb Magnetic Locks	Electromagnetic Locks	Excel®	17
E6200	Value Industrial Magnetic Locks	Electromagnetic Locks		17
E6U	Glass Door Mounting Kits	Electromagnetic Locks		17
E6Z	Top Jamb Mounting Kits	Electromagnetic Locks		17
E75	Standalone Electronic Cylindrical Locksets	Standalone Locksets	EntryCheck™	97, 98, 99, 100
E76	Standalone Electronic Mortise Locksets	Standalone Locksets	EntryCheck™	101, 102
E77	Standalone Electronic Rim Exit Device Locksets	Standalone Locksets	EntryCheck™	103, 104
EA-	Door Prop Alarms	Door Prop Alarms & Annunciators		153
EA100	Multi-Mode Visual Annunciators	Door Prop Alarms & Annunciators	ExitAnnunciator®	153
EH	Electromagnetic Door Holder & Releasing Devices	Accessories & Misc		154, 155

INDEX

STARTS WITH	DESCRIPTION	SUBSECTION	TRADEMARK	PAGE
EK	Eclipse Escutecheon Trim	Exit Devices & Retrofit ELR Kits		78, 39, 45
EK4	Eclipse Escutecheon Trim	Exit Devices & Retrofit ELR Kits		73
EKE	Electrified Eclipse Escutecheon Trim	Exit Devices & Retrofit ELR Kits		78, 39, 45
EMC	Dual Channel Exit Device Sequencer	Door Controllers		145
EP17624	Explosion Proof Magnetic Locks	Hazardous & Explosion Proof		157
EP493	Explosion Proof Emergency Pull Stations	Hazardous & Explosion Proof		157
EP499	Explosion Proof Exit Switches	Hazardous & Explosion Proof		157
EZ-	Field Upgrade Kits	Electromagnetic Locks		10, 13
FB-4	Four Output Power Distribution Modules	Door Controllers		145
FP	Filler Plates	Electromagnetic Locks		9, 12, 15, 28, 31, 33
FS23M	Dual Failsafe Right Angle Bolt Locks	Electric Bolt Locks	Spacesaver®	92, 93
GK	Galaxy Escutecheon Trim	Exit Devices & Retrofit ELR Kits		78, 39, 45
GK4	Galaxy Escutecheon Trim	Exit Devices & Retrofit ELR Kits		73
GKE	Electrified Galaxy Escutecheon Trim	Exit Devices & Retrofit ELR Kits		78, 39, 45
GL	Gate Bolt Locks	Electric Bolt Locks	GateLok™	94
HDB	Glass Door Mounting Kits	Electromagnetic Locks		10, 13, 16, 17
HID1326	Proximity Card Packs	Keypads & Readers		96, 98, 100
HID1346	Proximity Fob Packs	Keypads & Readers		96, 98, 100
IP100	Retrofit Electric Latch Retraction PoE Kits	Exit Devices & Retrofit ELR Kits	QuietDuo™	85
IPD	IPPro Controller Boards	IP-Based Access Controllers	IPPro®	95
IPI-30	IPPro Injector	IP-Based Access Controllers	IPPro®	95
IPPRO-SKE	IPPRO Starter Kits	IP-Based Access Controllers	IPPro®	95
IPRW	Weigand Readers	Keypads & Readers		96
IPS-12	IPPro Splitter	IP-Based Access Controllers	IPPro®	95
KR90F	Removable Mullions	Exit Devices & Retrofit ELR Kits		73, 78, 39, 45
LAB	Angle Brackets	Electromagnetic Locks		17
LR	Retrofit Monitoring Kits	Exit Devices & Retrofit ELR Kits		84, 85
LR100	Retrofit Electric Latch Retraction Kits	Exit Devices & Retrofit ELR Kits	QuietDuo™	82, 83
MC-	DPS Monitoring Magnetic Contacts	Accessories & Misc		156
MD-31D	PIR Motion Sensors	Exit Switches & Sensors		127
MS-	Monitoring Strikes	Accessories & Misc		156
MSB550	Mechanical Switch Bars	Egress Devices		113, 114
PAK-TR	Laser Engraved Rocker Switch Cap Packs	Remote Controls		148, 151
PD2090	Panic Device Bolt Locks	Electric Bolt Locks	PanicLok™	94
PSB560	Pressure Sense Bars	Egress Devices	SureExit®	111, 112
PT-	Power Transfer Loops	Power Transfer Devices		134
PTAG-	Proximity Disc Tag Packs	Keypads & Readers		96, 98, 100
PTH-	Electrified Power Transfer Hinges	Power Transfer Devices		134
PTM-	Power Transfer Mortise Devices	Power Transfer Devices		134
RB12V	Backup Batteries	Power Controllers		136, 138, 140, 142, 144, 145

STARTS WITH	DESCRIPTION	SUBSECTION	TRADEMARK	PAGE
RIM-CYL-KA	Rim Key Cylinders	Accessories & Misc		73, 75, 78, 39, 45
S41	Rim Industrial Exit Devices	Exit Devices & Retrofit ELR Kits		71, 72
S42	SVR Industrial Exit Devices	Exit Devices & Retrofit ELR Kits		71, 72
S51	Rim Storefront Exit Devices	Exit Devices & Retrofit ELR Kits		74, 75
S58	CVR Storefront Exit Devices	Exit Devices & Retrofit ELR Kits		74, 75
S61	Rim Architectural Exit Devices	Exit Devices & Retrofit ELR Kits		76, 77, 37, 38, 43, 44
S62	SVR Architectural Exit Devices	Exit Devices & Retrofit ELR Kits		76, 77, 37, 38, 43, 44
S63	Mortise Architectural Exit Devices	Exit Devices & Retrofit ELR Kits		79, 80, 40, 41, 46, 47
S6303FH	Frame Actuator Controlled Mortise Devices	Electrified Locksets	HiTower®	57
S78000-REX	Schlage L9000 Mortise Lock REX Monitoring Kits	Electrified Locksets		70
SC-	Socket Connectors	Electrified Locksets		57, 60
SHD-J	Delayed Egress Controller Outdoor Shrouds	Delayed Egress Locks		36
SK-L90	Schlage L9000 Mortise Lock Field Electrification Kits	Electrified Locksets		70
SP	Saturn Escutecheon Trim	Exit Devices & Retrofit ELR Kits		78, 39, 45
SP	Spindles	Low Energy Swing Door Operators		130
SP4	Saturn Escutecheon Trim	Exit Devices & Retrofit ELR Kits		73
ST	Replacement Strikes	Exit Devices & Retrofit ELR Kits		73, 78, 39, 45
ST51C	Rim Strike Blocks	Exit Devices & Retrofit ELR Kits		75
TJ	Top Jamb Mounting Kits	Electromagnetic Locks		10, 13, 16, 17
TR	Plug-In Power Transformers	Plug-In Power Supplies		145
UB	Header Brackets	Electromagnetic Locks		10, 13
UF	Spacer Brackets	Electromagnetic Locks		10, 13, 16
UR	Universal Microprocessor-Based Controllers	Door Controllers		145
WDRB	Wood Door Reinforcement Boxes	Electromagnetic Shear Locks		19
WPT	Wireless Power Transfer Devices	Power Transfer Devices		134
WRC-	Two Channel Wireless Receivers & Transmitters	Accessories & Misc		156
Z72	Solenoid Controlled Cylindrical Locks	Electrified Locksets	Electra™	53, 54
Z75	Solenoid Frame Actuator Controlled Mortise Locks	Electrified Locksets	HiTower®	55, 56
Z76	MLR Controlled Mortise Locks	Electrified Locksets		61, 62
Z77	MLR & Solenoid Controlled Mortise Locks	Electrified Locksets		63, 64
Z78	Solenoid Controlled Mortise Locks	Electrified Locksets	Selectric®	65, 66

